

MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS

MINISTRY OF ENVIRONMENT & FORESTS

Regional Office (W), Bhopal

Monitoring Report

**PART – I
DATA SHEET**

No.: 01		Period: December, 2014
1.	Project type: River –Valley/ Mining/ Industry/ Thermal/ Nuclear/ other (specify)	: Construction Project
2.	Name of the project	: “Residential Group Housing Project”
3.	Clearance letter (s)/OM no. and date	: SEAC-2010/CR.776/TC.2 Dated:25th July,2013
4.	Location	: Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra
	(a) District	: Pune
	(b) State	: Maharashtra
	(c) Latitude / Longitude	: Latitude : 18 ⁰ 28’ 02.22” N Longitude : 73 ⁰ 52’ 51.63” E
5.	(a) Address for correspondence	Add.: Kumar Capital, 1 st Floor, 2413, east Street Camp, Pune 411001. Maharashtra
	(b) Address of Executive Project Engineer/ Manager (with pin code / Fax)	: Mr. Manish Jain Designation : Director M/s. Kumar Kering Properties Pvt.Ltd. Address: Kumar Capital 1st Floor 2413, East Street, Camp, Pune - 411 001 Telephone No. : + 91- 20 - 30528888 E-mail: manish@kumarworld.com
6.	Salient Features	
	(a) Of the project	: Refer Annexure 1-Project Details
	(b) Of Environmental Management Plans	: Refer Annexure 1-Project Details
7.	Breakup of the project area	
	(a) Submergence area: forest & non forest.	: Nil
	(b) Others	: The entire project area is non-agricultural land.
8.	Breakup of the project affected population with enumeration of those losing houses /dwelling units only, agricultural land only, both dwelling units & agricultural land & landless labourers /artisan.	: The Proposed Project is located at the vacant land only clearing of small sized vegetation. Therefore, no population was dislocated or affected due to proposed Project.
	(a) SC, ST /Adivasis	: Nil
	(b) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out	: Nil

	give details and years of survey)		
9.	Financial details		
	(a) Project cost as originally planned and subsequent revised estimates and the year of price reference.	:	Project cost (Planned): Rs. 113.79 Crores (Approx)
	(b) Allocation made for environmental management plans with item wise and year wise break-up.	:	Attached As Annexure – II
	(c) Benefit cost ratio/Internal rate of Return and the year of assessment	:	Yet to finalise.
	(d) Whether (c) include the cost of environmental management as shown in the above.	:	Not applicable since (c) is yet to finalise.
	(e) Actual expenditure incurred on the project so far	:	Yet to finalise.
	(f) Actual expenditure incurred on the environmental management plans so far	:	Yet to finalise.
10.	Forest land requirement.	:	There is no forest land involved.
	(a) The status of approval for diversion of forest land for non-forestry use	:	Not applicable.
	(b) The status of clearing felling	:	Not applicable
	(c) The status of compensatory afforestation, if any	:	Not applicable
	(d) Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far	:	Not applicable
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information	:	Nil
12.	Status of construction.	:	
	a) Date of commencement (Actual and/or planned)	:	Excavation Started:
	b) Date of completion (Actual and/or planned)	:	December 2019
13.	Reason for the delay if the project is yet to start.	:	Not applicable
14.	Dates of site visits		
	(a) The dates on which the project was monitored by the Regional Office on previous occasions, if any	:	No
	(b) Date of site visit for this monitoring report	:	August'14 & November'14. (Env. Monitoring report done by Green Circle, Inc. is attached herewith)
15.	Details of correspondence with project authorities for obtaining action plans / information on status of compliance to safeguards other than the routine letters for logistic support for site visits. (The first monitoring report may contain the details of all the letters issued so far, but the later reports may cover only the letters issued subsequently.	:	Letter issued by MoEF: EC No. SEAC-2010/CR.776/TC.2 Dated:25 th July,2013 Consent to Establish: Consent order no.: Format 1.0/BO/ROHQ/PN-19850-13CE/CC-2756 dated 21/03/2014

Government of Maharashtra

SEAC-2010/CR-776/TC-2
Environment department,
Room No. 217, 2nd floor,
Mantralaya Annexe,
Mumbai 400 032
Date: 25th July, 2013

To,
M/s. Kumar Kering Properties Pvt. Ltd.
Kumar Capital 1st Floor 2413,
East Street, Camp, Pune - 411 001

Subject: Environmental clearance for proposed Residential Group Housing Scheme at village Undri, Tal Haveli, Dist. Pune by M/s. Kumar Kering Properties Pvt. Ltd - Environmental clearance regarding.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee, Maharashtra in its 60th meetings and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 52nd & 62nd Meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed Residential Group Housing Scheme at village Undri, Tal Haveli, Dist. Pune. SEAC considered the project under screening category 8(a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as:

Name of Project	"Residential Group Housing Project"	
Project Proponent	M/s. Kumar Kering Properties Pvt. Ltd.	
Consultant	M/s. Saitech Research & Development Organization	
Type of Project	Group Housing Project	
Location of the Project	At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra	
Total Plot Area	78600.00 m ²	
Deductions	25405.25 m ²	
Net Plot area	53194.75 m ²	
Net Permissible FSI	71124.51 m ²	
Proposed Built up area (FSI & Non FSI)	• FSI area (m ²)	68452.50m ²
	• Non FSI area (m ²)	22715.66 m ²
	• Total BUA area (m ²)	91168.16 m ²
Ground-coverage Percentage (%)	42 %	

Estimated cost of the project	Rs. 113.79 Crores (Approx)
No. of buildings & its configurations	Total Number of Buildings 9 & 44 Bungalows <ul style="list-style-type: none"> • Nos. of Tenements: 440 • Buildings A1 to A8: P + 12 Floors • Bungalows B1 (6 Nos.), B2 (6 Nos.), B3 (6 Nos.), B4 (6 Nos.), C1 (5 Nos.), C2 (5 Nos.), C3 (5 Nos.), D1 (2 Nos.) & D2 (3 Nos.): G + 1 • Building E: P + 10
Number of tenants and shops	Total tenants: 440 nos.
Number of expected residents / users	2200 persons
Tenant density per hectore	58 Tenants/Hectore
Height of the building	36 m
Right of way	24 m Wide RP road adjacent to the site
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	12 m
Total Water Requirement	<p>Dry season:</p> <ul style="list-style-type: none"> • Source: Gram Panchayat • Fresh water : 205 m³/day • Recycled water (Flushing) : 103 m³/day • Recycled water (Gardening) : 94 m³/day • Total Water Requirement : 402 m³/day • Fire fighting (Underground water tank) : 300 m³ • Fire fighting (Overhead water tank) : 10 m³ • Excess treated water : 66 m³/day <p>Wet Season:</p> <ul style="list-style-type: none"> • Source : Gram Panchayat • Fresh water : 205 m³/day • Recycled water (Flushing) : 103 m³/day • Total Water Requirement : 308 m³/day • Fire fighting (Underground water tank) : 300 m³ • Fire fighting (Overhead water tank) : 10 m³ • Excess treated water : 161 m³/day

Rain Water Harvesting (RWH)	<ul style="list-style-type: none"> • Level of the Ground water table : 3 m • Size, no of recharge pits and Quantity : • Size of the recharge pit = 3.0 m x 3.0 m x 3.0 m • No of recharge pit proposed = 10 Nos. • Budgetary allocation (Capital cost and O&M cost) • Capital Cost: 22 Lakhs • O & M Cost per Annum: 0.25 Lakhs
Storm water drainage	<ul style="list-style-type: none"> • Quantity of storm water : • Size of SWD: Storm water drain of 0.45m width & 0.2m depth @ slope 1:200 will be provided along the road in project area.
Sewage and Waste water	<ul style="list-style-type: none"> • Sewage generation : 277 m³/day • STP technology : -Sequential Batch Reactor • Capacity of STP : 300 m³/day • Location of the STP : Ground • DG sets (during emergency) : 1 X 125 KVA 2 X 250 KVA 2 X 500 KVA • Budgetary allocation (Capital cost and O&M cost) : • Capital Cost: Rs. 100 Lakhs • O & M Cost per Annum: Rs. 10 Lakhs
Solid waste Management	<p>Waste generation in the Pre Construction & Construction phase:</p> <ul style="list-style-type: none"> • Waste generation : 38 kg /day • Quantity of the top soil to be preserved : • Disposal of the construction way debris: Construction debris. Waste concrete and broken bricks will be utilized in low-land leveling, secondary concrete, below roads. Some quantity of Excavation soil will be use for backfilling and remaining will be hand over to authorized vendor. <p>Waste generation in the operation Phase:</p> <ul style="list-style-type: none"> • Dry waste : 410 kg/day • Wet waste : 616 kg/day • E - waste : very less amount • Hazardous waste: spent oil or oil grease for DG sets paints etc. <p>STP Sludge (Dry sludge) : 33 kg/day</p> <p>Mode of Disposal of waste:</p> <ul style="list-style-type: none"> • Dry waste : Handed over to authorized recycler for further handling and disposal. • Wet waste: Will be converted to compost using Organic Waste Processor [OWP] model no. EPL 1000 • E - waste : Handed over to authorized Vendor • Hazardous waste : Handed over to authorized Vendor • STP Sludge (Dry sludge) : Will be used as manure for gardening <p>Area requirement:</p> <p>1. Location(s) : On Ground</p>

	2. Total area provided for the storage & Treatment of the solid waste : For EPL 1000 - 100 m ² 3. Budgetary allocation (Capital cost and O&M cost) Capital Cost : 10 Lakhs O & M Cost : 2 Lakhs/Annum
--	---

Green Belt Development
 RG on the ground : 8690.57 m²
 RG on the podium: 7023.94 m²

Plantation:

Trees to be planted on the Ground 738 Nos. & Shrubs 21 Nos.

Trees to be planted on podium: 25 Nos.

Shrubs to be planted on podium: 21 Nos.

Budgetary allocation (Capital cost and O&M cost) :

Capital Cost : 85 Lakhs

O & M Cost : 6 Lakh/annum

Energy

Power supply:

Sr. No.	Power Requirement	
1	Source of power supply :MSEB	
2	During Construction Phase	63 KVA
3	During Operation Phase,	
	Demand Load	6500 KVA
	Connected Load	11500.KVA
4	DG set as Power Back-up during operation phase	1 no. x 125 KVA 2 nos. x 250 KVA 2 nos. x 500 KVA
5	Fuel used	Diesel

Energy saving by non-conventional method:

Energy saving measures

- All Fluorescent lights/ LED with Electronic ballast in place of Copper chokes & Tube - T5 type, in place of T8 type, to reduce the power consumption by 12 watts per lamp & increase in lumens by 14%. Further reduction by use of sensors (Power saving 1,63,146 KWH /year).
 $r/l = 7760 \times 0.8 \times 6hr/day \times 365d/yr \times 12watts$
- Hot water requirement for low rise, will be met by Solar water heating system (Power saving 12,56,661 KWH /year).
- All Buildings/ Areas will be equipped with Capacitor Banks, with heavy duty compact gas

filled capacitors with harmonic filters to maintain THD's less than 10% with auto power factor correction panels to be connected with LT panels at load end. This is to reduce the power losses caused by low power factor & Harmonic distortions of power wave form.

- Electrical distribution system will be monitored regularly and energy consumption will have check meter, so that any energy loss will be detected and will be rectified immediately.
- Insulated Roof to reduce heat gain.
- Common light load requirement in high rise buildings/ street lighting will be met by use of solar if feasible. Energy will be saved 50,000 KWH /year.
- Detail calculations & % of saving:

Sr. No.	Energy Conservation Measures	Saving %
1.	Lighting Fixtures with CFL & T5 with Electronic Ballast +Power.	20% on entire lighting load
2.	Lighting Control System on BMS & Sensors	10% street and common lights
3.	Solar water heating system/ lighting	20%
4.	Solar	Common lighting & small power.

- Budgetary allocation (Capital cost and O&M cost)

Capital Cost: Rs. 83.63 Lakhs

O & M Cost: Rs.1.5 Lakhs/Annum

DG Set:

- Number and capacity of the DG sets to be used :

During Construction Phase: 1 nos. X 80 KVA

During Operational phase: Residential: - 1 no. X 125 KVA

2 nos. X 250 KVA

2 nos. X 500 KVA

- Type of fuel used : Diesel

Traffic Management

Buildings	Wing	Number of tenements	Parking required 20+3+1.4=24.4 m ² per tenement	Parking provided m ²
P+12	A1	47	1147	Stilt parking 4940 m ² + Podium Parking 10760m ² = 15700
P+12	A2	47	1147	
P+12	A3	47	1147	
P+12	A4	47	1147	
P+12	A5	47	1147	
P+12	A6	47	1147	
P+12	A7	47	1147	
P+12	A8	47	1147	
G+1	B1	6	146	
G+1	B2	5	122	122
G+1	B3	5	122	122
G+1	B4	6	146	146
G+1	C1	5	122	122
G+1	C2	6	146	146
G+1	C3	6	146	146
G+1	D1	2	49	49
G+1	D2	3	73	73
P+10	E	20	488	488
TOTAL		440	10736	17262

Width of all Internal roads (m): 7.5 m, 9 m & 12 m Wide

Environmental Management plan Budgetary Allocation :

During Construction Phase:

Sr. No.	Parameter	Total cost in Lacs
1	Water for Dust Suppression	0.7
2	Site Sanitation & Safety	1.5
3	Environmental Monitoring	2.4
4	Disinfection	1.4
5	Health Check up	1.5
6	Total Cost	7.5

During Operation Phase:

Sr. No.	Pollution Control Measures	Recurring Cost Per Annum (Rs. Lakhs)	Capital Cost (Rs. Lakhs)
1.	Pollution Control – STP & Noise Control Measures	10 (Includes cost of power, operation & maintenance)	100 (Construction of STP)
2.	Environment Monitoring	5 (Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)	Nil
3.	Solid Waste Management	2 (includes cost of waste collection, storage and disposal)	10 (Includes cost of waste collection, storage and disposal.)
4.	Solar water heater	1.5	83.63

	system		
5.	Occupational Health	2.5 (includes cost of medical checkup, PPE & first aid kit)	4 (includes cost of PPE, first aid facility)
6.	Green Belt development	6 (includes cost of landscaping of plot area)	85 (includes landscaping of plot area)
7.	Rain water harvesting	0.25	22
8.	Others (EHS orientation & training)	3 (Environment & safety training)	10 (other equipments)
	Total	30.25	314.63

3. The proposal has been considered by SEIAA in its 52nd & 62nd meetings and decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:-
- (i) Occupancy certificate should not be issued to the project unless adequate water supply is available to the project and sewerage line is ready in all respects to receive treated sewerage from the project.
 - (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
 - (iii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
 - (iv) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - (v) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
 - (vi) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.


- (vii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (viii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (ix) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (x) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xi) Arrangement shall be made that waste water and storm water do not get mixed.
- (xii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (xiii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xiv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvi) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xvii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xviii) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xix) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xx) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxi) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxiv) Ready mixed concrete must be used in building construction.

- (xxv) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xxvi) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxvii) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxviii) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxix) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxx) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxi) Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxii) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiii) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxiv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxv) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxvi) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxvii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxxviii) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xxxix) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xl) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces

while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement

- (xli) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xlii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliii) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xliv) Six monthly monitoring reports should be submitted to the Department and MPCB.
- (xlv) A complete set of all the documents submitted to Department should be forwarded to the MPCB
- (xlvi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlvii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlviii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (xlix) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://www.maharashtra.gov.in>.
- (l) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (li) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (lii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (liii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

- (iv) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
 7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal , Van Vigyan Bhawan, Sec- 5, R.K. Puram, New Dehli - 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


(R.A. Rajeev)
Principal Secretary,
Environment department &
MS, SEIAA

Copy to:

1. Shri. P.M.A Hakeem, IAS (Retd.), Chairman, SEIAA, 'Jugnu' Kottaram Road, Calicut- 673 006 Kerala.

2. Dr. S. Devotta, Chairman, SEAC, T2/302 Sky City, Vanagaram –Ambattur Road, Chennai – 600 095
3. Additional Secretary, MOEF, 'Paryavaran Bhawan' CGO Complex, Lodhi Road, New Delhi – 110510
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Pune.
7. Collector, Pune.
8. Commissioner, Pune Municipal Corporation, Pune.
9. IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
10. Director (TC-1), Dy. Secretary (TC-2), Scientist-1, Environment Department.
11. Select file (TC-3).

COMPLIANCE REPORT

EC No.	: SEAC-2010/CR.776/TC.2 Dated: 25 th July, 2013
Project name	: Residential Group Housing Project
Project location	: S No : 12/1/2,12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra
Developer name	: M/s. Kumar Kering Properties Pvt. Ltd.
Developers address	: 1 st Floor, 2413, east Street Camp, Pune 411001. Maharashtra

Sr. No.	EC Conditions	Compliance Status																																		
1	This has reference to your communication dated on 25 th July, 2013 on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006 by the State Level Expert Appraisal Committee. Maharashtra in its 60 th meetings and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 52 nd /62 nd meetings.	No comment.																																		
2	<p>It is noted that the proposal is for grant of Environmental Clearance for Residential Group Housing Scheme at village Undri Tal. Haveli District Pune. SEAC considered the project under screening category 8 (a) B2 as per EIA Notification 2006.</p> <p>Brief Information of the Project is summarized as below:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Name of the Project</td> <td colspan="2">: Residential Group Housing Project</td> </tr> <tr> <td>Project Proponent</td> <td colspan="2">: M/s. Kumar Kering Properties Pvt. Ltd</td> </tr> <tr> <td>Location of the project</td> <td colspan="2">: S No : 12/1/2,12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra</td> </tr> <tr> <td>Type of Project</td> <td colspan="2">: Group Housing Project</td> </tr> <tr> <td>Total Plot Area</td> <td colspan="2">: 78600.00 m²</td> </tr> <tr> <td>Deductions</td> <td colspan="2">: 25405.25 m²</td> </tr> <tr> <td>Net Plot Area</td> <td colspan="2">: 53194.75 m²</td> </tr> <tr> <td>Net Permissible FSI</td> <td colspan="2">: 71124.51 m²</td> </tr> <tr> <td rowspan="3">Proposed Built up area (FSI & Non FSI)</td> <td>FSI area (m²)</td> <td>68452.50 m²</td> </tr> <tr> <td>Non FSI (m²)</td> <td>22715.66 m²</td> </tr> <tr> <td>Total BUA area (m²)</td> <td>91168.16 m²</td> </tr> <tr> <td>Estimated cost of</td> <td colspan="2">: Rs. 113.79 Cr. (Approx.)</td> </tr> </table>	Name of the Project	: Residential Group Housing Project		Project Proponent	: M/s. Kumar Kering Properties Pvt. Ltd		Location of the project	: S No : 12/1/2,12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra		Type of Project	: Group Housing Project		Total Plot Area	: 78600.00 m ²		Deductions	: 25405.25 m ²		Net Plot Area	: 53194.75 m ²		Net Permissible FSI	: 71124.51 m ²		Proposed Built up area (FSI & Non FSI)	FSI area (m ²)	68452.50 m ²	Non FSI (m ²)	22715.66 m ²	Total BUA area (m ²)	91168.16 m ²	Estimated cost of	: Rs. 113.79 Cr. (Approx.)		Noted.
Name of the Project	: Residential Group Housing Project																																			
Project Proponent	: M/s. Kumar Kering Properties Pvt. Ltd																																			
Location of the project	: S No : 12/1/2,12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta, Haveli, Pune, Maharashtra																																			
Type of Project	: Group Housing Project																																			
Total Plot Area	: 78600.00 m ²																																			
Deductions	: 25405.25 m ²																																			
Net Plot Area	: 53194.75 m ²																																			
Net Permissible FSI	: 71124.51 m ²																																			
Proposed Built up area (FSI & Non FSI)	FSI area (m ²)	68452.50 m ²																																		
	Non FSI (m ²)	22715.66 m ²																																		
	Total BUA area (m ²)	91168.16 m ²																																		
Estimated cost of	: Rs. 113.79 Cr. (Approx.)																																			

the project		
Ground-coverage Percentage (%)		42 %
No. of Buildings and its configuration	:	Residential:- Total Nos. of Building= 9 &44 Bungalows. Nos. of Tenements : 440 Buildings A1 to A8: P + 12 Floors BunglowsB1 (6 Nos.), B2(6Nos.), B3(6 Nos.), B4(6 Nos.), C1 (5Nos.), C2 (5 Nos.), C3 (5 Nos.), D1 (2Nos.) & D2 (3 Nos.): G+1 Building E: P + 10
No. of tenant and shops		Total No. of Tenants: 440 nos.
No. of expected residents/users		2200 persons
Tenant density per hectare		58 Tenants per hectare
Height of the building		36 m
Right of way		24 m wide RP road adjacent to the site
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation		12 m

Total Water Requirement	:	<p>Dry seasons: Source: Gram Panchayat Fresh Water : 205 m³/day Recycled water (Flushing) : 103 m³/day Recycled water (Gardening) : 94 m³/day Total Water Requirement : 402 m³/day Fire Fighting (Underground water tank): 300 m³/day Fire Fighting (Overhead Water Tank): 10 m³ Excess treated water : 66 m³/day</p> <p>Wet season: Source : Gram Panchayat Fresh water : 205 m³/day Recycled water (flushing) : 103 m³/day Total Water Requirement : 308 m³/day Fire Fighting(underground Water tank) : 300 m³/day Fire Fighting (Overhead Water Tank): 10 m³ Excess treated water : 161 m³/day</p>	
Rain water Harvesting (RWH)		<p>Level of the ground table : 3 m Size, no of recharge pits and Quantity : Size of recharge pits = 3 m x 3 m x 3 m No. of recharge Pit Proposed = 10 Nos. Budgetary allocation (Capital cost and O&M cost) : Capital cost : 22 Lakhs O&M cost : 0.25 Lakhs</p>	
Storm Water Drainage	:	<p>Quantity of storm water : Size of SWD: storm water drain of .045 m width & 0.2m @ slope 1:200 will be provided along the road in project area.</p>	
Sewage and waste water		<p>Sewage generation : 277 m³/day STP Technology : SBR Capacity of the STP : 300 m³/day Location of the STP : Ground DG sets (During emergency) : 1x 125 KVA 2x 250 KVA 2X 500 KVA Budgetary allocation (Capital cost and O&M cost) : Capital cost :Rs. 100 Lakhs O&M cost)per annum : Rs. 10 Lakhs</p>	
Solid waste management	:	<p>Waste generation in the Pre Construction & Construction phase : Waste generation : 38 kg/day Quantity of the top soil to preserved : Disposal of the construction way debris : Construction debris, Waste concrete and</p>	

		<p>broken bricks will be utilized in low land leveling, secondary concrete, below roads some quantity of excavation soil will be use for backfilling and remaining will be hand over to authorize vendor.</p> <p>Waste generation in the operation phase: Dry waste : 410 kg/day Wet waste : 616 kg/day E-waste : very less amount Hazardous waste: spent oil or oil grease for DG sets paints etc. STP Sludge (Dry Sludge): 33 Kg/ day Mode of Disposal of waste: Dry waste: Handed over to authorized recycler for further handling and Disposal Wet Waste: will be converted to compost using organic waste processor [OWP] model no. EPL 1000 E-waste : handed over to authorize vendor Hazardous waste : handed over to authorize vendor STP sludge (Dry sludge): will be used as manure for gardening Area requirement: 1. Location(s): on Ground 2. Total area provided for the storage & Treatment of the solid waste : For EPL 1000 = 100 m² 3. Budgetary allocation (Capital cost and O&M cost) : Capital cost : 10 Lakhs O&M cost : 2 Lakhs/ annum</p>	
<p>Green Belt Development: Total RG area: 1. RG area under greenbelt: RG on the ground : 8690.57 m² RG on the podium : 7023.94 m² Plantation: Trees to be planted on the Ground: 738 Nos. & Shrubs 21 Nos. Trees to be planted on podium: 25 Nos. Shrubs to be planted on podium: 21 Nos.</p> <p>Budgetary allocation (Capital cost and O&M cost) : Capital cost : 50 Lakhs O&M cost : 5 Lakhs / annum</p>			

Energy

Power supply :

Sr. No.	Power Requirement	
1	Source of power supply : MSEB	
2	During Construction Phase a) Demand Load	63 KVA
3	During Operation Phase, a) Demand load b) Connected Load	6500 KVA 11500 KVA
4	DG set as Power Back-up during operation phase	1x 125 KVA 2x 250 KVA 2X 500 KVA
5	Fuel load	Diesel

Energy saving measures

- All fluorescent lights/LED with electronic ballast in place of copper chokes & tube- T5 type, in place of T8 type, to reduce the power consumption by 12 watts per lamp & increase in lumens by 14%. Further reduction by use of sensors (Power saving 1,63,146 KWH/year). $r/l=7760 \times 0.8 \times 6 \text{hr/day} \times 365 \text{d/yr} \times 12 \text{ watts}$
- Hot water requirement for low rise, will be met by solar water heating system (Power saving 1256661.00 KWH/ year).
- All building/ areas will be equipped with Capacitors Banks, with heavy duty compact gas filled capacitors with harmonic filters to maintain THD's less than 10 % with auto power factor correction panels to be connected with LT panels at load end. This is to reduce the power losses caused by low power factor & harmonic distortions of power wave form.
- Electrical distribution system will be monitored regularly and energy consumption will have check meter, so that any energy loss will be detected and will be rectified immediately.
- Insulated roof to reduce heat gain.
- Common light load requirement in high rise building/street lighting will be met by use of solar if feasible. Energy will be saved 50,000 KWH/year.

Detail calculation and % of saving

Sr. No.	Energy Conservation Measures	Saving %
1	Lighting fixtures With CFL & T5 with Electronic Ballast +Power	20 % on entire lighting load
2	Lighting Control system on BMS & Sensors	10% street and common light
3	Solar water heating/lighting	20%
4	Solar	Common lighting & small power

Budgetary allocation (Capital cost and O&M cost)

Capital cost: Rs. 83.63 Lakhs

O&M Cost: Rs. 1.5Lakhs/ Annum

DG Set:

- Number and capacity of DG sets to be used:
During construction Phase: 1 Nos. X 80 KVA
During operational Phase: Residential:- 1X 125 KVA
2x 250 KVA
3 x 500 KVA
- Type of fuel used: Diesel

Traffic Management

Buildings	Wing	Number of tenements	Parking required 20+3+1.4 m ² /tenements	Parking provided m ²
P+12	A1	47	1147	Parking-4940 m ² + Podium parking-10760 m ² =15700
P+12	A2	47	1147	
P+12	A3	47	1147	
P+12	A4	47	1147	
P+12	A5	47	1147	
P+12	A6	47	1147	
P+12	A7	47	1147	
P+12	A8	47	1147	
G+1	B1	6	146	146
G+1	B2	5	122	122
G+1	B3	5	122	122
G+1	B4	6	146	146
G+1	C1	5	122	122
G+1	C2	6	146	146
G+1	C3	6	146	146

G+1	D1	2	49	49
G+1	D2	3	73	73
P+10	E	20	488	488
Total		440	10736	17262

Width of all internal roads(m): 7.5 m, 9m & 12 m Wide

Environmental Management Plan Budgetary allocation:
During construction Phase :

Sr. No.	Parameter	Total cost in Lacs
1	Water and dust Suppression	0.7
2	Site Sanitation & Safety	1.5
3	Environmental Monitoring	2.4
4	Disinfection	1.4
5	Health Check up	1.5
6	Total Cost	7.5

During operation Phase :

Sr. No.	Pollution control measures	Recurring Cost Per annum (Rs. Lakhs)	Capital Cost (Rs. Lakhs)	Corpus fund generation
1	Pollution control Measures- STP & Noise Control Measures	10 (Includes cost of power, operation & maintenance)	100 (Construction of STP)	Corpus generated (in Rupees) at the rate Rs. 0.5/sq. ft will be collected from flat owner which will be handed over to society
2	Environment Monitoring	5 (Monitoring charges for air, water, waste water, Soil DG stack, noise etc.)	Nil	
3	Solid Waste management	2 (includes cost of waste collection, storage and disposal)	10 (includes cost of waste collection, storage and disposal)	

	4	Solar water heater system	1.5	83.63		
	5	Occupational Health	2.5 (includes cost of medical checkup, PPE & first aid kit)	4 (includes cost of PPE & first aid facility)		
	6	Green belt development	6 (includes cost of landscaping of plot area)	85 (includes landscaping of plot area)		
	7	Rain water Harvesting	.25	22		
	8	Other(EHS orientation & training)	3(Environment & safety training)	10 (Other equipments)		
		Total	30.25	314.63		
3.	The proposal has been considered by SEIAA in its 52 nd & 62 nd meetings & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:					Noted
(i)	Occupancy certificate should not be issued to the project unless adequate water supply is available to the project and sewerage line is ready in all respect to receive treated sewerage from the project.					Noted
(ii)	This environmental clearance is issued subject to land use verification local authority/planning authority should ensure this with request to Rules regulation Notifications, government Resolutions Circulars, etc. issued if any. This environmental clearance issued with respect to the environmental consideration and it does not mean that state level Impact Assessment (SEIAA) approved the proposed land use.					
(iii)	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. ULB should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.					
(iv)	‘Consent for Establishment’ shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.					Consent to Establish: Consent order no.: Format 1.0/BO/ROHQ/PN- 19850-13CE/CC-2756 dated 21/03/2014 Copy Attached

(v)	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Complied. Toilets are provided at site
(vi)	Project proponent shall ensure completion of STP, MSW disposal facility green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Par-a 2. Prior certification from appropriate authority shall be obtained,	Noted and will be complied.
(vii)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, Mobile toilets. mobile STP, safe drinking water, medical health care, crèche and first aid room etc.	Complied. Proper drinking water & toilet facility is provided at site.
(viii)	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Complied. Proper drinking water & toilet facility is provided at site.
(ix)	The solid waste generated should be properly collected and segregated dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Noted & will be complied
(x)	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And no wet garbage will be disposed outside the premises. Local authority should ensure this.	
(xi)	Arrangement shall be made that waste water and storm water do not get mixed.	Noted and Will be complied.
(xii)	All the top soil excavated during construction activities should be stored for Use in horticulture / landscape development within the project site.	Noted. Top soil will be used for landscaping.
(xiii)	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	Will be complied.
(xiv)	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Noted and will be complied.
(xv)	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Complied. Adequate measures are provided.
(Xvi)	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Complied. Env. Monitoring report is attached herewith.
(xvii)	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dumpsites for such material must be secured so that they should not leach into the ground water.	Complied. Adequate measures are provided.
(xviii)	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Noted.

(XiX)	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed (or air and noise emission standards).	Complied. DG sets are having acoustic enclosure.
(XX)	The diesel required for operating DG sets shall be stored in underground tanks and it required, clearance from concern authority shall be taken.	Noted.
(Xxi)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non peak hours.	Complied. Vehicles are checked for PUC certificate.
(Xxii)	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Complied. Env. Monitoring report is attached herewith.
(xxiii)	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003 (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).	Noted and will be complied.
(xxiv)	Ready mixed concrete must be used in building construction.	Complied
(xxv)	The approval of competent authority shall be obtained for structural safety of the building due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.	Noted
(xxvi)	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Noted
(Xxvii)	Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.	Complied.
(xxviii)	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Complied. Env. Monitoring report is attached herewith.
(Xxix)	The installation of the Sewage Treatment Plant (STP) should be certified by all independent experts and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Treated effluent emanating From STP shall be recycle/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	Will be complied
(Xxx)	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.	Noted.
(xxxi)	Permission to draw ground Water shall be obtained from the competent Authority prior to construction/operation of the project.	Noted.
(Xxxii)	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.	Will be complied.
(Xxxiii)	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Noted and will be complied.
(xxxiv)	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality	Noted.

	double glass with special reflective coating in windows.	
(Xxxv)	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Noted.
Xxxvi	Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.	Complied.
xxxvii	Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act. 1986, The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	Noted and will be complied.
Xxxvii i	Noise should be controlled by ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	Noted.
Xxxix	Traffic congestion near the entry and exit points from the roads adjoining the proposed project Site must be avoided. Parking should be fully internalized and no public space should be utilized.	Noted.
Xl	Opaque wall should meet prescriptive requirement as per energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	Noted.
Xli	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	Noted and will be complied.
Xlii	Regular supervision of the above and other measures for monitoring should tie in place all through the construction phase, so as to avoid disturbance to the surroundings.	Complied. Site engineers supervise proper implementation of EHS safeguard at site.
Xliii	Under the provisions of Environment (Protection) Act. 1986. Legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Noted. EC letter is attached herewith.
Xliv	Six monthly monitoring reports should be submitted to the Department and MPCB.	Complied.
Xlv	A complete set of all the documents submitted to Department should be forwarded to the MPCB.	Noted
Xlvi	In the case of any change(S) in the scope of the project. The project would require a fresh appraisal by this Department.	Noted

Xlvii	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Noted.
Xlviii	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB & this department.	Complied EMP along with break up attached as Annexure-I
Xlix	The project management shall advertise at least in Two local newspapers widely, circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://envis.maharashtra.gov.in	Complied. Copy of advertisement is attached as herewith.
I	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department on 1 st June & 1 st December of each calendar year.	Complied.
li	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Complied.
lii	The proponent shall upload the Status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a Convenient location near the main gate of the company in the public domain.	Noted and complied. The proponent shall upload the status of compliance of the stipulated
liii	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF the respective Zonal Office of CPCB and the SPCB.	Noted and complied.
liv	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Noted.
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this	Noted.

	clearance does not give immunity to the project proponent in the case filed against him. If any or action initiated under EP Act.	
5	In case of submission of false document and non compliance of stipulated conditions. Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act. I 986,	Noted.
6	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any ether administrative reason.	Noted
7	Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.	Noted.
8	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Noted and will be Complied.
9	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act. 1974, the Air (Prevention and Control of Pollution) Act. 1981. The Environment (Protection) Act. 1986 and rules there under. Hazardous Wastes (Management and Handling) Rules. 1989 and its amendments, the public liability Insurance Act, 1991 and its amendments.	Noted.
10	Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan bhawan, Sec-5 R.K Puram, New Delhi-110 022,if preferred within 30days as prescribed under section 35 o the National Green Tribunal Act 2010.	Noted.

POST ENVIRONMENT MONITORING REPORT

For the Project

“Residential Group Housing Project”

At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,
12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1,

Village Undri, Ta. Haveli, Pune, Maharashtra,

Period: July,2014-September,2014

Developer

M/s. Kumar Kering Properties Pvt.Ltd.

Kumar Capital 1st Floor 2413, East Street, Camp,

Pune - 411001. Maharashtra

Prepared by



GREEN CIRCLE, INC.

Vadodara

CERTIFICATE

This is to certify that the post environment monitoring of Residential of At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Tal. Haveli, Pune, Maharashtra, Pune for M/s. Kumar Kering Properties Pvt.Ltd. has been carried out by M/s. Green Circle, Inc., Vadodara during the period of July, 2014-September, 2014.

The study reveals that there is no negative impact on the environment.

For: Green Circle, Inc.

*Mr. Pradeep Joshi
CEO & Group President*

INTRODUCTION:

M/s. Kumar Kering Properties Pvt.Ltd. is the foremost and most preferred real estate developer in India. M/s. Kumar Kering Properties Pvt.Ltd. is proposing to construct "Residential Group Housing Project" at Plot S No : Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra. The Proposed Project has received Environmental Clearance from Ministry of Environment & Forest under the provisions of EIA Notification dtd. 14th September, 2006, subject to compliance of the conditions as per letter No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 .As per the instruction in the EC letter, Periodic Environmental Monitoring has been carried out by Green Circle, Inc., Vadodara and submitting required report to concern division regularly.

SCOPE OF WORK:

It includes quarterly monitoring of:

- A.** Ambient Air Quality.
- B.** Stack Emission from DG Set, if any.
- C.** Water & Sewage quality.
- D.** Noise Level.
- E.** Soil Quality

A. AMBIENT AIR MONITORING:

Ambient Air Quality Monitoring was carried out at two locations within the project site for 15 days @ 2 Samples/week. Eight hourly samples were collected and analyzed for SPM, RSPM, SO₂, & NO_x as per the standard methods mentioned in Table 1 & the results are summarized in Table 2.

Table No. 1: Standard Method of Analysis for Ambient Air Quality


PM ₁₀ / PM _{2.5}	:	IS 5182 : Part 23 : 2006/ NAAQS Monitoring & Analysis Guidelines Volume-I by CPCB
SO ₂	:	IS 5182 : Part 2 : 2001
NO _x	:	IS 5182 : Part 6 : 1975

Table No. 2: Ambient Air Quality

Sr. No.	Parameter	Units	Result			
			C-4 Wing back side	Near Main Gate	NAAQS For 24 Hours	Methods Used
Sampling locations						
1.	Particulate Matter (PM ₁₀)	µg/m ³	79.5	81.4	100	Gravimetric analysis
2.	Particulate Matter (PM _{2.5})	µg/m ³	46.4	44.8	60	Gravimetric analysis
3.	Sulfur dioxide (SO ₂)	µg/m ³	12.7	11.0	80	Improved West & Geake Method
4.	Oxides of Nitrogen (NO _x)	µg/m ³	19.2	19.7	80	Jacob & Hochheiser Modified Method

Note:

NAAQS: National Ambient Air Quality Standards



** : 01 hourly value shall be complied with 98% of the time in a year. However, 2% of the time, it may exceed but not on two consecutive days.

Observations:

From above table and graph it can be observed that, PM10 level ranges from 79-82 $\mu\text{g}/\text{m}^3$, PM2.5 ranges from 44-47 $\mu\text{g}/\text{m}^3$, SO₂ ranges from 11-13 $\mu\text{g}/\text{m}^3$, and NO_x ranges from 19-20 $\mu\text{g}/\text{m}^3$. The Observed results clearly indicate, all the parameters are well within the NAAQS limits.

B. STACK MONITORING:

Stack Monitoring was carried out for two installed DG sets within the project site. Samples were collected and analyzed for PM, SO₂, & NO_x as per the standard methods mentioned in Table 3 & the results also summarized in Table 3.

Table 3: Stack Monitoring Result

Sr. No.	Parameters	Unit	Results		Reference method
			Near C-1 Building	Nr.C-3 Building	
1	Material of Stack	-	MS	MS	-
2	Stack Height from G.L.	m	5	5.5	-
3	Stack No.	-	01	02	-
4	Stack Attached To	-	DG	DG	-
5	Capacity of stack	KVA	45	125	-
6	Flue Gas Temperature	°K	377	387	-
7	Velocity	m/s	3.16	3.07	-
8	Particulate Matter (PM)	mg/Nm ³	81.2	83.4	IS 11255: Part 1
9	Sulphur dioxide (SO ₂)	ppm	11.3	12.3	IS 11255: Part 2
10	Oxides of Nitrogen (NO _x)	ppm	24.3	25.3	IS 11255: Part 7

C. WATER & SEWAGE QUALITY:

One water samples were collected from nearby Bore well to check the quality of the water. Analysis results are compared with IS 10500:2012 as mentioned in following Table 4:

Table 4: Quality of Water samples

Sr. No.	Parameters	Unit	Water sample	Desirable limit as per IS 10500-2012
			Bore well Water	
1	pH	-	7.57	6.5-8.5
2	Temperature	°C	25.4	NS
3	Turbidity	NTU	<1	10
4	Conductivity	µs/cm	756	NS
5	Total Dissolved Solids	mg/L	1010	2000
6	Total Suspended Solids	mg/L	8	NS
7	Total Hardness	mg/L	80	600
8	Ca Hardness	mg/L	46	NS
9	Total Alkalinity	mg/L	115	600
10	Chloride	mg/L	100	1000
11	Sulphate	mg/L	81	400
12	Copper	mg/L	BDL	1.5
13	Zinc	mg/L	BDL	15

Note:

BDL = Below Detectable Limit

N.S. = Not Specified

Observations:

The quality of bore well water shows that there is no water contamination and it is suitable for construction purpose.

Sewage: Construction of STP is not yet started

D. NOISE LEVEL MEASUREMENT:

Noise level monitoring was carried out at five locations within the project site as per standard method by using sound level meter and the results are reported in Table 5.

Table 5: Ambient Noise Quality

Sr. No.	Sampling locations	Noise Level in dB (A) Leq. during			
		Day Time		Night Time	
		Measured	Limit*	Measured	Limit*
1.	Near Main Gate	53.2	65	49.6	55
2.	Nr. C4 Wing	55.1	65	47.3	55
3.	C5 Wing	58.6	65	50.1	55
4.	B2 Wing	54.3	65	51.5	55
5.	Nr. Club House	52.6	65	49.3	55

Note:

* Ambient Noise level Limit for Residential area as per Noise Pollution (Regulation & Control) Rules, 2003.

Day time is reckoned between 6 A.M. to 10 P.M. & Night time between 10 P.M. to 6 A.M.

Observations:

The noise level at site is well within the prescribed limit. However, it is marginally higher at main gate due to vehicular movement.

ANALYSIS RESULTS of D.G sets Noise Quality

Sr. No.	Location Name	Observed Value in dB(A)	
		Results	CPCB Permissible Limit
1	Near DG -I (25 KVA)	71.6	75
2	DG -II (45 KVA)	70.2	75

REMARKS: As per Observation, results are within the limit.

E. SOIL ANALYSIS REPORT

Soil samples were collected from Site at 20 cm depth. Analysis results are tabulated in the following Table 6.

Table 6: Quality of Soil Sample

Sr. No.	Parameters	Unit	Results		Reference Method
			Splinder	Labour Colony	
1	pH	-	7.42	7.63	IS 2720 : Part 26 : 1987
2	Moisture Content	%	6.4	8.1	IS 2720 : Part 09: 1992
3	Sulphate	mg/gm	0.73	0.72	IS 2720 : Part 27 : 1977
4	Organic Matter	%	3.1	3.1	IS 2720 : Part 22 : 1972
5	Chloride	%	0.80	0.81	IS 6925: 1973
6	Copper	mg/gm	BDL	BDL	APHA 3500-Cu
7	Total Kjeldhal Nitrogen	mg/gm	0.32	0.33	APHA 4500-N _{ORG}
8	Zinc	mg/gm	BDL	BDL	APHA 3500-Zn

BDL: Below Detectable Level

Observations:

The soil analysis result shows that, the basic parameter like Organic matter & Total Nitrogen are less in the soil. Further, heavy metals like Copper & Zinc are below detectable limit.

POST ENVIRONMENT MONITORING REPORT

For the Project

“Residential Group Housing Project”

At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,
12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1,

Village Undri, Ta. Haveli, Pune, Maharashtra

Period: October,2014-December,2014

Developer

M/s. Kumar Kering Properties Pvt.Ltd.

Kumar Capital 1st Floor 2413, East Street, Camp,
Pune - 411001. Maharashtra

Prepared by



GREEN CIRCLE, INC.

Vadodara

CERTIFICATE

This is to certify that the post environment monitoring of Residential At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra, Pune for M/s. Kumar Kering Properties Pvt.Ltd. has been carried out by M/s. Green Circle, Inc., Vadodara during the period of October,2014-December,2014.

The study reveals that there is no negative impact on the environment.

For: Green Circle, Inc.

*Mr. Pradeep Joshi
CEO & Group President*

INTRODUCTION:

M/s. Kumar Kering Properties Pvt.Ltd. is the foremost and most preferred real estate developer in India. M/s. Kumar Kering Properties Pvt.Ltd. is proposing to construct "Residential Group Housing Project" at Plot S No : Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra. The Proposed Project has received Environmental Clearance from Ministry of Environment & Forest under the provisions of EIA Notification dtd. 14th September, 2006, subject to compliance of the conditions as per letter No. SEAC-2010/CR.776/TC.2 Dated: 25th July, 2013 .As per the instruction in the EC letter, Periodic Environmental Monitoring has been carried out by Green Circle, Inc., Vadodara and submitting required report to concern division regularly.

SCOPE OF WORK:

It includes quarterly monitoring of:

- A. Ambient Air Quality.
- B. Stack Emission from DG Set, if any.
- C. Water & Sewage quality.
- D. Noise Level.
- E. Soil Quality

A. AMBIENT AIR MONITORING:

Ambient Air Quality Monitoring was carried out at two locations within the project site for 15 days @ 2 Samples/week. Eight hourly samples were collected and analyzed for SPM, RSPM, SO₂, & NO_x as per the standard methods mentioned in Table 1 & the results are summarized in Table 2.

Table No. 1: Standard Method of Analysis for Ambient Air Quality


PM ₁₀ / PM _{2.5}	:	IS 5182 : Part 23 : 2006/ NAAQS Monitoring & Analysis Guidelines Volume- I by CPCB
SO ₂	:	IS 5182 : Part 2 : 2001
NO _x	:	IS 5182 : Part 6 : 1975

Table No. 2: Ambient Air Quality

Sr. No.	Parameter	Units	Result			
			C-4 Wing Back Side	Near Main Gate	NAAQS For 24 Hours	Methods Used
	Sampling locations					
1.	Particulate Matter (PM ₁₀)	µg/m ³	80.1	83.6	100	Gravimetric analysis
2.	Particulate Matter (PM _{2.5})	µg/m ³	32.0	33.4	60	Gravimetric analysis
3.	Sulfur dioxide (SO ₂)	µg/m ³	13.6	12.3	80	Improved West & Geake Method
4.	Oxides of Nitrogen (NO _x)	µg/m ³	21.7	19.6	80	Jacob & Hochheiser Modified Method

Note:

NAAQS: National Ambient Air Quality Standards



** : 01 hourly value shall be complied with 98% of the time in a year. However, 2% of the time, it may exceed but not on two consecutive days.

Observations:

From above table and graph it can be observed that, PM10 level ranges from 80-84 $\mu\text{g}/\text{m}^3$, PM2.5 ranges from 32-34 $\mu\text{g}/\text{m}^3$, SO₂ ranges from 12-14 $\mu\text{g}/\text{m}^3$, and NO_x ranges from 19-22 $\mu\text{g}/\text{m}^3$. The Observed results clearly indicate, all the parameters are well within the NAAQS limits.

B. STACK MONITORING:

Stack Monitoring was carried out for two installed DG sets within the project site. Samples were collected and analyzed for PM, SO₂, & NO_x as per the standard methods mentioned in Table 3 & the results also summarized in Table 3.

Table 3: Stack Monitoring Result

Sr. No.	Parameters	Unit	Results		Reference method
			Near C-1 Building	Nr.C-3 Building	
1	Material of Stack	-	MS	MS	-
2	Stack Height from G.L.	m	5	5.5	-
3	Stack No.	-	01	02	-
4	Type of Stack	-	DG	DG	-
5	Stack Attached To	KVA	45	125	-
6	Flue Gas Temperature	°K	377	387	-
7	Velocity	m/s	3.16	3.07	-
8	Particulate Matter (PM)	mg/Nm ³	82.4	81.6	IS 11255: Part 1
9	Sulphur dioxide (SO ₂)	ppm	12.4	11.5	IS 11255: Part 2
10	Oxides of Nitrogen (NO _x)	ppm	24.5	22.5	IS 11255: Part 7

C. WATER & SEWAGE QUALITY:

One water samples were collected from near by Bore well to check the quality of the water. Analysis results are compared with IS 10500:2012 as mentioned in following Table 4:

Table 4: Quality of Water samples

Sr. No.	Parameters	Unit	Water sample	Desirable limit as per IS 10500-2012
			Bore well Water	
1	pH	-	7.60	6.5-8.5
2	Temperature	°C	25.8	NS
3	Turbidity	NTU	<1	10
4	Conductivity	µs/cm	774	NS
5	Total Dissolved Solids	mg/L	1003	2000
6	Total Suspended Solids	mg/L	8	NS
7	Total Hardness	mg/L	78	600
8	Ca Hardness	mg/L	53	NS
9	Total Alkalinity	mg/L	112	600
10	Chloride	mg/L	96	1000
11	Sulphate	mg/L	82	400
12	Copper	mg/L	BDL	1.5
13	Zinc	mg/L	BDL	15

Note:

BDL = Below Detectable Limit

N.S. = Not Specified

Observations:

The quality of bore well water shows that there is no water contamination and it is suitable for construction purpose.

Sewage: Construction of STP is not yet started

D. NOISE LEVEL MEASUREMENT:

Noise level monitoring was carried out at five locations within the project site as per standard method by using sound level meter and the results are reported in Table 5.

Table 5: Ambient Noise Quality

Sr. No.	Sampling locations	Noise Level in dB (A) Leq. during			
		Day Time		Night Time	
		Measured	Limit*	Measured	Limit*
1.	Near Main Gate	54.6	55	47.6	45
2.	Nr. C4 Wing	52.1	55	49.3	45
3.	C5 Wing	56.9	55	53.1	45
4.	B2 Wing	55.8	55	52.6	45
5.	Nr. Club House	51.6	55	50.1	45

Note:

* Ambient Noise level Limit for Residential area as per Noise Pollution (Regulation & Control) Rules, 2003.

Day time is reckoned between 6 A.M. to 10 P.M. & Night time between 10 P.M. to 6 A.M.

Observations:

The noise level at site is well within the prescribed limit. However, it is marginally higher at main gate due to vehicular movement.

ANALYSIS RESULTS of D.G sets Noise Quality

Sr. No.	Location Name	Observed Value in dB(A)	
		Results	CPCB Permissible Limit
1	Near DG -I (25 KVA)	71.2	75
2	DG -II (45 KVA)	70.3	75

REMARKS: As per Observation, results are within the limit

E. SOIL ANALYSIS REPORT

Soil samples were collected from Site at 20 cm depth. Analysis results are tabulated in the following Table 6.

Table 6: Quality of Soil Sample

Sr. No.	Parameters	Unit	Results		Reference Method
			Splinder	Labour Colony	
1	pH	-	7.54	7.60	IS 2720 : Part 26 : 1987
2	Moisture Content	%	8.3	7.9	IS 2720 : Part 09: 1992
3	Sulphate	mg/gm	0.70	0.64	IS 2720 : Part 27 : 1977
4	Organic Matter	%	3.2	2.6	IS 2720 : Part 22 : 1972
5	Chloride	%	0.74	0.76	IS 6925: 1973
6	Copper	mg/gm	BDL	BDL	APHA 3500-Cu
7	Total Kjeldhal Nitrogen	mg/gm	0.30	0.36	APHA 4500-N _{ORG}
8	Zinc	mg/gm	BDL	BDL	APHA 3500-Zn

BDL: Below Detectable Level

Observations:

The soil analysis result shows that, the basic parameter like Organic matter & Total Nitrogen are less in the soil. Further, heavy metals like Copper & Zinc are below detectable limit.

Annexure – II
EMP Cost

Sr. No.	Pollution control Measures	Capital Cost (Rs. Lakhs)	Recurring Cost Per Annum (Rs. Lakhs)	Arrangement of Corpus fund
1	Construction Phase			
	Construction Phase	5	1.5	Developer & Site In Charge
2	Operational Phase			
1.	Pollution Control - STP, Scrubber & Noise Control Measures	6 (Includes cost of power, operation & maintenance)	100 (Construction of STP)	Resident Society & AMC with the Supplier for first Five Years
2.	Environment Monitoring	5 (Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)	Nil	Resident Society (As corpus fund an amount of approx. Rs 4/- per square foot shall be charged per month)
3.	Solid Waste Management	3 (includes cost of waste collection, storage and disposal)	10 (Includes cost of waste collection, storage and OWC)	
4.	Occupational Health	2 (includes cost of medical checkup, PPE & first aid kit)	5 (includes cost of PPE, first aid facility)	
5.	Green Belt development	5 (includes cost of landscaping of plot area)	50 (includes landscaping of plot area)	
6.	Others (EHS orientation & training)	2 (Environment & safety training)	5 (other equipments)	
Total		23	170	

ANNEXURE – I

1. NAME AND ADDRESS OF THE PROJECT PROPOSED:

Proposed projects is a construction of Residential Group Housing Project at Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra

2.PROJECT PROPOSAL:

Total Number of Buildings 9 & 44 Bungalows

- No. of Tenements 456
- Buildings A1 to A4: B +P + 13 Floors.
- Buildings A5 to A8: B + P + 12 Floors
- Bungalows B1 (6 Nos.), B2 (6 Nos.), B3 (6 Nos.), B4 (6 Nos.), C1 (5 Nos.), C2 (5 Nos.), C3 (5Nos.) to D1 (2 Nos.) & D2 (3 Nos.): G + 1
- Building E: P + 10


3. AREA STATEMENT:

Sr. No.	Major Requirement	Area (m ²)
1	Total Plot Area	78600.00
2	Deduction for area under 24 m wide RP Road	3845.13
3	Gross Area of the Plot	74754.87
4	Deduction for (a + b + c)	
	a) Open space (10 %)	7475.49
	b) Amenity space (15%)	11213.23
	c) Internal road	2871.40
5	Net Plot Area (3 -4)	53194.75
6	Permissible Built up Area (1.0)	53194.75
7	Additions to B/up Area	
	a) Area under 24.0 m wide R.P Road	3845.13
	b) Amenity Space	11213.23
	c) Internal Road	2871.40
8	Total permissible BUA (6 + 7)	71124.51
9	Total Proposed BUA	70793.22

4. PARKING STATEMENT:

Buildings	Wing	Number of tenements	Parking required -20+3+1.4=24.4 m ² per tenement	Parking provided m ²
P+13	A1	51	1244	Stilt parking - 4940 m ² + Podium Parking - 10760 m ² = 15700
P+13	A2	51	1244	
P+13	A3	51	1244	
P+13	A4	51	1244	
P+12	A5	47	1147	
P+12	A6	47	1147	
P+12	A7	47	1147	
P+12	A8	47	1147	
G+1	B1	6	146	146
G+1	B2	5	122	122
G+1	B3	5	122	122
G+1	B4	6	146	146
G+1	C1	5	122	122
G+1	C2	6	146	146
G+1	C3	6	146	146
G+1	D1	2	49	49
G+1	D2	3	73	73
P+10	E	20	488	488
TOTAL		456	11126.4	17262

5. WATER CONSUMPTION:




6. SEWAGE TREATMENT PLANT:

- ★ Total Water Requirement = 466 m³/day
- ★ Fresh Water Requirement = 294 m³/day
- ★ Total Sewage Generation = 329 m³/day
- ★ STP Capacity = 329 m³ /day
- ★ Area required for STP = 264 m²
- ★ STP Technology = Sequential Batch Reactor
- ★ The treated water shall be used for flushing & landscaping.

WASTE WATER CHARACTERISTICS:

Sr. No.	Parameter	Unit	Raw sewage	Treated sewage Characteristics
1	pH	--	6.5 - 7.5	7 - 7.5
2	BOD 3 days at 27 ^o C		200 - 400 mg/l	Less than 5
3	COD	mg/l	600 - 700 mg/l	Less than 15
4	Suspended Solids	mg/l	150 - 200 mg/l	Less than 10
5	Oil & Grease	mg/l	50 mg/l	Less than 10

The process flow diagram for sewage treatment plant is shown below:



7. SOLID WASTE GENERATION:

Type of Waste	Quantity	Treatment
Total Solid Waste Generated	1030.5 Kg/ day	
Biodegradable	721.35 Kg/ day (70% of Total Solid Waste)	Through Organic Waste Processor (OWP) Model No. KC 1000
Non - Biodegradable	309.15 Kg/ day (30% of Total Solid Waste)	Handed Over to authorized vendors
Biomedical Waste	-	-
STP Sludge	33 Kg/ day	Will be used as manure
Capital Cost	Rs. 10 Lakhs	
O & M Cost	Rs. 2 Lakhs/ Annum	

8. DETAILS OF POWER REQUIREMENT:

SR. NO.	POWER REQUIREMENT	
1	Source of power supply : MSEB	
2	During Construction Phase	63 KVA
3	During Operation Phase, a) Connected Load	11500 KVA
	b) Demand Load	6500 KVA
4	DG set as Power Back – up During Operation Phase	125 KVA X 1 250 KVA X 2 500 KVA X 2

9. TREE PLANTATION:

Total Site Area	73512.46 m ²
Green Area reqd. - 10 % of Total Plot Area	7351.2 m ²
Green Area provided	8690.57 m ²
No. of Trees required = Total Plot Area/100	735 nos.
No. of Trees provided	738 nos.
Existing Trees	30 nos.
Trees to be cut	10 nos.
Trees to be retained	20 nos.
Criteria For Species Selection:-	
<ul style="list-style-type: none"> ▪ Favorable For The Climatic Condition Native Species. ▪ Require Low Maintenance. ▪ Improve Microclimatic Condition Within Site. ▪ Provide Shade and Create Avenue. ▪ Act As a Buffer & Control Air & Noise Pollution. 	

Trees on Ground

Name	C/C Dist	Quantity
ALISTONEA SCHOLARIS	4 m C/C	75 nos.
BAUHINIA PURPUREA	5 m C/C	26 nos.
MIMOSOPS ELENGII (BAKUL)	4 m C/C	45 nos.
ANTHOCEPHALUS KADAMBA	4 m C/C	91 nos.
NYCANTHES ARBORTRISTICS (PARIJATAK)	3.5 m C/C	158 nos.
MICHELIA CHAMPAKA	3.5 m C/C	16 nos.
LAGERSTROEMIA FLOS REGINA	5 m C/C	14 nos.
COROUPITA GUINENSIS (KAILASHPATI)	4 m C/C	18 nos.
AZARDIRACHTA INDICA (NEEM)	5 m C/C	4 nos.
PLUMERIA ALBA	3 m C/C	105 nos.
PLUMERIA RUBRA	3 m C/C	58 nos.
MAHOGANY	4 m C/C	16 nos.

Shrubs on Ground

Name	C/C Distance	Area m ²
HYMENOCALLIS LITTORALIS (SPIDER LILY)	0.3 m C/C	482.78
TABERNAEMONTANA CORONARIA (TAGAR VARIEGATED)	0.45m C/C	394.96
HEDYCHIUM CORONARIUM (SONTAKKA)	0.45 m C/C	244.51
PLUMBAGO CAPENSIS	0.45 m C/C	383.77
NERIUM OLEANDER DWARF	0.45 m C/C	326.62
CALLIANDRA RED	0.45 m C/C	24.23
IXORA RED HYBRID	0.45 m C/C	48.25
ALLAMANDA DWARF	0.3 m C/C	180.65
ARECA PALMS	0.9 m C/C	13.52
MYENA ERECTA	0.45 m C/C	42.83
CESTRUM NOCTURNUM (RAATRANI)	0.45 m C/C	180.06



LANDSCAPE LAYOUT ON GROUND

10. RAIN WATER HARVESTING

Sr. No	Type of Area	Area in m ²	Run of Coefficient	Flow (m ³ /min)	Peak Flow (m ³ /min)	RWH Potential (annual)
a	Terrace (Roof) Area	13351	0.95	$\frac{13351 \times 55 \times 0.95}{1000 \times 60}$	11.63	8878.42
b	Road Area	2871	1	$\frac{2871 \times 55 \times 1.0}{1000 \times 60}$	2.63	2009.70
c	Green Belt and lawn Area	15102.00	0.2	$\frac{15102 \times 55 \times 0.2}{1000 \times 60}$	2.77	2114.28
d	Open Area	6000	1	$\frac{6000 \times 55 \times 1.0}{1000 \times 60}$	5.50	4200.00

The storm water Drain will be used for recharging of ground water table through the bore wells

Rainwater Harvesting by Ground Water Recharge:

Design Basis :-

- Size of the recharge pit = 3.0x 3.0 x 3.0 m
- Depth for Bore = Varying depth
- No of recharge pit proposed = 10 Nos.


Rain water Harvesting and Storm water Drain :


- The rain water harvesting could be done by no of ways. Some of the alternatives are :
- Collection of roof rain water from individual bungalow and using it for specified purpose like drinking, garden etc.
- Collection of storm water and utilizing it for recharging of ground water table through existing and new wells.
- Collection of storm water in protected under ground storage tank / open water body and utilization of the same as per requirement.
- Trenching within the plots.

We recommend the following:


- The storm water collected in the storm water conveyance system will be used for recharging of ground water table through the bore wells.
- Wherever possible, the trenches would be provided for percolation.
- Percolation of the rain water depends upon the permeability of earth strata. By Providing no. of recharge pits and recharge of bore well necessary efforts will be taken for maximum recharging of ground water.


11. ENVIRONMENTAL MANAGEMENT PLAN DURING CONSTRUCTION PHASE :





OPERATION PHASE :





Public Notice

English New paper Public Notice

07 **MID DAY NATION** 05.10.2013 > PUNE, www.mid-day.com

REALTY EXPO-NENTS

The eighth edition of MID DAY'S Hot Property exhibition was kicked off yesterday at Viva Melange Ground, Virar (West). The exhibition, which began yesterday, will go on till tomorrow. Hitendra Thakur, president, Bahujan Vikas Aghadi inaugurated the event by lighting the lamp and cutting the ribbon with Rupesh Jadhav, deputy mayor, Vasai-Virar Municipal Corporation. Thakur said, "I am happy to see all the developers from Vasai-Virar area and members of team MID DAY here. It's a wonderful initiative to promote housing in far-flung suburbs. This event signifies the region is developing."

Racing hubs

Traffic policemen claim that for the time being, they are targeting road stretches at Vakola, Kherwadi, Nirmal Nagar, Bion-Marunga, Worli Sea Fare, Western and Eastern Express Highways, Bandra Bandstand and Reclamation areas. These locations are the preferred hotspots of speed demons and have gained notoriety for late-night races, said cops. Traffic cops will also seize the motor-bikes and licences of the bikers that are caught driving rashly or speeding.

PUBLIC NOTICE

We, M/s Kumar Kering Properties Pvt. Ltd., hereby bring to the kind notice of general Public that Environment Department of Government Of Maharashtra has granted environmental clearance for proposed "Residential Group Housing Scheme" situated at S.No.12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Tal. Haveli, Pune, Maharashtra vide their letter dated 25th July 2013 bearing file No. SEAC-2010/CR-776/TC.2.

The copies of the Clearance letter is available with Maharashtra Pollution Control board and may also be seen on the website of Department of Environment, Government of Maharashtra at <http://www.envis.maharashtra.gov.in>

M/s. Kumar Kering Properties Pvt. Ltd.

Marathi New Paper Public Notice

पुणे नगरी

www.epunyanagari.com

अटक केली असून त्याला ७ ऑक्टोबरपर्यंत पोलीस कोठडी सुनावली आहे.

लक्ष्मण राम भिसे (वय ३४, कपिल सोसायटी जवळ, सुतारवाडी, पाषाण सुस रोड) असे अटक केलेल्या आरोपीचे नाव आहे. चाकणचा रहिवासी असलेला १४ वर्षांचा अल्पवयीन मुलगा पुरंदर येथील एका आश्रमशाळेत शिक्षण घेत आहे. पीडित त्याच्या सोबत शिक्षण घेत असलेल्या एका मित्राच्या घरी ३० साठेबरला सुटीनिमित्त आला होता.

पीडितचा मित्र साधू बासवान मुलाचा खाली असलेल्या वसाहतीमध्ये राहतो. घटना घडली त्यादिवशी पीडित मुलगा व त्याचा मित्र घरी झोपले होते. त्यावेळी मित्राचा मामाही तेथे होता.

त्याने तपास पालास उपनिर्वाक्षक यु. एन. लोंढे करित आहेत.

शहरात दोन विनयभंगाच्या घटना

शहरात घनकचडी आणि मुदवा येथे दोन विनयभंगाच्या घटना शुक्रावारी घडल्या असून यातील दोघ

- जाहीर लिलाव -

समाम लोकांस जाहीरपणे घेणे की, मे, विशेष वसुली अधिकारी, ज्ञानदीप को-ऑप क्रेडिट सोसायटी लि. मुंबई शाखा घनकचडी पराम सावंत प्लाझा बालाजीनगर पेटील मंचाजवळ पुणे सातारा रोड घनकचडी पुणे ४३ यांनी कर्जदार श्री अविनाश अंबादास इंधेरी यांना दिलेल्या कर्जाची भरतकड न केल्यामुळे त्यांनी संस्थेकडे लागू दिलेली व विशेष वसुली अधिकारी यांनी जन्य केलेल्या मिळकतीची जाहीर लिलावाने जशी आहे तशी वास्तव्य पिवी दिनांक ०८/१०/२०१३ रोजी दुपारी १२ वाजता ज्ञानदीप को-ऑप क्रेडिट सोसायटी लि. मुंबई शाखा घनकचडी पराम सावंत प्लाझा बालाजीनगर पेटील मंचाजवळ पुणे सातारा रोड घनकचडी पुणे ४३ येथे होणार आहे. तरी ज्या इच्छुकाना लिलावात र्जन घ्यावयाचा असेल त्यांनी लिलावाच्या दिनांकी व्यत्येकेत उपस्थित राहावे.

जस केलेल्या इंधेरी वर मिळकतीचा तापमिल खालीलप्रमाणे मिळकतीचे वर्णन

कर्जदाराचे नाव	गाव	पट नंबर	क्षेत्र	वाजवी किंमत
श्री अविनाश अंबादास इंधेरी	स.नं. २२/१ घनकी गृहस्थाना प्लॉट क्र. ७३ परळट. ९/३१ घनकचडी, पुणे ४३	पुणे न. न. गा. हवेलील कोठ्या इ. गा. हवेली लि. पुणे केविल स. नं. ५१ हिस्सा नं. २/१४/१ मधील	क्षेत्र ५६० चौ फुट	१४९८.१५०/-

जाहीर सुचना

आम्ही मे कुमार केअरिंग प्रॉपर्टीज प्रा. लि. याद्वारे सर्वसाधारण जनतेस कळवू इच्छितो की, महाराष्ट्र सरकारच्या पर्यावरण मंडळाने सधेे नं. १२/१/२, १२/१/३, १२/१/४, १२/२/२अ, १२/३ब, १२/४, १२/५अ/१, १२/५ब, १२/६/१, १२/७, १२/८, १२/१२/१, १२/१२/३ आणि १३/१/१, उद्दी, ता. हवेली, जिह्वा पुणे, येथील आमच्या "गृहप्रकल्पांना" २५ जुलै २०१३ रोजी क्र. SEAC-2010/CR-776/TC.2 अन्वये पर्यावरण विषयक मंजूरी दिली आहे. पर्यावरण विषयक मंजूरीची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळ यांच्या कार्यालयामध्ये तसेच पर्यावरण विभाग, महाराष्ट्र सरकार यांच्या <http://www.envis.maharashtra.gov.in> या संकेतस्थळावर उपलब्ध आहे.

मे कुमार केअरिंग प्रॉपर्टीज प्रा. लि.

पुणे	जनिवार, ५ ऑक्टोबर २०१३				
१९	प्रभा	२८१०	१४०००	१	१०००
२०	प्रभा	१४०१	१४०००	१	१०००
२१	प्रभा	३५०२	१४०००	१	१०००
२२	प्रभा	२८२०	१४०००	१	१०००
२३	प्रभा	४२०२	१४०००	१	१०००
२४	प्रभा	५०१०	१४०००	१	१०००
२५	प्रभा	२१०१	१४०००	१	१०००
२६	प्रभा	२८०१	१४०००	१	१०००
२७	प्रभा	२८०१	१४०००	१	१०००
२८	प्रभा	२०१०	१३९९०	१	१०००
२९	प्रभा	३४०१	१४०००	१	१०००
३०	प्रभा	१५१०	८५४०	१	१०००
३१	प्रभा	२८०१	१४०००	१	१०००
३२	प्रभा	३०३०	१८६५००	१	१०००

MAHARASHTRA POLLUTION CONTROL BOARD

Phone :- 24010437/24020781/24014701

Fax :- 24044532 / 24023516

Email :- enquiry@mpcb.gov.in

Visit At:- <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion-
Matunga Scheme Road No. 8, Opp.
Cine Planet Cinema, Near Sion Circle,
Sion (E), Mumbai - 400 022

Infrastructure/Orange/L.S.I

Consent order No: Format 1.0/BO/ROHQ/PN-19850-13CE/CAC - 2756

Date: 21/03/2014

To,

M/s. Kumar Kering Properties Pvt. Ltd. "Palmspring"

S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1,

12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1,

Village : Undri, Tal : Haveli, Dist : Pune 411001

Subject: Consent to Establish in Orange category Residential / construction project.

Ref : Minutes of Consent Committee meeting held on 13/03/2014

Your application CE1311000495 date 18/11/2013.


For: Consent to Establish.

Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to Establish is granted for a period upto:- Commissioning of the unit or five years, whichever is earlier.
2. The Proposed Capital investment of the Project is Rs 113.79 Cr. (As per CA certificate).
3. The Consent to Establish is valid for Residential project develop by M/s. Kumar Kering Properties Pvt. Ltd. names as "Palmspring" at S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village : Undri Tal : Haveli, Dist : Pune 411001. on total plot area of 78,600.0 Sq. mtrs and total construction built up area of 91,168.16 Sq. mtrs. As per construction commencement certificate issued by local body.
4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge	Standards to be achieved	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	277.00 CMD	As per Schedule -I	60% shall be reused & recycled and remaining shall be discharged in municipal sewer.

SRO Pune III/O/L/96423000



5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG sets (180 KVA)	1	As per Schedule -II
2.	DG sets (125 KVA)	1	As per Schedule -II
3.	DG sets (250 KVA) 2 Nos	2	As per Schedule -II
4.	DG sets (500 KVA) 2 Nos	2	As per Schedule -II

6. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1.	Biodegradable Waste	616.0	Kg/Day	On site Composting	Used as manure
2.	Non Biodegradable Waste	410.0	Kg/Day	Segregation	By sale
3.	STP Sludge	45.0	Kg/D	---	Used as manure

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2010/CR-776/TC-2, dated 25th July 2013.
10. The applicant shall submit Board Resolution from Company Board, towards starting of construction work without obtaining consent to establish from the MPC Board thus violated the provisions of Environmental laws and in future, they will not do such violations and B.G. of Rs. 2 lacs towards submission of Board Resolution by 01/04/2014.

For and on behalf of the
Maharashtra Pollution Control Board



(Rajeev Kumar Mital) IAS
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	2,27,680/-	001534	22/10/2013	HDFC Bank

Copy to:

1. Regional Officer, MPCB, Pune. And Sub-Regional Officer, Pune-II, they are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.



Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A) As per your consent application, you have proposed to provide the sewage treatment system with the design capacity of 300.0 CMD.

B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1	pH	Not to exceed	6.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 Days 27 degree C	Not to exceed	100 mg/l.
4	Detergent	Not to exceed	01 mg/l.

C) The treated domestic effluent shall be 60% recycled and reused for flushing, fire fighting and cooling of Air conditioners etc. The remaining shall be discharged into Municipal sewer/ utilized on land for gardening after conforming to above standards. The firm shall affix the separate meter for ensurance of 60% recycling of treated sewage and keep the records of the same. In no case effluent shall find its way to any water body directly /indirectly at any time.

2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

3) The firm shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made thereunder for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	308.00

5) The firm shall provide Specific Water Pollution control system as per the conditions of EPAct,1986 and rule made there under from time to time/ Environmental Clearance.

P. Patel
Page



Schedule-II

Terms & conditions for compliance of Air & Noise Pollution Control:

1. As per your application, you have proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	Height in Mtrs. (Above roof top)	Type of Fuel	Quantity
1.	DG sets (180.0 KVA)	5.0	HSD	120Lit/Hr.
2.	DG sets (125.0 KVA)	5.0		
3.	DG sets (250.0 KVA) 2 Nos	5.0		
4.	DG sets (500.0 KVA) 2 Nos	5.0		


* D.G. Set shall be operate only in case of power failure.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150.00 mg/Nm ³ .
--------------------	---------------	-----------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)
5. Conditions during construction phase:-

a	During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters.
b	During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved laboratory.
c	Noise generating activity shall be carried out during day time only.




Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Establish	Rs. 5.0 lakhs	15 days	Rs. 5.0 lakhs for ensuring the compliance of consent conditions.	Upto Commissioning of the unit	Five years
2	Establish	Rs. 2.0 Lakh	15 days	Rs. 2.0 Lakh towards submission of Board resolution by 31/03/2014	1/04/2014	30/08/14

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling) Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. ~~Day-time is reckoned between 6 a.m. to 10 p.m~~ and night time is reckoned between 10 p.m to 6 a.m.
 - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste – The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.



PROJECT STATUS REPORT

BACKGROUND

EC No.	:	SEAC-2010/CR.776/TC.2 Dated: 25 th July 2013
Project name	:	“Palmspring” Residential Project
Project location	:	Sr. No. 12/1/2,12/1/3,12/1/4,12/2,12/3A,12/3B,12/4,12/5A/1, 12/5B, 12/6/1, 12/7,12/8, 12/12/1, 12/12/3, Village Undri, Ta. Haveli, Pune, Maharashtra.
Developer name	:	M/s. Kumar Kering Properties Pvt. Ltd.
Developers address	:	Kumar Capital, 1 st Floor, 2413, east Street Camp, Pune 411001. Maharashtra

PROJECT STATUS

Status updated on	:	November 28, 2014
Activity Phase of project	:	Phase – I Completed
Excavation details	:	100 % Completed for Phase – I

CONSTRUCTION DETAILS – Phase I

Sr. No	Building Name/ other	Current status of Work
1	Bungalows 44 Nos.	Completed
2	Gardening/Landscape	Completed for Phase – I
3	STP	Septic Tank provided for Phase – I
4	RWH	Completed
5	Internal Roads	Completed
6	Lighting	Completed
7	Plumbing	Completed
8	Solid Waste Management	Vermicomposting provided

CONSTRUCTION DETAILS – Phase II

Status updated on : June 19, 2014

Activity Phase of project : Phase-II Not Started

Excavation details : Not Started

CONSTRUCTION DETAILS – Phase II

Sr. No	Building Name/ other	Current status of Work
1	Building A1 to A8 (P + 12 Floors)	Work yet not started
2	Building E (P + 10 Floors)	Work yet not started
3	Solid Waste Management	Work yet not started
4	STP	Work yet not started
5	Gardening/Landscape	Work yet not started
6	RWH	Work yet not started
7	Internal Roads	Work yet not started
8	Lighting	Work yet not started
9	Plumbing	Work yet not started

Note: Phase – I Construction work Completed and Phase – II work yet not started