

MANIKCHAND KUMAR PROPERTIES

REDISTERED ADDRESS GUARA CARTA THAT PARTICIPATE NAME FOR ALL DO TES COMPARES SURBARRA

Date: 05/07/2017.

To,

The Member Secretary,

Maharashtra Pollution Control Board, Kalpataru Point, 2/3/4th Floor, Sion Matunga Scheme, Road No 8, Opp. Sion Circle, Sion (East), Mumbai- 400022.

Sub: Submission of Environmental Clearance compliance for construction of "Residential

Complex" at Undri, Tal Haveli, District-Pune, State- Maharashtra.

Ref: No. 21-221/2007-IA.III

Respected Sir,

With reference to the above subject we are submitting the Current Status of our construction work, monitoring reports, data sheet and Point wise compliance status to various stipulations laid down by the State Level Environment Impact Assessment Authority, Maharashtra in its clearance letter No. 21-221/2007-IA.III along with the necessary enclosure and annexure.

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,

Yours Sincerely,

FOR MANIKCHAND KUMAR PROPERTIES

Encl:

Part A: Current Status of Construction Work

Part B: Point wise compliance status

Part C: Enclosures

Part D: Annexures

Part E: CD

A copy Forwarded to Maharastra Pollution Control Board.

Meharashtra Pollution Control Board

OPS on (East), Muriosi 199 922.

	or the state of th
*	3



MANIKCHAND KUMAR PROPERTIES

Date: 30th June 2017

To,

The Additional Director (S),

Ministry of Environment and Forest and Climate Change Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur, Maharashtra-440001.

Submission of Environmental Clearance compliance for construction of "Residential Sub: Complex" at Undri, Tal Haveli, District-Pune, State- Maharashtra.

Ref: No. 21-221/2007-IA.III

Respected Sir,

With reference to the above subject we are submitting the Current Status of our construction work, monitoring reports, data sheet and Point wise compliance status to various stipulations laid down by the State Level Environment Impact Assessment Authority, Maharashtra in its clearance letter No. 21-221/2007-IA.III along with the necessary enclosure and annexure.

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,

Yours Sincerely,

FOR MANIKCHAND KUMAR PROPERTIES

Authorized Signatory

Encl:

Part A: Current Status of Construction Work

Part B: Point wise compliance status

Part C: Enclosures

Part D: Annexures

Part E: CD

A copy Forwarded to Maharastra Pollution Control Board, Magput-440 001

एक्तिएण, वन एवं जलवाधु परिवर्तन मंत्रालय Ministry of Environment, Forest & Climate Change क्षेत्रीय कार्यालय (पश्चिम मध्य क्षेत्र) Regional Office (Western Central Zone) पुर्व खंड / Ground Floor, East Wing Hadrord War / New Secretarial Butting

ेता लाईन्स / Civil Lines

PART A

CURRENT STATUS OF WORK

No of Buildings	Status	Status of the Environmental Management Facilities
3 buildings	B1 building work Completed. B2: up to plinth level B4 buildings work internal work is in progress.	80m3/day capacity of STP provided. Use of solar power for water heating. Rain water harvesting is provided.

:PART B:

2. <u>Point wise compliance status to various stipulations laid down by the Ministry in its clearance letter No. 221/2007-IA.III are as follows:</u>

Sr. No	Condition	Status	
Constru	iction phase:		
(i) Control Committee under Air and water Act and a copy of the same shall be submitted to the ministry before start of any construction work at site		Consent to Establishment No.: BO/RO (P&P)/EIC No. 4045- 09/E/CC-291. Enclosure-III.	
(ii)	For disinfection of waste water ultra violet radiation shall be used in place of chlorination.	Sewage treatment plant is designed as per the guidelines.	
(iii) Vehicles hired for construction activities should be operated only during non peak hours.		Construction vehicles are allowed during early morning hours or late evening hours when traffic in the area is less. (7.30 pm to 5.30 am) Please refer Annexure no. IV	
(iv)	All the top soil excavated during construction activities should be stored or use in horticulture /landscape developments within the project site.	Excavated top soil and construction waste is used for leveling within project site.	
(v)	Ready mixed concrete shall be used in building construction.	We are using as possible as ready mixed concrete in building construction.	
(vi)	Water demand during construction shall be reduced by use of pre mixed concrete, curing agents, and other best practices.	We are not using Ready mixed concrete.	
(vii)	Permission to draw ground water shall be obtained from competent authority prior to construction/operation of the project.	Well water has used. Analysis Report is enclosed in Annexure No. III.	
(viii)	Separation of gray and black water should be done by the use of duel plumbing line. Treatment of 100% gray water by decentralized treatment should be done.	Not applicable at this stage.	
(ix)	Fixtures for showers, toilet, flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Not applicable at this stage.	
(x)	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	Not applicable at this stage.	
xi)	Roof should meet the prescriptive requirement as per energy conservation building code by using appropriate thermal insulation material to fulfill requirement.	Not applicable at this stage.	
ii	Opaque wall should meet prescriptive requirement	Not applicable at this stage.	

Sr. No	Condition	Status	
	as per energy conservation building code which is proposed to be mandatory for all air conditioned spaces while it is aspiration for non air conditioned spaces by use of appropriate thermal insulation to fulfill requirement.		
xiii	Storm water control and its reuse should be as per Central Ground Water Board and BIS standards for various applications.	Storm water is recharged in 02 Recharge pits & 02 bore well. Bore well water report is attached in Annexure No. III.	
xiv	Necessary approval of competent authority of state forest department shall be obtained before starting construction.	Solid waste generated is collected separately for dry & wet waste & disposed properly.	
xv	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Noted And obeyed.	
xvi	Soil and ground water sample will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Soil analysis report enclosed. Please refer the Annexure no.3 . Properly maintained & Equipped First-Aid Room provided on site.	
xvii	A First-Aid Room will be provided at the project site during construction and operation of the project.		
xviii	Adequate drinking water & sanitary facilities should be provided for construction workers at the site. The safe disposal of waste water & solid waste generated during the construction phase should be ensured.	Yes, Regular supply of Drinking water is made available at site and toilets are provided at site for workers. Please refer the Annexure II.	
xix	Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring community & disposed off taking the necessary precautions for general safety and health aspects of people.	Excavated material and construction waste is used for leveling within project site.	
¢χ	Diesel power generating sets used during construction phase should be of enclosed type to prevent noise and should conform to rules made under Environment (Protection) Act, 1986, prescribed for Air and Noise emission standards.	DG set are with acoustic canopy & confirming the rules made under the Environment (Protection) Act 1986.	
xxi :	Ambient noise levels should conform to standards both during day and night when measured wall of the premises. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.	Ambient air and noise Monitoring report enclosed. Please refer Annexure III.	
xii '	The construction agencies shall use fly ash based material products as per the provision of Fly Ash	Yes, we are using Fly ash for building material for the	

Sr. No	Condition	Status
	Notification of 14 September 1999 and amended as on 27 th August, 2003.	construction as per the provision of Fly Ash Notification of September 1999 and amended as on 25th January, 2016. The project doesn't fall under the 300 Km radius of any power plant hence not applicable.
xxiii	Vehicles hired for bringing construction material to the sites should be in good condition and should have pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peaking hours. Standard of construct are checked regularly PUC certificate. Please refer the Ann	
xxiv	Construction spoils, including bituminous material and other hazardous material must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.	We are collected bituminous material/ hazardous material separately & handed over to Authorized Vendor.
xxv	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Hazardous waste generated during construction phase was collected & handed over to Authorized Vendor
xxvi	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surrounding.	Regularly supervise by officers for monitoring for construction phase.
XXV	Under the provision of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environment clearance.	Environmental Clearance Obtained vide letter No. SEAC-III-2014/CR-305/TC.3 dated 05th November, 2015. Please refer Enclosure II Commencement certificate is attached in previous report.
I.	Operational Phase: The environmental clearance recommended to the project is subject to the specific conditions as follows:	
	Necessary permission of competent Authority shall be taken to store diesel in the premises for operation of DG set.	Diesel not stored on site.
i	Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of enclosed type and conform rules made under Environment Protection Act, 1986 prescribed for Air and Noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack raised to 4 meter above the	DG set are with acoustic canopy & confirming the rules made under the Environment (Protection) Act 1986. One DG Set of capacity 125 KVA provided.

Sr. No	Condition	Status
	rooftop.	62.5 Labour colony
III	During the nighttime the noise levels measures at the boundary of the building shall be restricted to the permission levels to complete with the prevalent regulations.	Yes, Noise monitoring report is enclosed. Please, refer the Annexure no III
iv	Noise barriers should be provided at appropriate location so as to ensure that the noise level does not exceed the prescribed standards.	Noise monitoring reports are enclosed. Please refer Annexure No. III.
V	Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area.	Noted.
vi	The sewage treatment plant of adequate capacity should be provided to treat sewage generated from the complex and it should be certified by an independent expert for adequacy as well as efficiency and should submit a report in this regard to the Ministry before the project is commissioned for operation. The waste water should be treated to tertiary level and after treatment reused for flushing and landscaping. Discharge of treated sewage shall conform to the norms & standards prescribed by Maharashtra State Pollution Control Board.	80 m3/day capacity of STP provided on site.
	Rainwater harvesting and ground water recharging shall be practiced. Oil & Grease trap shall be provided to remove oil and grease from the surface runoff and suspended matter shall be removed in settling tank before its utilization for rainwater harvesting.	One recharge pit provided & 2 nos. of bore well is recharged by rain water.
ziii	The solid waste generated should be properly collected and segregated. Wet garbage should be composted & dry/inert solid waste should be disposed off to approve sites for land filling after recovering recyclable material.	Dry & Wet wastes separately collected & handed over municipal authority properly disposal. Wet garbage is dispose in 1 no Ecogreen (75 kg).
х	Any hazardous waste including biomedical waste should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Hazardous waste was generated during construction phase is collected safely & handed over Authorized Vendor.
1	The Green Belt Design along the periphery of the plot shall archive at attenuation factor conforming to the day and night noise standers prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and coved with vegetation of indigenous species.	Green Belt Development shall be carried out considering CPCB guidelines. Phase wise plantation has carried out.
i I	ncremental pollution load on the ambient air	Ambient air and noise monitoring

Sr. No	Condition	Status
	quality, noise & water quality should be periodically monitored after commissioning of the project.	report enclosed. Annexure III.
xii	The ground water level and its quality should be monitored regularly in consultation with Ground water Authority.	Well water report is attached. Please refer Annexure No. III.
xiv	The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.	We are working on R & U value.
xv	Energy conservation measures like installation of CFLs/ FLs for lighting the areas outside the building should be integral part of the project design and should be properly collected and disposed of/sent for recycling as per the prevailing rules/ guidelines standards issued by the regulatory authority to avoid Mercury contamination. Use of solar panels may be done to the extent possible.	Not applicable at this stage.
B.	General Conditions	
i	This environmental clearance is subject to Hon'ble supreme court's decision regarding sitting of project near Wildlife sanctuary.	Noted.
ii	The environmental safeguards contained in the EIA report should be implemented in letter and spirit.	Noted.
iii	Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.	This facility is not provided on site because local labours are employed
iv	All the laborers to be engaged for construction workers should be screened for health and adequately treated before the issue of work permits.	Noted. Facility provided on site. Please refer Annexure 1.
	6 monthly monitoring reports should be submitted to the Ministry and its Regional office.	We are submitting 6 monthly reports regularly along with necessary documents.
who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the		Noted.
).	In case of any change(s) in the scope of the project, the project would require a. fresh appraisal by this Ministry.	No any change in project.
· .	The Ministry reserves the right to add additional safeguard measures, subsequently, if found	Noted.

Sr. No	Committee	Status
	necessary, and to take action including revoking of the environmental clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Status
8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), CRZ Regulations etc. shall be obtained by project proponents from the competent authorities.	No storage of diesel on site.
9	A copy of the environmental clearance letter would be marked to the local NGO(s), if any, from whom suggestion/representation were received at the time of public hearing.	Local NGO is obtained. Document attached in previous report.
10	The project proponent should advertise in at least two local Newspapers widely circulated in the region one of which shall be in vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are lavailable with Maharashtra State Pollution Control Board and may also be seen on the website of the Ministry of Environment & Forest at http://www.envfor.nic.in . The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.	Noted.
1	These stipulations would be enforced among others under the provisions of the Water (prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986 and the Public Liability (Insurance) Act, 1991.	Copy of Health Insurance of worker is attached. Please refer Annexure No. V.
	The project authority will enter into MOU with all buyers of the property, flats/shops etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.	Noted.

Please find all the above mentioned in order and kindly acknowledge the receipt of the same. Thanking you, $\frac{1}{2}$

Yours Sincerely,

M/s. Manikchand Kumar Properties

"Prince Town", at Undri, Tal. Haveli, Pune.

For M/s. Manikchand Kumar Properties

	Jan 1
	Same?

Monitoring the Implementation of Environmental Safeguards Ministry of Environment & Forest

Western Region, Regional Office, Nagpur

DATA SHEET

Date-: 10 April, 2017

1.	Pro	oject type: River - valley/ Mining / Industry / ermal / Nuclear / Other (specify)	:	Residential Complex
2.	Name of the project		+-	(D.)
3.		earance letter (s) / OM No. and Date	:	"Prince Town" Clearance Letter No. 21-221/2007-IA.III Dated 24th December, 2007
4.	Location		1.	Extension EC Date: 11th June, 2014
	a.	District (S)	1:	Pune
	b.	State (s)	1:	Maharashtra
	C.	Latitude/ Longitude	1	18º27'.47.08" N 73º'54'15.48" E
5.	Add	dress for correspondence		70 3113.10 E
	a.	Address of Concerned Project Chief Engineer (with pin code & Telephone / telex / fax numbers	:	Mandar Raykar,bandhu prem,Raykar nagar, Sr.no.18,B21,Dhayari,Pune 41 Mobile:-8411956876
	b.	Address of Project: Engineer/Manager (with pin code/ Fax numbers)	:	
6.	Sali	ent features		
	a.	of the project	:	PART-I
	b.	of the environmental management plans	: •	PART-I
7.	Bre	akup of the project area	:	
	a.	submergence area forest & non-forest	:	Not Applicable
	b.	Others	:	PART -I
8.	unit unit unit labo	urers/artisan	:	Not Applicable.
	a.	SC, ST/Adivasis	:	Not Applicable



	b.	Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)		Not Applicable
9.	Fin	ancial details	+-	
	a.	Project cost as originally planned and substreference:	eque	ent revised estimates and the year of price
	1.	Estimated Cost of the Project	1:	132.45 Crores Only
	b.	Allocation made for environ-mental management plans with item wise and year wise Break-up.	1.	PART -III
	c.	Benefit cost ratio / Internal rate of Return and the year of assessment	:	Not Applicable
	d.	Whether (c) includes the Cost of environmental management as shown in the above.	:	Yes
	e.	Actual expenditure incurred on the project so far	:	Please refer Part III.
	f.	Actual expenditure incurred on the environmental management plans so far		Please refer Part III.
10.	Fore	est land requirement	:	Not Applicable
	a.	The status of approval for diversion of forest land for non-forestry use	÷	Not Applicable Not Applicable
	b.	The status of clearing felling		Not Applicable
	C.	The status of compensatory afforestation, it any	:	Not Applicable Not Applicable
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	:	Not Applicable
11.	road:	status of clear felling in Non-forest areas (such submergence area of reservoir, approach s), it any with quantitative information	:	Not Applicable
2.	Statu	s of construction	:	2 buildings work is in progress.
	a.	Date of commencement (Actual and/or planned)	:	Approx. 2007

M/s. Manikchand Kumar Properties.

"Prince Town", at Sr. No. 9/1, Undri, Tal. Haveli, Pune.

	b.	Date of completion (Actual and/or planned)	:	Approx. 2019	
13.	Rea	sons for the delay if the Project is yet to start	:		
14	Date	es of site visits			
	a.	The dates on which the project was monitored by the Regional Office on previous Occasions, if any	:		
	b.	Date of site visit for this monitoring report	:	10 April, 2017	
15.	of co	ails of correspondence with Project authorities obtaining Action plans/information on Status ompliance to safeguards Other than the routine ers for Logistic support for site visits)		Not Applicable	
	(The deta	e first monitoring report may contain the ils of all the Letters issued so far, but the Later orts may cover only the Letters issued sequently.)	•		

PART I

PROJECT DETAILS

:	"PRINCE TOWN", S. No. 9/1, Undri, TalHaveli, Dist. – Pune, State- Maharashtra.
:	50 Nos.
:	132.45/- Crores only
:	Reside3ntial Complex comprising of 22 residential buildings for 946 flats.
:	Total plot Area: 1,01,600 sq. m Proposed Built-up Area (FSI & Non-FSI): 94,413.45 sq. m
•	775 cu. m/day
:	• Sewage generation: 620 m³/day Capacity of STP: 6950m³/d
:	Total waste generation: 1265 kg/day
	: : : : : : : : : : : : : : : : : : : :

PART II

Environmental Management Plan

Environmental Component	Phase	Project Activity	Potential Impacts	Mitigation Measures
Air Quality	Construction Phase	Site Clearance / Operation	Dust Pollution	Wetting of area before clearing. Erecting barricade around construction site.
		Heavy vehicle Maintenance / operation	Air Pollution Dust generation.	Trucks carrying earth sand or stone shall be covered with tarpauling to avoid spilling. All vehicles should have valid PUC
		Construction of Structures and earth work	Dust due to cutting and filling.	Water should be sprayed while construction activity is going on. All vehicles delivering materials should be properly covered. RMC will be used throughout the construction.
	Operation Phase	Traffic plying on road	Increase in Air Pollutant Concentration in some locations.	Smooth flow of traffic, Regulation of air pollution by legislation and public awareness.
		DG Set operation	Air Pollution	DG Sets adhering to CPCB Norms. Proper maintenance of DG Sets.
Noise Quality	Construction Phase	Heavy vehicle maintenance / operation	Increased vehicular noise	The vehicles use for construction activity should confirm to emission norms of CPCB.
		Construction of structures and earth work	Noise from Vibrators, Concrete Batching Plants etc.	Employing electrically operated construction equipment. Providing ear plugs for workers.
	Operation Phase	Vehicular traffic	Increased vehicular noise due to increased traffic	Ensuring smooth flow of traffic. Parking provided as per norms. Provision of trees

Environmental Component	Phase	Project Activity	Potential Impacts	Mitigation Measures
		200		along the periphery o the boundary wall shal act as noise buffer.
		DG Set operation	Increased noise level	DG Sets adhering to CPCB Norms. Proper maintenance of DG Sets.
Water	Construction Phase	Construction Staff water requirement	Strain on the water supply in the vicinity	Drinking water shall be purchased from market by tankers./ By municipality supply.
	Operation Phase	Building users water requirement	Strain on the water supply in the vicinity.	By municipality supply by tankers or by recycled water from STP.
Soil	Construction Phase	Storage of petroleum and other chemicals	Pollution due to spills and mixing of construction materials	Storage of all petroleum products must be located on impervious layers viz. concrete. The surface runoff of the storage site must pass through oil / grease traps.
		Construction Debris and Earth material	Pollution due to mixing of concrete with soil	Concrete and such debris should be stored in a container or separate location within the site and finally sent to disposal site.
		Transportation of hazardous material	Hazardous chemicals from accidental spills polluting surface water body nearby.	Transpiration of hazardous material and storage as per safety rules. Regulation on load carried and speed.
		Residual Paints/Solvents / Bituminous materials	Contamination of soil	Shall be given to authorized recyclers /site. Bituminous materials /any other chemicals shall not be allowed to leach into the soil.
		Heavy vehicle maintenance / operation	Oil Spillage	Most of the machines operating on the site will be electricity

Environmental Component	Phase	Project Activity	Potential Impacts	Mitigation Measures
				operated. Oil trays will be kept below all potential oil spillage points and oil shall be collected in trays and given to authorized recyclers/sites.
	Operation Phase	Operation	Soil contamination due to surface run off/Oil & grease dripping form vehicles	Oil & grease traps shall be installed on sewers and S.W.D. discharge points in to Municipal sewers and drains. The sludge collected from Oil separators should be disposed authorized dumping sites.
		Solid Waste generation	Improper disposal of plastic waste/kitchen west and sludge of treatment plants can cause environmental hazards.	All the solid waste generated should be separated at the source. Dry garbage will be handed over to the authorized contractors. Wet garbage shall be treated by vessel composting and shall be used as manure. The sludge generated by the Sewage Treatment Plant can be used for Gardening.
		Transpiration of hazardous material	Hazardous chemicals from accidental spill	Regulation on load carried and speed. Barriers to be erected near sensitive locations.
Even after taking prouthorized site	ecautions if soil is	found to be contamin	nated, it shall be rem	oved and disposed off to
Ecology	Construction Phase	Construction of structures and earth work.	Migration of fauna due to construction	All the machines operating on the site will be electricity operated. Machines and vehicles should be maintained well to keep their noise at a



M/s. Manikchand Kumar Properties.

"Prince Town", at Sr. No. 9/1, Undri, Tal. Haveli, Pune.

Environmental Component	Phase	Project Activity	Potential Impacts	Mitigation Measures
		Transportation of hazardous materials	Loss of vegetation from chemical spills	minimum Regulation on load carried and speed.
	Operation Phase	Operation	Increase exposure to anthropogenic activities.	Enactment and enforcement of laws regulating human intrusions.

"Prince Town", at Sr. No. 9/1, Undri, Tal. Haveli, Pune.

PART -III

ALLOCATION MADE FOR ENVIRON-MENTAL MANAGEMENT PLANS

CAPITAL INVESTMENT FOR ECOFRIENDLY FEATURES

During Construction Phase

Sr. No.	Pollution Monitoring	Parameters	Frequency	Location	Total Rs. (in Lakh)
1	Air quality	PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , CO	Quarterly	At major Construction area	0.48
2	Noise Level	Equivalent noise level	Quarterly	At major Construction area.	
3	Drinking Water Analysis	Analysis of water for physical, chemical, bacteriological parameters.	Monthly	At source (municipal/ tankers)	0.60
	Total				1.08

No. 21-221/2007-|A.||| Government of India Ministry of Environment and Forests (I.A. division)

Paryavaran Bhawan, CGO Complex,Lodhi Road New Delhi 110510 Dated: 24.12.2007

To.

M/s Manikchand Kumar Properties Kumar Capital, 1st Floor, 2413 East Street, Camp Pune 411001

Subject: Environmental Clearance for Construction of residential complex at Undri, Pune.

Sir,

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 2006. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz. Form 1 & 1 A, and Conceptual plan and the additional clarifications furnished in response to the observations of the Additional Expert Appraisal Committee constituted by the competent authority in its 21st meeting held on 12-14 September, 2007.

2. The project proponent is proposing for Construction of Residential Complex, at S.No.9/1 (pt.) Undri, Pune at a cost of Rs.132.45 crore. The proposed development will consists of Residential Complex comprising of 22 residential buildings for 946 flats. The total plot area is 1, 01,600 sq. m. The total proposed built up area as indicated is 94,413.45 sq. m. Total water requirement will be 775 cu.m./day including recycled water and total wastewater generation from the project will be 620 cu. m./day. The STP (capacity 650 cu.m/d) will be installed at site to treat wastewater generated from the project. The treated waste water will be used for landscape, flushing and non-potable purpose in the premises and unused wastewater will be discharged in to public sewer. The total solid waste generated will be 1265 kg/day. Vermi-composting of biodegradable waste will be done and Non-biodegradable waste will be handed over to local municipal authority for disposal. Total parking space will be provided for parking of 1050 cars and 950 two-weelers.

- 3. The documents submitted along with the application predict that there will be minor negative impact on the Air quality during construction as well as operation phase. There will be minor negative impact on ambient noise level inside the premises during construction phase. There will be positive impact on land use pattern due to landscaping and greenbelt development. Plantation of trees and development of recreational area, surrounding area will have positive impact on overall land use.
- 4. The additional EAC after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations have awarded ?Gold? grading and recommended the grant of environmental clearance for the project rnentioned above subject to compliance with the EMP and other stipulated conditions Accordingly, the Ministry hereby accords necessary environmental clearance under category 8(a) for the project subject to the strict compliance with the specific and general conditions mentioned below,

PART A-.SPECIFIC CONDITIONS

I. Construction Phase

- Consent for establishment shall be obtained from the State Pollution Control Board/Pollution Control Committee under Air and Water Act and a copy of the same shall be submitted to the Ministry before start of any construction work at site.
- ii. For disinfection of waste water ultra violet radiation shall be used in place of chlorination.
- iii. Vehicles hired for construction activities should be operated only during non-peak hours.
- iv. All the top soil excavated during construction activities should be stored for use in horticulture/landscape developments within the project site.
- v. Ready mixed concrete shall be used in building construction.
- vi. Water demand during construction shall be reduced by use of pre mixed concrete, curing agents and other best practices.
- vii. Permission to draw ground water shall be obtained from competent authority prior to construction/operation of the project.
- viii. Separation of gray and black water should be done by the use of duel plumbing line. Treatment of 100% gray water by decentralized treatment should be done.
- ix. Fixtures for showers, toilet, flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- x. Use of glass may be reduced upto 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.

- xi. Roof should meet the prescriptive requirement as per energy conservation building code by using appropriate thermal insulation material to fulfill requirement.
- xii. Opaque wall should meet prescriptive requirement as per energy conservation building code which is proposed to be mandatory for all air conditioned spaces while it is aspirational for non air conditioned spaces by use of appropriate thermal insulation to fulfill requirement.
- xiii. Storm water control and its reuse should be as per Central Ground Water Board and BIS standards for various applications.
- xiii. Necessary approval of competent authority of State Forest Department shall be obtained before starting construction.
- xiv All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- xv. Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.
- xvi A First Aid Room will be provided at the project site both during construction and operation of the project.
- Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- xviii Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people.
- xix Diesel power generating sets used during construction phase should be of ?enclosed type? to prevent noise and should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards.
- Ambient noise levels should conform to standards both during day and night when measured at boundary wall of the premises. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- xxi. The construction agencies shall use flyash based material/ products as per the provisions of fly ash notification of 14.9.1999 and as amended on 27.8.2003.
- Vehicles hired for bringing construction material at site should be in good condition and should have valid ?pollution under check?(PUC) certificate and to conform to applicable air and noise emission standards and should be operated only during non-peaking hours.
- Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.

- xxiv Any hazardous waste generated during construction phase should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra Pollution Control Board.
- xxv Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as to avoid disturbance to the surroundings.
- xxvi Under the provisions of Environment (Protection) Act 1986, legal action shall be initiated against the project proponent if it was found that construction of the project had started without obtaining environmental clearance.

II. Operation Phase

The environmental clearance recommended to the project is subject to the specific conditions as follows:

- i. Necessary permission of competent authority shall be taken to store diesel in the premises for operation of DG set.
- ii. Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of ?enclosed type? and conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack, raised to 4 meters above the rooftop.
- iii. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- iv. Noise barriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.
- v. Weep holes in the compound walls shall be provided to ensure natural drainage of rainwater in the catchment area.
- vi. The sewage treatment plant of adequate capacity should be provided to treat sewage generated from the complex and it should be certified by an independent expert for adequacy as well as efficiency and should submit a report in this regard to the Ministry before the project is commissioned for operation. The wastewater should be treated to tertiary level and after treatment reused for flushing and landscaping. Discharge of treated sewage shall conform to the norms & standards prescribed by Maharashtra State Pollution Control Board.
- vii. Rainwater harvesting and ground water recharging shall be practiced. Oil & Grease trap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling tank before its utilization for rainwater harvesting.
- viii. The solid waste generated should be properly collected & segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to approved sites for land filling after recovering recyclable material.
- Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board.

x The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.

xi Incremental pollution loads on the ambient air quality, noise and water

quality should be periodically monitored after commissioning of the project. xii. The ground water levels and its quality should be monitored regularly in

consultation with Central Ground Water Authority.

xiii. A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.

xiv. The values of R & U for the Commercial building envelope should meet the requirements of the hot & humid climatic location. Details of the building

envelope should be worked out and furnished in three months time.

xv. Energy conservation measures like installation of solar panels for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

PART? B. GENERAL CONDITIONS

 This environmental clearance is subject to Hon?ble Supreme Court?s decision regarding siting of project near wildlife sanctuary.

) The environmental safeguards contained in the documents should be

implemented in letter and spirit.

iii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.

iv) All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of work permits.


- v) 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.
- 5. Officials from the Regional Office of MOEF, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Bhopal.
- 6. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
- 7. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

- 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), State Forest Department, Wildlife Act 1972 etc. shall be obtained by project proponents from the competent authorities.
- 9. A copy of the environmental clearance letter would be marked to the local NGO(s) for their information.
- 10. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.
- 11. These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986 and the Public Liability (Insurance) Act, 1991.
- 12. The project authority shall enter in to MOU with all buyers of the property to ensure operation and maintenance of the assets of the buildings.

(K.C. RATHORE) Additional Director (IA) rathore27@yahoo.com Tele: 24360789

Copy to: -

- The Secretary, Department of Environment, Government of Maharashtra, New Administrative Building, 15th Floor, Opp. Mantralaya, Mumbai.
- 2. The Member Secretary, Maharashtra State Pollution Control Board, Kalptaru Point, 3rd Floor, Near Sion Circle Opp. Cine Planet Cinema, Sion(E), Mumbai.
- 3. The CCF, Regional Office, Ministry of Environment & Forests, Bhopal.
- 4. IA Division, MOEF, New Delhi 110001.
- 5. Guard file.





Government of Maharashtra

File No. 21-221/2007-IA.III Environment department, Room No. 217, 2nd floor, Mantralaya Annexe, Mumbai 400 032 Date: 11th June, 2014

To, M/s. Manikchand Kumar Properties. "Kumar Capital", 1st Floor, 2413, East Street, Camp, Pune- 411 001.

Subject: Extension for EC to Kumar Princetown" project at Survey no 9/1 (pt) village Undri, Pune by M/s. Manikchand Kumar properties.

Reference- Even number environment clearance letter dated 24th December, 2007

Sir,

This has reference to your communication on the above mentioned subject.

2. It is noted that, the proposal earlier considered by MoEF & granted EC vide letter dated 24th December, 2007. The revalidation proposal in the EC letter was considered in the 70th SEIAA meeting. It was noted that, the earlier EC was issued under EIA Notification, 2006. As the Project Proponent had applied within validity period, SEIAA decided to extend the EC for further period of 5 years subject to condition that, this would be the last extension granted to the project.

Terms and conditions stipulated in even number environment clearance letter dated 24th December, 2007 remains the same.

(R.A. Rajecv)
Principal Secretary,
Environment department &
MS, SEIAA

Copy to:

 Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.

- 2. Shri. Jagdish Joshi, Chairman, SEAC-III, 3 Tahiti CHS Juhu- Versova Link Road, Andheri (W), Mumbai- 400.
- 3. Additional Secretary, MOEF, 'Paryavaran Bhawan' CGO Complex, Lodhi Road, New Delhi 110510
- 4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- 5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 6. Regional Office, MPCB, Pune.
- 7. Collector, Pune
- 8. Commissioner, Municipal Corporation Pune
- IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
- 10. Select file (TC-3)

(EC uploaded on 12 June 2014)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 2402 0781 / 2401 0437

Fax: 2402 4068

Visit us at :

Website: http://mpcb.mah.nic.in

E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd , 3rd & 4th floor, Opp. Cineplanet, Near Sion Circle, Sion (E),

Mumbai - 400 022.

Infrastructure Project/LSI.

Consent No. BO/RO (P&P)/EIC No. PN-4045-09/E/CC- 24 |

Date: 07 /08/2009

Consent to Establish is granted to M/s Manikchand Kumar Properties (Residential Complex)

Site S. No. 9/1(pt), Undri, Pune

located in the area declared under the provisions of Water Act (P&CP) 1974. Air Act (P&CP) 1981 and Authorization under the provisions of H.W (M & H) Rules and amendments thereto subject to the provisions of the Acts and the Rules and the Orders that may be made further and subject to the following terms and conditions:

 The Consent to Establish is valid up to Commissioning of the Project or five years whichever is earlier.

For development of land/plot as new construction activities for construction of Residential project named as M/s Manikchand Kumar Properties, (Residential Complex), Site S. No. 9/1(pt), Undri, Pune, on total plot area of 101600 Sg mtrs & total Built up area 94413.45 Sq. mtrs including utilities for development of Residential project and services such as per construction commencement certificate issued by local body.

- CONDITIONS UNDERT WATER (Prevention & Control of Pollution) ACT, 1974: -
- The quantity of sewage effluent from above construction project shall not exceed 620 M³/Day.
- (ii) Sewage Effluent Treatment: The Applicant shall provide a comprehensive sewage treatment plant and treatment as is warranted with reference to influent quality and corresponding mode of disposal and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:

(1)	pH	Not to exceed	6.5 to 9.0	
(2)	Suspended Solids	Not to exceed	100	mg/l.
(3)	BOD 3 days 27 CC.	Not to exceed	100	mg/l
(4)	Fecal Coliform	Not to exceed	500/100/	mL
(7)	Residual Chlorine	Not to exceed	01	mg/L
(8)	Detergent	Not to exceed	01	mg/L
(9)	Floating matters	Not to exceed	10	ma/l

(iii) Sewage effluent Disposal: -

The treated domestic effluent shall be 80% recycled and reused for flushing, fire fighting and cooling of Air conditioners and remaining shall be used on own land for gardening/PMC sewer. In no case, effluent shall find its way to any water body directly/indirectly at any time.

Project proponent shall operate STP for five years from the date of obtaining

Occupation Certificate.



(iv) Non-Hazardous Solid Waste: -

Inc	e total quantity snall be s	segregated and t	reated as follow	(S), +
Sr	Type of Segregated solid waste	Quantity	Treatment	Disposal
1	Wet Garbage	1265 Kg/Day	Compostino	Own Site/ MSW site of PMC

3. Other Conditions (During Construction Phase): -

All activities shall be in resonance with the provisions of Indian Forest Act, 1927 (16 of 1927), Forest (Conservation) Act, 1980 (69 of 1980) and Wildlife (Protection) Act, 1972 (53 of 1972), and special notification published for area wherever applicable and all the Environmental Statutes and Instruments.

2. This Consent to Establish is issued only for New Construction/Developing Construction

Project purposes.

4

3. No quarrying activities shall be commenced in the area unless appropriate permissions are obtained for a limited quarrying material required for construction of local residential housing and traditional road maintenance work, provided that such quarrying is not done on Forest Lands and the material is not exported to the outside area.

There shall be no felling of trees whether on Forest, Government, Revenue or Private

lands except as per prevailing Rules.

Extraction of Groundwater for the project shall require prior permission of the State Ground Water Authority or other relevant authorities, as applicable;
 Near the activities that are related to water (like activity of water parks, water sports)

Near the activities that are related to water (like activity of water parks, water sports) and/or in the vicinity of lake, Dissolved Oxygen shall not be less than 5 mg/liter.

7. In order to ensure that the water from this project do not enter into outside environment, the nallas crossing the township/complex premises, shall be lined, covered and made water tight by the applicant within the premises with intermittent inspection of chambers following good engineering practices as per the regulations of local body.

 The Applicant shall prepare management plan for water harvesting, roof-water reclamation, water/storm water conservation and implement the same before handling

over of complex for occupation

 Applicant shall provide fixtures for showers, toilet, flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

10. The Applicant shall draw plans for the segregation of solid wastes into biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting (i.e vermi-composting facility within premises) with the approval of local body. The proper demarked area shall be identified for collection & storage of MSW properly which, shall be finally disposed off at approved Municipal Solid Waste landfill site of local body environmentally acceptable location and method. It is clarified that the term solid waste includes domestic, commercial, and garden wastes, but does not include hazardous and bio-medical wastes. The activities of bio-composting and engineered landfill shall be as per the Municipal Solid Waste (M&H). Rules, 2000.

 Applicant shall be responsible to take adequate precautionary measures as detailed in this consent.

12. The applicant/generator shall be responsible for safe and scientific collection, transportation, treatment and disposal of Bio-Medical Waste as per the provisions made under the Bio-Medical Waste (Management & Handling) Rules, 1998. Any activity as defined under BMW (M & H) Rules has to obtain a separate Authorization from Maharashtra Pollution Control Board.

 For disinfections of waste water ultra violet radiation shall be used in place of chlorination

14. Vehicles hired for construction activities should be operated only during non peak hours.



- Ready mixed concrete used in building construction should apply separately for consent from the Board.
- The applicant, during the construction stage shall provide
- Septic tank and soak pit of adequate capacity for the domestic effluent generated due to workers residing at site.
- Proper loading and unloading of construction material, excavated material and its proper disposal as per MSW (M&H) Rules 2000.
- Cutting of trees is not permitted, however in unavoidable conditions necessary permission from the local body shall be obtained.
- d) Green belt of 33% of the open space shall be developed
- The Applicant shall comply with all the provisions of the Water (Prevention and Control
 of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules as Amended, 2003
 and Rules there under: -

The daily water consumption for the following categories shall not exceed, as under

(i) Domestic

		(In CMD
3)	Domestic	426
b)	Cooling	
c)	Swimming &Club House	45
d)	Flushing	282
e)	Agriculture/Gardening	20

CONDITIONS UNDER AIR (Prevention & Control of Pollution) ACT, 1981: -

(I) The Applicant may install 06 no of diesel generating sets (DG Sets), of capacity 06 x 125 KVA and shall be equipped with comprehensive control system as is warranted with reference to generations of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards: -

Standards for emissions of air Pollutants

i) SPM/TPM	Not to Exceed	150	mg/Nm3
ii) SO2 (DG set)	Not to Exceed	20	Kg/day

- (ii) The following measure shall be taken.
- Adequate mitigation measures shall be taken to control emissions of SO2, NOx, SPM, RSPM.

Applicant shall achieve following Ambient Air Quality standards

1 SPM		Not to Exceed (Annual Average)	140	µg/ m³
		Not to Exceed (24 hours)	200	μg/ m ³
2	SO ₂	Not to Exceed (Annual Average)	60	µg/ m³
	1	Not to Exceed (24 hours)	80	µg/ m³
3	NO,	Not to Exceed (Annual Average)	60	µg/ m³
TIE OK		Not to Exceed (24 hours)	80	µg/ m³
4 RSPM	Not to Exceed (Annual Average)	60	µg/ m³	
	1	Not to Exceed (24 hours)	100	µg/ m³

(III) The Applicant shall observe the following fuel patterns

Page 1 age	
No. Type of Fuel	Quantity
	Caractury
01 HSD	40 Lit/Hr
The state of the s	1 40 LIVIN

(IV) The Applicant shall erect the Chimney (s) of the following specifications

No. Chimney attached to DG	Height above roof of Bldg
1 DG set 06 x 125 KVA	3.0 mtrs each



(V) Conditions for DG Sets: -

Noise from DG Sets shall be controlled by providing acoustic enclosure or by treating the 1

room acoustically

2 Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 meters from acoustic enclosure/ room and then average.

The Applicant should make efforts to bring down noise level due to DG Set, outside the 3. premises, with ambient noise level requirements by proper setting and control measures.

Installation of DG Set must be strictly in compliance with recommendations of DG set 4

A proper routine and preventive maintenance procedure for DG Set shall be set and 5. followed in consultation with the DG manufacturers, which would help to prevent noise levels of DG Sets from deteriorating with use.

The DG set shall be operated only in case of power failure. The applicant shall make 6. arrangement for regular electrical power

- The Applicant shall not cause any nuisance in the surrounding area due to operation of 7.
- In case of problems, the D.G. set shall not be operated until it is set back to satisfactory 8. position

(VI) Other Conditions:

The Applicant shall provide ports in the chimney and facilities such as ladder, platform a) etc for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's staff. The chimneys shall be numbered, as S-1, S-2 etc and these shall be painted/ displayed to facilitate identification.

Water spraying shall be done on ground to avoid fugitive emissions. b)

Construction material shall be carried in enclosed vehicles during constriction activities. C)

Conditions for Utilities like Kitchen, Eating Places etc: -

The kitchen shall be provided with exhaust system chimney with oil catcher connected to 1. chimney through ducting.

The tollet shall be provided with exhaust system connected to chimney through ducting. 2.

- The air conditioner shall be vibration proof and the noise shall not exceed 68 dB (A). 3. The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such way that no nuisance is caused to neighbors.
- The Applicant shall take adequate measures for control of noise levels from its own sources within the complex (residential cum Commercial) in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Daytime is reckoned as between 6 a.m. to 10 p.m. and Nighttime is reckoned between 10 p.m. to 6 a.m.
- Construction equipments generating noise of less than 65/90 db(A) are permitted. (IX)
- No construction work is permitted during nighttime. (X)
- CONDITIONS UNDER HW (M & H) & AMENDMENT RULES 2003 The applicant shall not generate Hazardous Waste:



- The applicant shall certify that the bricks used in construction are manufactured 7. using the ash from Thermal Power stations if it is within a radius of 100 km. from Thermal Power Plant and submit the names of bricks manufacturer. The applicant shall use fly ash based material/products as per the provisions of fly ash Notification of 14.09.1999 and as amended on 27.08.2003.
- The applicant shall obtain Consent to Operate from Maharashtra Pollution Control 8. Board before commissioning of the project.
- The applicant shall adopt environment friendly technology in development of the 9. project.
- The applicant shall take the proper remediation measures to ensure that the 10. ground water and soil contamination is prevented and follow due diligence at the construction stage.
- Energy conservation measures like installation of solar panels for lighting the 11. area outside the building should be integrated part of the project design.
- 12. The applicant should comply with the conditions Environmental Clearance granted by MoEF, GOI vide No. 21-221/2007-IA.III, dated 24.12.2007.
- This consent is issued pursuant to the decision of Consent Committee Meeting 13. held on 30.07.2009.
- This Board reserves the right to amend or add any conditions in this consent and 14. the same shall be binding on the Applicant;
- 15. The capital investment of the project is Rs. 132.450/- Crores

To M/s Manikchand Kumar Properties (Residential Complex) Site S. No. 9/1(pt), Undri, Pune

For and on behalf of the Maharashtra Pollution Control Board

> (Mahesh Pathak) Member Secretary

Copy forwarded with compliments to The Collector, Pune Copy to

Regional Officer, Pune, MPCB,

2. Sub Regional officer, Pune-I, MPCB,

Chief Accounts Officer, Mumbai, MPCB,

Mutlon

Received consent fee of

Amount	DD No.	Date	Drawn on
Rs 132450/-	029790	19.06.2009	HDFC Bank Ltd

Cess Branch, MPCB, Mumbai.

Master file.



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : - 24010437/24020781/24014701

Fax :- 24044532 / 24023516

Email :- enquiry@mpcb.gov.in

· Visit At:- http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp.

Cine Planet Cinema, Near Sion Circle,

Sion (E), Mumbai - 400 022

Infrastructure /Orange/L.S.I

Consent order No: Format 1.0/BO/ROHQ/CO/PN-19263-13/CC. 2826

Date: 24/03/2014

To,

M/s. Manikchand Kumar Properties

"Kumar Princetown"

S. No. 9/1 (P), Undri, Taluka: Haveli,

Dist: Pune 411001.

Sub

: Consent to Operate in Orange category for Residential Building Project.

Ref

: Minutes of Consent committee meeting held on 13/03/2014

Your application :- CO1307000076

Date: 06/07/2013.

For: Consent to Operate (part) for Residential Building construction project.

Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent to Operate (part) is granted for a period upto: 31/01/2015
- 2. The Capital investment of the Project is Rs. 51.46 Crs. (As per CA certificate).
- 3. The Consent to operate is valid for residential project developed by M/s. Manikchand Kumar Properties named as "Kumar Princetown" S. No. 9/1 (P), Undri, Taluka: Haveli, Dist: Pune on total plot area of 1,01,600.0 Sq.mtrs and construction completed Built up area of 22,216.06 Sq. mtrs out of total built-up area 94,413.45 sq.mtrs. As per construction commencement certificate issued by local body. (Occupancy certificate obtained for Building A1, A2, A3 & A4 from PMC)
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge	Standards to be achieved	Disposat
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	95.0 CMD	As per Schedule +I	60% shall be reused & recycled and remaining shall be discharged in municipal sewer.

We Mumbai

SRO Pune 11/1/0/L/92104000

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG sets (125 KVA)	1	As per Schedule –II

6. Conditions under Municipal Solid Waste (Management and Handling) Rule,2000

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
i.	Biodegradable Waste	277.0	Kg/Day,	Vermi Composting Beds	
2.	Non Biodegradable Waste	119.0	Kg/Day	Segregation	By sale

- 7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. The applicant shall comply with the conditions stipulated in Environment Clearance granted by Gol, vide no: 21-221/2007-IA.III dated 24/12/2007.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10. The applicant shall submit the affidavit within 15 days in the prescribed format regarding the part of the built-up area /building for which application for consent to 1st operate is made and that the same is included in the Environment Clearance accorded.
- 11. Applicant shall obtain revalidated environment clearance from competent authority before applying for consent to operate for next phase of construction project.

For and on behalf of the Maharashtra Pollution Control Board

Mumbai o Mumbai

(Rajcev Kumar Mital) IAS Member Secretary

Received Consent fee of -

 Sr. No.
 Amount(Rs.)
 DD. No.
 Date
 Drawn On

 1
 1,00,100/ 044632
 04/06/2013
 HDFC Bank

Copy to:

- Regional Officer, MPCB, Pune. And Sub-Regional Officer, Pune-II, they are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

A] As per your consent application, you have provided the sewage treatment system with 1) the design capacity of 100 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1.	pH .	Not to exceed	• 6.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 Days 27 degree C	Not to exceed	100 mg/l.
4	Detergent	Not to exceed	01 mg/l.

C] The treated domestic effluent shall be 60% recycled and reused for flushing, fire fighting cooling of Air conditioners etc. The remaining shall be discharged into Municipal sewer/ utilized on land for gardening after conforming to above standards. The firm shall affix the separate meter for ensurance of 60% recycling of treated sewage and keep the records of the same. In no case effluent shall find its way to any water body directly /indirectly at any time.

2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

3) The firm shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made thereunder for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity	
1.	Domestic purpose	119.0	

5) The firm shall provide Specific Water Pollution control system as per the conditions of EPAct,1986 and rule made there under from time to time/ Environmental Clearance.

SRO Pune II/I/O/L/92104000

Schedule-II

Terms & conditions for compliance of Air & Noise Pollution Control:

As per your application, you have erected following stack (s) and to observe the following fuel
pattern-


Sr. No.	Stack Attached To	Height in Mi (Above roof top)	rs. Type of Fuel	Quantity
	DG sets (125.0 KVA)	The State of	HSD/ Diesel	35.0 Lit/Hr.

^{*} D.G. Set shall be operate only in case of power failure.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

The state of the s		1 . co oo - /h13
Particulate matter	Not to exceed	150.00 mg/Nm ³ .
Particulate matter		

- The Applicant shall obtain necessary prior permission for providing additional control
 equipment with necessary specifications and operation thereof or alteration or
 replacement/alteration well before its life come to an end or erection of new pollution control
 equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)
- 5. Ambient noise levels should conform to prescribed standards both during day and night. The ambient air and noise quality should be closely monitored during construction phase.



Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Operate	Rs. 5.0 lakhs	15 days	Rs. 5.0 lakhs for ensuring the compliance consent conditions	31/01/2015	31/05/2015



Schedule-IV

General Conditions:

1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1985 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste

(Management & Handling Rule 2011.

3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in . designed and provided collection system.

4) The applicant shall install a separate meter showing the consumption of energy for operation of sewage treatment plants and air pollution control system. A register showing consumption of chemicals used for

treatment shall be maintained.

- 5) Vehicles hired for bringing construction material to the site should be in good condition and shouldconform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 6). Conditions for D.G. Set

a). Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the

room acoustically.

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between
- 10 p.m to 6 a.m. d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- , g) D.G. Set shall be operated only in case of power failure.
- h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 7) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- 8) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 9) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

10) The treated sewage shall be disinfected using suitable disinfection method.

11) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.

12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

ANNEXURE 1

Sanitary and Hygiene Measures

- Toilets provided to construction workers.
- Separate storage tanks for storage of domestic and Drinking water.
- Provision for drinking water use.
- Solid waste is being disposed daily to municipal collection system.
- Routine checkup of workers through professional doctors for contagious or other diseases.
- Treatment of workers if found suspicious.
- Workers health will be regularly monitored and even Health insurance is provided.
- All construction activity will be followed strictly with guideline of safety measures to assure workers' health and safety.
- Crèche provided on site workers children.

ANNEXURE-II

FACILITIES PROVIDED TO LABOUR HUTMENTS

Project Name: "PRINCE TOWN"

Site Address : At Undri, Taluka- Haveli, Dist.-Pune.

Total Labor hutments: --- Nos.

Total No. of Labor : 50 Nos.

Facilities provided:

Any other facilities provided

- 1. We have provided 02 movable toilets Labour.
- 2. Drinking Water facility has also been provided.
- 3. Water Tank for domestic purpose is provided. In addition, Water Tanker also comes daily for supplying water.
- 4. Labour Hutments are isolated from construction activity area for safety purpose.
- 5. Kerosene and Pressure cooker has not provided for cooking purpose.
- 6. Safety instruction board has provided on site.

والقرار في أصب بسلطة أع برأوي إلا ويسترور

POLLUTION MONITORING REPORT

FOR

M/s. MANIKCHAND KUMAR PROPERTIES

FOR YOUR SITE

PRINCE TOWN

At Undri, Pune.

SURVEY CARRIED ON:

APRIL 10, 2017

PREPARED BY:

M/s. ULTRA - TECH AIR & WATER POLLUTION CONSULTANTS

OFFICE NO. 201,202,203,204, SAUDAMINI COMMERCIAL COMPLEX, BUILDING C3, $2^{\rm ND}$ FLOOR, RIGHT BHUSARI COLONY, PAUD ROAD, KOTHRUD, PUNE-411038 Tel. No. 2528 6109 , 2528 6106 Fax No. 5380148

E-mail: pune@ultratech.in
Visit @: www.ultratech.in

THE PROPERTY OF THE PARTY OF TH

270

result notes through the theory and the sign of the

TO SHOW HE

A SECTION AND ADDRESS OF THE PARTY OF THE PA

Mary U. T.

ALC: NO PERSON.

THE STATE OF THE S

Environmental Consultancy & Laboratory Lab. Recognised by MoEF-Govt. of India)

ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

POLLUTION MONITORING REPORT

SURVEY CARRIED ON APRIL 10, 2017

CONTENT

Sr. No.	Particulars	Page No.
1.	AMBIENT AIR MONITORING REPORT	1-3
2	NOISE LEVEL MONITORING	4
3	DRINKING WATER ANALYSIS	5
4	SOIL SAMPLE ANALYSIS	6

Kant All May bus in the tracking

-1

The New Address with the Parketter of th

named and last about

wasten's in this maniplies.

BUT STATES AND PARTIES.



Environmental Consultancy & Laboratory Lab. Recognised by MoEF-Govt. of India)

ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

M/s. MANIKCHAND KUMAR PROPERTIES

FOR YOUR SITE

PRINCE TOWN

At Undri, Pune.

AMBIENT AIR QUALITY MONITORING REPORT

	JT/P/ELS/R/92A/2017		Date: 17.04.2017	
Lab Code	e: UT/L/A/90A			
SR.NO.	DETAILS		LOCATION NO.1	UNITS
1	Date of Sampling		10.04.2017	
2	Location of the Sampling		Near main gate	
3	Ambient Air Temp	- (Max.) -(Min.)	39.1 19.6	⁰ с
4	Relative Humidity -	- (Max.) - (Min.)	39.0 29.0	% %
5	POLLUTANTS			- 1
a)	Particulate Matter (PM ₁₀)		63.9	μg/m³
b)	Particulate Matter (PM _{2.5})		24.5	μg/m³
c)	Sulphur Di-Oxide (SO ₂)		14.3	μg/m³
d)	Oxides Of Nitrogen (NO _x)		22.1	μg/m³

NATIONAL AMBIENT AIR QUALITY STANDARDS, SCHEDULE-VII Rule-3(3B) The Gazette of India with Effect from Monday, November 16, 2009/KARTIKA 25, 1931

Sr.	D. W.	Time	National Ambie	ent Air Quality Standards
No.	Pollutants	Weighted Average		Ecological Sensitive area (Notified by Central Government)
1.	S02	24 hours	80	80
2.	NOx	24 hours	80	80
3.	PM ₁₀	24 hours	100	100
4.	PM _{2.5}	24 hours	60	60

-END OF REPORT-

FOR ULTRA TECH

KISHOR SAWANT (AUTHORIZED SIGNATORY)



Environmental Consultancy & Laboratory Lab. Recognised by MoEF-Govt. of India)

ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

M/s. MANIKCHAND KUMAR PROPERTIES FOR YOUR SITE PRINCE TOWN

At Undri, Pune.

AMBIENT AIR QUALITY MONITORING REPORT

	UT/P/ELS/R/92B/2017	Date: 17.04.2017		
	le: UT/L/A/90B			
SR.NO.	DETAILS		LOCATION NO.2	UNITS
1	Date of Sampling		10.04.2017	
2	Location of the Sampling		Near site office	
3	Ambient Air Temp	- (Max.) - (Min.)	39.1 19.6	о _С
4	Relative Humidity -	- (Max.) - (Min.)	39.0 29.0	% %
5	POLLUTANTS			
a)	Particulate Matter (PM ₁₀)		58.4	μg/m³
b)	Particulate Matter (PM _{2.5})		23.2	μg/m³
c)	Sulphur Di-Oxide (SO ₂)		14.7	μg/m³
d)	Oxides Of Nitrogen (NO _x)		23.3	μg/m³

NATIONAL AMBIENT AIR QUALITY STANDARDS, SCHEDULE-VII Rule-3(3B) The Gazette of India with Effect from Monday, November 16, 2009/KARTIKA 25, 1931

Sr.	D. U.	Time	National Ambie	nt Air Quality Standards	
No.	Pollutants	Weighted Average	industrial, Residential, Ecol	Ecological Sensitive area (Notified by Central Government)	
1.	S02	24 hours	80	80	
2.	NOx	24 hours	80	80	
3.	PM ₁₀	24 hours	100	100	
4.	PM _{2.5}	24 hours	60	60	

-END OF REPORT-

FOR ULTRA TECH

KISHOR SAWANT (AUTHORIZED SIGNATORY)

H. O. + 95-92-9514 2771 - soles@utrabohin • Kodi / • 91-494-911 42-52 - Kochi@utrabohin • 91-494-91 42-52 - Kochi@utrabohin • 91-494



ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

M/s. MANIKCHAND KUMAR PROPERTIES FOR YOUR SITE PRINCE TOWN At Undri, Pune.

AMBIENT AIR QUALITY MONITORING REPORT

Ref No: U	T/P/ELS/R/92C/2017	Date: 17.04.2017			
Lab Code	:: UT/L/A/90C				
Sr. No.	DETAILS		LOCATION NO 03	UNITS	
1	Date of Sampling		10.04.2017		
2	Location of the Sampling		On construction Site		
3	Ambient Air Temp	- (Max.) - (Min.)	39.1 19.6	°C	
4	Relative Humidity -	-(Max) - (Min.)	39.0 29.0	%	
5	POLLUTANTS				
a)	Particulate Matter (PM ₁₀)		68.3	μg/m³	
b)	Particulate Matter (PM _{2.5})		27.1		
c)	Sulphur Di-Oxide (SO ₂)		134	μg/m³	
d)	Oxides Of Nitrogen (NO _x)		21.8	μg/m³	

NATIONAL AMBIENT AIR QUALITY STANDARDS, SCHEDULE-VII Rule-3(3B) The Gazette of India with Effect from Monday, November 16, 2009/KARTIKA 25, 1931

Sr.		Time	National Ambie	ent Air Quality Standards
No.	Pollutants	Weighted Average	Industrial, Residential, Rural and Other Area	Ecological Sensitive area (Notified by Central Government)
1.	SO2	24 hours	80	80
2.	NOx	24 hours	80	80
3.	PM ₁₀	24 hours	100	100
4.	PM _{2.5}	24 hours	60	60

-END OF REPORT-

FOR ULTRA TECH

KISHOR SAWANT (AUTHORIZED SIGNATORY)



ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

M/s. MANIKCHAND KUMAR PROPERTIES FOR YOUR SITE PRINCE TOWN

At Undri, Pune.

AMBIENT NOISE LEVEL MONITORING REPORT

Date of Survey: - 10.04.2017

Ref No	::UT/P/ELS/R/92D/2017	Date: 17.04.2017				
SR.	LOCATION	NOISE LEVEL IN dB (A) Leq				
NO.	20 0.1110.1	(Day Time)	(Night Time)			
1.	Near Main Gate	54.2	42.6			
2.	Near Site Office	52.9	41.4			
3.	On Construction Site	53.5	43.1			
4.	Near STP	54.1	43.9			

AMBIENT NOISE LEVEL STANDARDS

	Limits in dB (A) Leq				
Category Of Area	Day Time (6 am - 10 pm)	Night Time (10 pm - 6 am)			
Industrial Area	75	70			
Commercial Area	65	55			
Residential Area	55	45			
Silence Zone	50	40			

-END OF REPORT-

FOR ULTRA TECH

KISHOR SAWANT (AUTHORIZED SIGNATORY)

H. Q.: +81-22-2534-9778 , estection reachin + Kochi : +65-464-211-45-52 - Kochiquinaterin in + Engapera : +65-254-01-89 - Engapera (Estection in + Engapera) +65-254-01-89 - Engapera) +65-254-01-89 - Engapera (Estection in + Engapera) +65-254-01-89 - Eng



ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

M/s. MANIKCHAND KUMAR PROPERTIES FOR YOUR SITE PRINCE TOWN At Undri, Pune.

DRINKING WATER ANALYSIS REPORT

Ref No: UT/P/ELS/R/92E/2017 Date: 17.04.201						
Lab Code: UT/L/W/71						
Nature of Sample Drinking Water						
Date of Sampling 10.04.2017						
Date of Receipt	11.04.2017					
Date of Analysis	11.04.2017 To 17.04.20	017				
PARAMETERS	CONCENTRATION	STANDARD (IS:10500 -2012)	UNIT			
PHYSICAL PARAMETERS:-			0.111			
Turbidity	<1	1.0	NTU			
Colour	<5	5.0	Hazen			
Odour	Agreeable	Agreeable				
Taste	Agreeable	Agreeable				
CHEMICAL PARAMETERS:-		- 3				
рН	7.34	6.5 - 8.5				
Total Dissolved Solids	92	500	mg/l			
Chlorides	22	250	mg/l			
Sulphate	18	200	mg/l			
Total Hardness	46	200	mg/l			
Ca-Hardness	30	75	mg/l			
Mg-Hardness	16	30	mg/l			
Residual Chlorine	Absent	0.2	mg/l			
Phenolic compounds	Not Detected	0.001	mg/l			
Alkalinity	36	200	mg/l			
BACTERIOLOGICAL PARAMETERS:			1			
Total Coliform	Absent	0org/100ml	Org/100ml			
E. coli Note : Sample Collection Done By Ultra Te	Absent	Absent				

-END OF REPORT-

H. O. : +91-27-2014-2778 - soles @ultratech in + Moubil : +91-404-215-42-biz - Anchigastrotech in + Singhnore : +65-6764-81-09 - www.ultratech in:

FOR ULTRA TECH

KISHOR SAWANT (AUTHORIZED SIGNATORY)

EAT DESCRIPTION AND ADDRESS OF THE SHARE

The Landson



ISO 9001:2008 OHSAS 18001 : 2007

Office No. 201,202,203,204, Saudamini Commercial Complex, Building C3, 2nd Floor, Right Bhusari Colony, Paud Road, Kothrud, Pune - 411038. Tel.: +91-20-25 28 6106 / 25 28 6109 Email: pune@ultratech.in

M/s. MANIKCHAND KUMAR PROPERTIES

FOR YOUR SITE

PRINCE TOWN

At Undri, Pune.

SOIL ANALYSIS REPORT

Ref No: UT/P/ELS/R/92F/2017	D	ate: 17.04.2017			
Nature of Sample	Soil Sample				
Lab code	UT/L/S/13				
Date of Sampling	10.04.2017				
Date of Receipt	11.04.2017				
Date of Analysis	11.04.2017 To 17.04.2017				
PARAMETERS	CONCENTRAT	ION			
	Project Site	UNIT			
рН	7.56				
Colour	Brownish				
Conductivity	0.287	mS/cm			
Moisture Content	3.1	%			
Organic Matter	1.6	%			
Total Organic Carbon	0.5	%			
Calcium as Ca	68	mg/kg			
Magnesium as Mg	26	mg/kg			
Sodium as Na	221	mg/kg			
Available Nitrogen as N	305	mg/kg			
Available Phosphorous as P205	49	mg/kg			
Available Potassium as K20	123	mg/kg			
Cadmium as Cd	≤0.5	mg/kg			
Chromium as Cr	58	mg/kg			
Copper as Cu	269	mg/kg			
Lead as Pb	≤10	mg/kg			
Manganese as Mn	655	mg/kg			
Zinc as Zn	108	mg/kg			
Iron as Fe	6325	mg/kg			

-END OF REPORT-

For, ULTRA TECH

KISHOR SAWANT AUTHORIZED SIGNATORY All comments of the first marginity and a second se

Television of the least of the

MAHARASHTRA MOTOR VEHICLES DEPARTMENT POLLUTION TEST CENTIFICATE FOR	
Moint Vehicle No. 174-04-67-67-97	
Date of Issue 7 6 0 7 10 00/7	
Serial Number (1) Emmission Test Result	
769948 Smake thereby in Habridge Smake	
	VEHICLES DEPARTMENT POLLUTION TEST CERTIFICATE FOR DIESES & HEAVY VEHICLES Motor Vehicle No Date of issue Date of issue Serial Number Emmission Tool Result LPS 3/4W-A Smake bereity in Halffdge Smoke Units





e Mah	etijes askoksi.	RA MOTOR	The state of the s
AVE POLL	EL SHEAV	LATHATA	760 Z
Date of fixture Date of Explry	375	06-	11/7 B
Serial Numb	9896	Emmission Smoke Density in Hatridge Smoke Uells	1160,91

THE NEW INDIA ASSURANCE COLLTDE STORY STORY STORY CONTROL (Wholly owned by the Govt. of India) (भारत सरक्ष अधानित्वाधीन)



Insured's Name		DATTA	RUPA COL	VSTRUCT	ION			- 111				
	Insured's Details				issoing Office Details							
Customer ID		PO4383	7663			Office Code : MITRA MANDAL BRAI				ANC	H (153103)	
Address		SHOP NO 1, SERESH NIMBUS, MAHESH SOC, BIBVEWADI ROAD, PUNE MAHARASHTRA, 411037			Address :		: 484/1-31-32 MITRA MANDAL HOUSING SOCIETY, PARVATI					
Phone No		I I I I I I I I I I I I I I I I I I I	AUTILITY, 4	.(103)		Phone No			411009	3 / 2442330		
E-mail/Fax		17	1						The second second second		-	in / 24423306
PAN No						S.Tax Regn.	No			165CST.178		
	-	·										
Policy Number	· · · · · · · · · · · · · · · · · · ·	14ESANS	24401000	0.170	Polic	y Details						
Period of Insurance			3616010000			Business So	urae Co	de				
·		24/02/20	5/08/2016 1 17 11:59:5	2.53.59 Pt 9 PM	VI-10:	Dev.Off leveL/Broker Agent	Corp.		(BROQUO)	RANCE BE 0282) J.P S.PVT, I.TI	INSI	RS PVT, LTD, (RANCE 00106571)
Date of Proposal		25-Aug-	16			Agent/Banca	essurant	e :			472	Kalifa atkera
Prev. Policy no.						Phone No			9422530	95 / NA		
Client Type	:	Non-Co	porale	-		E-mail/Fax		. i Y.	1			
Premium(₹	,	Se	rvice Tax(27)	To	tal (₹)	1 2.	1 764				
12960	-		1944	NI -		1904		Total (* in words) Receipt No. &				7-1-1
				1	Ti Ti			UPEES FOURTEEN 15310381160000006 THOUSAND NINE 0 - 25/08/16.				
							I. HUND	RED	FOUR ON	LY	-	
			Details	of Emplo	yees with	monthly wag	es upto	* 800	0.			
and the same of th	ategor				Sub Categories				No of	ee	Cash Total Wages	
Builders All employees engaged in shop or yard or in construction/ demolition of buildings and other civil construction like dams, bridges etc. Incl. excavation					Excl. blasting and tunneling					15		720000
Details of Employ	A Carrier	11/24			0001			7		11111	-	
	ategor		ij kuges e	DOVE V 6	000:	Sub Categor	ies			No of		Cash Total
Trade	Descrip	tion		F	articular (f Works		1.0	Location Details		Inc	Wages luded All Sub Contractors
RCC	WORK	S			RCC WORKS ANYW			NYWHER AHARASI	EREIN			
		< <hid< td=""><td>DEN STAR</td><td>T conte</td><td>ete Datali</td><td>>> Contracto</td><td></td><td></td><td></td><td></td><td>1.1.</td><td></td></hid<>	DEN STAR	T conte	ete Datali	>> Contracto					1.1.	
Serial No	Name Contrac	of	Descri	iption		Categorie	17500-C		of Work		Amount Wages	
							Sk	Skilled Unskilled Others				
		- hi-	and the second	1.00			1.50		OHORNICA	i j. Guicis		
CEHINITEN END	o of th	e Extens	is>>Exten	sions und								
Name Name		C Externs	INA:		Sub Limi	t of the Exten	sian		Deduct	bles of th	e Ext	ension
Nan				480			100					
Nan			NA NA				1.0					Y
KIDDEN END Name Name Name Name Name Name Name Name			NA NA									· · · · · · · · · · · · · · · · · · ·

In witness whereof the undersigned being duly authorised by the insurers and on behalf of up the insurers and on behalf of up and up the insurers and on behalf of up and up the insurers and on behalf of up and up the insurers and on behalf of up and up the insurers and on behalf of up and up the e) hereunder

SANGITAS. DHA)CEKAR (YESSALE)

Edicy No. : 1531033616010c000178 Document generated by 21692 at 30/08/2016 04:30:21 Hours.

Regit & Head Office: New India Assurance Bidg., 87 M.G. Road, Fort, Mumbal - 400 001, TOLL FREE No. 1 800 209 1415.

73 प्रमान कार्यालय : न्यू इंडिया अँश्युरन्स बिल्डिन, 87, महात्मा गांधी मार्ग, फोर्ट, मुंबई 400 001. फोन नं. 022:22708100 / 22708400

सेवा कर रजि. क. AAACN4165CST178

This is, gove of india Pune

THE NEW INDIA ASSURANCE CO. LTD. (भारत सरका क्रियामित्वाधीन)

45-16-16-16-16-16-16-16-16-16-16-16-16-16-					The	New India A	Assuration Comp	any Limited
Date of Issue: 30/08/2016						d	Tan Lide	
		* **				Duly	Mitta Mandal 32 Vertical X	ey(s)
Stamp Duty under the Police	y is ₹1°	*					Aune 3	l .
Mudrank Dt.		consolidated	i Stamp F	ees Pald b	y Pay Order Nur	mber <u>k</u>	vide rec	eipt
numberdt	•							



SANGITAS: DVANGERAR (VERNOLE) NOTAEY, GOVT, OF HIDIA PUNE

Policy No.: 15310336160100800178: Document generated by 21692 at 30/08/2016 14:30:21 Hours, Read. & Head Office: New India Assurance Bldg., 87 M.G. Road, Fort, Mymbal - 400 001, TOLL FREE No. 1 800 269 1415.

प्रधान कार्यालय : न्यू इंडिया ॲश्युरन्स बिल्डिंग, 87, महात्मा गांधी मार्ग, फोर्ट, मुंबई 400 001. फोन नं. 022-22708100 / 22708400