



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Maharashtra)

To,

The Manager
MALNAD PROJECTS PRIVATE LIMITED
2nd Floor Parmar House, East Street, Camp. -411001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/NCP/50419/2020 dated 08 Sep 2020. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC21B039MH119114 |
| 2. File No. | SIA/MH/NCP/50419/2020 |
| 3. Project Type | New |
| 4. Category | B1 |
| 5. Project/Activity including Schedule No. | 8(b) Townships and Area Development projects. |
| 6. Name of Project | Integrated Township Project to be developed by Malnad Projects Pvt. Ltd. on S. no. 22, 39, 40, 44 to 54, 57, 58, 60 & 102, Village Manjari, Tehsil Haveli, Pune. |
| 7. Name of Company/Organization | MALNAD PROJECTS PRIVATE LIMITED |
| 8. Location of Project | Maharashtra |
| 9. TOR Date | 29 May 2020 |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 03/11/2021

(e-signed)
Manisha Patankar Mhaiskar
Member Secretary
SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/NCP/50419/2020
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.
Date:

To
M/s. Malnad Projects Pvt. Ltd.,
S. no. 22, 39, 40, 44 to 54, 57, 58,
60 & 102, village- Manjari, Taluka- Haveli,
Pune.

Subject : Environment Clearance for Proposed Integrated Township Project by Malnad Projects Pvt. Ltd. at S. no. 22, 39, 40, 44 to 54, 57, 58, 60 & 102, village- Manjari, Taluka- Haveli, Pune by M/s. Malnad Projects Pvt. Ltd.

Reference : Application no. SIA/MH/NCP/50419/2020

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-3 in its 123rd meeting under screening category 8 (b) as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 231st Part B meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. **Brief Information of the project submitted by you is as below:-**

Proposal Number	SIA/MH/NCP/50419/2020	
Name of Project	Integrated Township Project	
Project category	8(b), B1	
Type of Institution	Private	
Project Proponent	Name	Malnad Projects Pvt. Ltd.
	Regd. Office address	Registered office no. 35, Ayyapa Nagar, Teachers colony, Kolathur, Chennai- 600099
	Contact number	9011009240
	e-mail	compliancecell@kumarworld.com
Consultant	Sneha Hi-Tech Products Pvt. Ltd. NABET accreditation Certificate No. NABET/EIA/1619/IA0028 dated 15.09.2021	
Applied for	New Greenfield Project	
Details of previous EC	Not applicable	
Location of the project	S. no. 22, 39, 40, 44 to 54, 57, 58, 60 & 102 ,Village Manjari, Tehsil Haveli, Pune.	
Latitude and Longitude	Latitude: 18°30'22.40"N Longitude: 73°58'46.18"E	
Total Plot Area(m2)	5,77,795.84	
Deductions (m2)	00	
Net Plot area(m2)	5,77,795.84	
Proposed FSI area(m2)	9,82,200.0	

Proposed non-FSI area (m2)	6,38,430.0				
Proposed TBUA(m2)	16,20,630.0				
TBUA (m2) Approved by Planning Authority till date	18,78,764.74 (dated 13.08.2020)				
Ground coverage (m2) & %	2,26,028.00 & 39%				
Total ProjeCost (Rs.)	3041 Cr				
CER as per MoEF & CC circular dated 01/05/2018	Activity with location			Cost (Rs.)	Duration
Not applicable					
Details of Building Configuration: <Please use following legends: Floor=F, Parking=Pk, Podium=Po, Stilt=St, Lower Ground=LG, Upper Ground=UG, Basement=B, Shops=Sh>					Reason for Modification/Change
Previous EC/Existing Building			Proposed Configuration		
Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)
-	-	-	Residential Buildings including Social Housing – 41 Buildings	(Maximum Configuration) B + Pk + Po + 21f	75.6
-	-	-	Residential Bungalows – 446 Nos	(Maximum Configuration) 2F	7.00
-	-	-	Commercial – 15 Nos.	(Maximum Configuration) 13F	53.0
-	-	-	Public Utilities / Amenities – 21 Nos.	(Maximum Configuration) 6F	21.90
Total number of tenements			Tenements-12064 + commercial + Public Utility + School + Health Care + Market + Garden & Play Ground + Public Assembly + Transport Users - 82382 no. including residential and other entities.		
Water Budget	Dry Season(CMD)			Wet Season(CMD)	
	Fresh Water			Fresh Water	4205
	Recycled (flushing)			Recycled (flushing)	2260
	Recycled water (Gardening)			Recycled water (Gardening)	0
	Swimming Pool			Swimming Pool	-
	Total			Total	6465

	Wastewater Generation	5818	Waste water generation	5818
Water Storage Capacity for Firefighting /UGT	9810 CuM			
Source of water	Irrigation Department			
Rainwater Harvesting(RWH)	Level of the Ground water table:	Range of Water Table Pre-Monsoon Season (Meters Below Ground Level (m bgl)- From 12 To 11 Range of Water Table Post-Monsoon Season (Meters Below Ground Level (m bgl)- From 10 To 8		
	Size and no of RWH tank(s) and Quantity:	NA		
	Quantity and size of recharge pits:	92 nos. Size- : 2 m x 2 m x 2.5 m		
	Details of UGT tanks if any:	NA		
Sewage and Wastewater	Sewage generation in CMD:	5818 m ³ /day		
	STP technology:	MBBR		
	Capacity of STP(CMD):	6090 m ³ /day		
Solid Waste Management during Construction Phase	Type	Quantity(kg/d)	Treatment/disposal	
	Dry waste:	175	Shall be handed over to Authorized vendor.	
	Wet waste:	75	Shall be handed over to Authorised vendor.	
	Construction waste	At actual	Utilized on site at maximum extent. Rest handed over to local body	
Solid Waste Management during Operation Phase	Type	Quantity(kg/d)	Treatment/disposal	
	Dry waste:	15370 Kg/day	Handed over to Authorized Agency	
	Wet waste:	20290 Kg/day	Treated in OWC	
	Hazardous waste:	-		
	Biomedical waste	At actual	Shall be done as per Bio-Medical Waste Management Rules 2016.	
	E-Waste	143.2 Kg/day	Handed over to Authorized agency for further handling	

			& disposal purpose.
	STP Sludge(dry)	At actual	Treated in OWC. Used as manure for gardening
Green Belt Development	Total RG area (m2):		72,224.48
	Existing trees on plot:		142 nos.
	Number of trees to be planted:		9310 nos. (including compensation trees)
	Number of trees to be cut:		64
	Number of trees to be transplanted:		0
Power	Source of power supply:		MSEDCL
	During Construction Phase(Demand Load):		116.25 kVA
	During Operation phase(Connected load):		92076 kW
	During Operation phase(Demand load):		55434 KW
	Transformer:		63635KVA
	DG set:		28000 KVA
	Fuel used:		HSD
Details of Energy saving	Automatic Timer logic controller for lighting Control Solar Water Heating Solar PV Cells Use of Low Loss Transformer Modern Energy efficient LED Use of VFD for Lift Total Energy saving – 12.78 %		

Environmental Management plan budget during Construction phase	Construction phase		
	Type	Details	Total Cost (Rs. Lakhs)
	Capital Cost (Rs. Lakhs)	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets& Debris Management	201
	O & M Cost (Rs. Lakhs per annum)	Water for Dust Suppression	2.00
		Site Sanitation , Disinfection & Safety	10.00
		Environmental Monitoring	2.13
		Health Check up	2.00
		Environment Management Cell	7.80
total		23.93	

Environmental Management plan Budget during Operation phase	Sr. No.	component	Details	Capital Cost In Rs. Lakhs	Annual O & M Cost In Rs. Lakhs/annum
				Total	
	1	Storm water	Internal Management and final discharge of Storm water	156	0.10
	2	Sewage Treatment Plant	Reuse of water after treatment in STP	1481.8	251.54
	3	Water Treatment	Treatment of domestic incoming water.	1860.31	60
	4	RWH	Enhance capacity of Ground water table through recharge pits	100	4.6
5	Solid waste	Treatment of Biodegradable waste in OWC and Non Bio degradable	412	86.6	

		waste to handover to authorised vendor		
6	Hazardous waste	NA	NA	NA
7	E waste & Dry Waste	E waste to handover to authorised Vendor	-	0.34
8	Green belt development	Plantation of Environmental value trees within project site	550	21.6
9	Energy saving	Energy saving to achieve with various means as solar PV, Solar water heater, LED, VFD lifts etc.	3027	131
10	Environmental Monitoring	To monitor sustainability of Environmental Infrastructure.	-	3.00
11	Disaster Management	Emergency preparedness plan to develop and implement onsite	109	10.9
Traffic Management	Required as per DCR	Actual Provided	Area per parking(m2)	
4-Wheeler	9505	11,635	Basement = 36 m2 and 39 m2 Covered Parking Ground=31 m2 1 st Level Podium Covered parking= 31 m2 Open Parking = 24 m2 and 26 m2	
2-Wheeler	-	-	-	
Cycle	-	-	-	

3. The proposal has been considered by SEIAA in its 231st Part B meeting. SEIAA noted that, the proposed project is a new project and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to explore to increase the number of bores as suggested by hydrologist.
2. As agreed by PP, PP to ensure that project should zero discharge.
3. PP to submit the plant species wise percentages in landscape plan.
4. PP to submit the swept path analysis report.
5. PP to provide minimum 25% of total parking arrangement with electric charging facility by providing charging points at suitable places.

B. SEIAA Conditions-

1. PP to plant 9372 no of trees as committed in the report dated 25.10.2021 and strictly adhere to other conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for – FSI- 883291.00 m2, Non-FSI- 737339.00 m2, Total BUA-1620630.00 m2. (Plan approval- File no 1780, dated- 08.10.2021).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.

- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an

independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://parivesh.nic.in>
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.


6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid

as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Manisha Patankar-Mhalskar
(Member Secretary, SIA)
1/11/2021

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, PMRDA.
7. Regional Officer, Maharashtra Pollution Control Board, Pune.