MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS MINISTRY OF ENVIRONMENT & FORESTS

Regional Office (W), Bhopal

Monitoring Report

	Monitoring F DATA SH	•			
No.	: 06		Period: July 2016 - December, 2016		
1.	Project type: River -Valley/ Mining/ Industry/	:	Construction Project		
	Thermal/ Nuclear/ other (specify)				
2.	Name of the project	:	"Palm spring" Residential Group Housing		
			Project		
3.	Clearance letter (s)/OM no. and date	:	SEAC-2010/CR.776/TC.2 Dated:25 th		
			July,2013		
4.	Location	:	Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A,		
			12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7,		
			12/8, 12/12/1, 12/12/3, 13/1/2/1,		
			Village Undri, Ta. Haveli, Pune,		
			Maharashtra		
	(a) District	:	Pune		
	(b) State	:	Maharashtra		
	(c) Latitude / Longitude	:	Latitude : 18° 28′ 02.22″ N		
			Longitude: 73°52′51.63″ E		
5.	(a) Address for correspondence		Add.:		
			Kumar Capital, 1st Floor, 2413, east Street		
			Camp, Pune 411001. Maharashtra		
	(b) Address of Executive Project Engineer/	:	Mr. Manish Jain		
	Manager (with pin code / Fax)		Designation : Director		
			M/s. Kumar Kering Properties Pvt.Ltd.		
			Address: Kumar Capital 1st Floor 2413,		
			East Street, Camp, Pune - 411 001		
			Telephone No. : + 91- 20 - 30528888		
			E-mail: manish@kumarworld.com		
6.	Salient Features				
	(a) Of the project	:	Refer Annexure 1-Project Details		
	(b) Of Environmental Management Plans	:	Refer Annexure 1-Project Details		
7.	Breakup of the project area				
	(a) Submergence area: forest & non forest.	:	Nil		

	(b) Others	:	The entire project area is non-agricultural land.
8.	Breakup of the project affected population with enumeration of those losing houses /dwelling units only, agricultural land only, dwelling units & agricultural land & landless labourers /artisan.		The Proposed Project is located at the vacant land only clearing of small sized vegetation. Therefore, no population was dislocated or affected due to proposed Project.
	(a) SC, ST /Adivasis	:	Nil
	(b) Others	:	Nil
	(Please indicate whether these figures are		
	based on any scientific and systematic survey		
	carried out or only provisional figures, if a survey		
	is carried out give details and years of survey)		
9.	Financial details		
	(a) Project cost as originally planned and sub-	:	Project cost (Planned): Rs. 113.79 Crores
	sequent revised estimates and the year of price		(Approx)
	reference.		
	(b) Allocation made for environmental	:	Attached As Annexure - II
	management plans with item wise and year		
	wise break-up.		
	(c) Benefit cost ratio/Internal rate of Return and	:	Yet to finalise.
	the year of assessment		
	(d) Whether (c) include the cost of	:	Not applicable since (c) is yet to finalise.
	environmental management as shown in the		
	above.		
	(e) Actual expenditure incurred on the project	:	Yet to finalise.
	so far		V 6 !!
	(f) Actual expenditure incurred on the	:	Yet to finalise.
4.0	environmental management plans so far		T
10.	Forest land requirement.	:	There is no forest land involved.
	(a) The status of approval for diversion of forest	:	Not applicable.
	land for non-forestry use		
	(b) The status of clearing felling	:	Not applicable
	(c) The status of compensatory afforestation, if	:	Not applicable
	any		
	(d) Comments on the viability & sustainability of	:	Not applicable
	compensatory afforestation programme in the		

	light of actual field experience so far		
11.	The status of clear felling in non-forest areas	:	Nil
	(such as submergence area of reservoir,		
	approach roads), if any with quantitative		
	information		
12.	Status of construction.	:	
	a) Date of commencement (Actual and/or	:	Excavation Started: Phase I excavation
	planned)		completed & Phase II excavation not yet
			started.
	b) Date of completion (Actual and/or planned)	:	December 2019
13.	Reason for the delay if the project is yet to start.	:	Not applicable
14.	Dates of site visits		
	(a) The dates on which the project was	:	No
	monitored by the Regional Office on previous		
	occasions, if any		
	(b) Date of site visit for this monitoring report	:	August'16 &November'16.
			(Env. Monitoring report done by Green
			Circle, Inc. is attached herewith)
15.	Details of correspondence with project	:	Letter issued by MoEF:
	authorities for obtaining action plans /		EC No. SEAC-2010/CR.776/TC.2
	information on status of compliance to		Dated:25 th July,2013
	safeguards other than the routine letters for		
	logistic support for site visits.		Consent to Establish: Consent order no.:
			Format 1.0/BO/ROHQ/PN-19850-
	(The first monitoring report may contain the		13CE/CC-2756 dated 21/03/2014
	details of all the letters issued so far, but the		
	later reports may cover only the letters issued		
	subsequently.		

Government of Maharashtra

SEAC-2010/CR-776/TC-2 Environment department, Room No. 217, 2nd floor, Mantralaya Annexe, Mumbai 400 032 Date: 25th July, 2013

To, M/s. Kumar Kering Properties Pvt. Ltd. Kumar Capital 1st Floor 2413, East Street. Camp, Pune - 411 001

Subject: Environmental clearance for proposed Residential Group Housing Scheme at village Undri, Tal Haveli, Dist. Pune by M/s. Kumar Kering Properties Pvt. Ltd - Environmental clearance regarding.

Sir.

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee, Maharashtra in its 60th meetings and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 52nd & 62nd Meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed Residential Group Housing Scheme at village Undri, Tal Haveli, Dist. Pune. SEAC considered the project under screening category 8(a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by Project Projonent is as:

Name of Project	"Residential Group Housing Project"		
Project Proponent	M/s. Kumar Kering Properties Pvt. Ltd.		
Consultant	M/s. Saitech Research & Development Organization		
Type of Project	Group Housing Project		
Location of the Project	At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra		
Total Plot Area	78600.00 m ²		
Deductions	25405.25 m ²		
Net Plot area	53194.75 m ²		
Net Permissible FSI	71124.51 m ²		
Proposed Built up area	• FSI area (m²)	68452.50m ²	
(FSI & Non FSI)	• Non FSI area (m²)	22715.66 m ²	
•	• Total BUA area (m²)	91168.16 m ²	
Ground-coverage Percentage (%)	42 %		

Estimated cost of the project	Rs. 113.79 Crores (Approx)
No. of buildings & its	Total Number of Buildings 9 & 44 Bungalows
configurations	Nos. of Tenements: 440
	Buildings Al to A8: P + 12 Floors
	Bungalows B1 (6 Nos.), B2 (6 Nos.), B3 (6 Nos.), B4
	(6 Nos.), C1 (5 Nos.), C2 (5 Nos.), C3 (5 Nos.), D1 (2
	Nos.) & D2 (3 Nos.): G + 1
	• Building E: P + 10
Number of tenants and shops	Total tenants: 440 nos.
Number of expected residents /	2200 persons
users	
Tenant density per hector	58 Tenants/Hector
Height of the building	36 m
Right of way	24 m Wide RP road adjacent to the site
Turning radius for easy access of	(12) m
fire tender movement from all	
around the building excluding	
the width for the plantation	
Total Water Requirement	Dry season:
•	Source: Gram Panchayat
	• Fresh water : 205 m³/day
	• Recycled water (Flushing) : 103 m³/day
	• Recycled water (Gardening) : 94 m³/day
	• Total Water Requirement : 402 m³/day
	• Fire fighting (Underground
	water tank) : 300 m ³
	• Fire fighting (Overhead
	water tank) : 10 m ³
	• Excess treated water : 66 m³/day
	9
	Wet Season:
	Source : Gram Panchayat
	• Fresh water : 205 m³/day
	• Recycled water (Flushing) : 103 m ³ /day
•	• Total Water Requirement : 308 m³/day
•	• Fire fighting (Underground
	water tank) : 300 m ³
	• Fire fighting (Overhead
	water tank) : 10 m ³
	• Excess treated water : 161 m³/day
	101 III /uay

Rain Water Harvesting (RWH)	• Level of the Ground water table: 3 m
	• Size, no of recharge pits and Quantity:
	• Size of the recharge pit = 3.0 m x 3.0 m x 3.0 m
	• No of recharge pit proposed = 10 Nos.
	Budgetary allocation (Capital cost and O&M cost)
	Capital Cost: 22 Lakhs
	O & M Cost per Annum: 0.25 Lakhs
Storm water drainage	Quantity of storm water:
	• Size of SWD: Strom water drain of 0.45m width &
	0.2m depth @ slope 1:200 will be provided along the
	road in project area.
Sewage and Waste water	• Sewage generation: 277 m³/day
	STP technology: -Sequential Batch Reactor
	• Capacity of STP: 300 m ³ /day
	• Location of the STP: Ground
	 DG sets (during emergency): 1 X 125 KVA
	2 X 250 KVA
	2 X 500 KVA
	 Budgetary allocation (Capital cost and O&M cost): Capital Cost: Rs. 100 Lakhs
	• O & M Cost per Annum: Rs. 10 Lakhs
Solid waste Management	Waste generation in the Pre Construction & Construction
9	phase:
	Waste generation: 38 kg /day
	• Quantity of the top soil to be preserved:
	• Disposal of the construction way debris: Construction
	debris. Waste concrete and broken bricks will be
	utilized in low-land leveling, secondary concrete,
	below roads. Some quantity of Excavation soil will be
	use for backfilling and remaining will be hand over to authorized vendor.
	Waste generation in the operation Phase:
· ·	• Dry waste: 410 kg/day
	• Wet waste: 616 kg/day
	• E - waste : very less amount
	Hazardous waste: spent oil or oil grease for DG sets
	paints etc.
	STP Sludge (Dry sludge): 33 kg/day
	Mode of Disposal of waste:
	Dry waste: Handed over to authorized recycler for
	further handling and disposal
	Wet waste: Will be converted to compost using Organic Waste Processor [OWP] model no. EPL 1000
	E - waste: Handed over to authorized Vendor
•	Hazardous waste : Handed over to authorized Vendor
	STP Sludge (Dry sludge): Will be used as manure for
i	gardening
	Area requirement:
	1. Location(s): On Ground

2. Total area provided for the storage & Treatment of the

solid waste: For EPL 1000 - 100 m²

3. Budgetary allocation (Capital cost and O&M cost)

Capital Cost: 10 Lakhs
O & M Cost: 2 Lakhs/Annum

Green Belt Development

RG on the ground: 8690.57 m^2 RG on the podium: 7023.94 m^2

Plantation:

Trees to be planted on the Ground 738 Nos. & Shrubs 21 Nos.

Trees to be planted on podium: 25 Nos. Shrubs to be planted on podium: 21 Nos.

Budgetary allocation (Capital cost and O&M cost):

Capital Cost : 85 Lakhs O & M Cost : 6 Lakh/annum

Energy

Power supply:

Sr. No.	Power Requi	irement	
1	Source of power supply :MSEB		
2	During Construction Phase	63 KVA	
3	During Operation Phase,		
	Demand Load	6500 KVA	
	Connected Load	11500.KVA	
4	DG set as Power Back – up during operation phase	1 no. x 125 KVA 2 nos. x 250 KVA 2 nos. x 500 KVA	
5	Fuel used	Diesel	

Energy saving by non-conventional method:

Energy saving measures

- All Fluorescent lights/ LED with Electronic ballast in place of Copper chokes & Tube T5 type, in place of T8 type, to reduce the power consumption by 12 watts per lamp & increase in lumens by 14%. Further reduction by use of sensors (Power saving 1,63,146 KWH /year).
 r/l =7760x0:8x6hr/dayx365d/yrx12watts
- Hot water requirement for low rise, will be met by Solar water heating system (Power saving 12,56,661 KWH/year).
- All Buildings/ Areas will be equipped with Capacitor Banks, with heavy duty compact gas

filled capacitors with harmonic filters to maintain THD's less than 10% with auto power factor correction panels to be connected with LT panels at load end. This is to reduce the power losses caused by low power factor & Harmonic distortions of power wave form.

- Electrical distribution system will be monitored regularly and energy consumption will have check meter, so that any energy loss will be detected and will be rectified immediately.
- Insulated Roof to reduce heat gain.
- Common light load requirement in high rise buildings/ street lighting will be met by use of solar if feasible. Energy will be saved 50,000 KWH /year.
- Detail calculations & % of saving:

Sr. No.	Energy Conservation Measures	Saving %
4.	Lighting Fixtures with CFL & T5 with Electronic Ballast +Power.	20% on entire lighting load
2.	Lighting Conirol System on BMS & Sensors	10% street and common lights
3.	Solar water heating system/ lighting	20%
4.	Solar	Common lighting & small power.

• Budgetary allocation (Capital cost and O&M cost)

Capital Cost: Rs. 83.63 Lakhs

O & M Cost: Rs.1.5 Lakhs/Annum

DG Set:

• Number and capacity of the DG sets to be used:

During Construction Phase: 1 nos. X 80 KVA

During Operational phase: Residential: - 1 no. X 125 KVA

2 nos. X 250 KVA 2 nos. X 500 KVA

• Type of fuel used: Diesel

Traffic Management

Buildings	Wing	Number of tenenients	Parking required 20+3+1.4=24.4 m²-per tenement	Parking provided th
P+12	A1	47	1147	- david provider II
P+12	A2	47	1147	
P+12	A3	47	1147	
P+12	A4	47	1147	Stilt parking 4940 m² +
P+12	A5	47	1147	Stilt parking 4940 m² + Podium Parking 10760 m²
P+12	A6	47	1147	= 15700
P+12	A7.	47	1147	į.
P+12	A8	47	1147	· - -
G+1	Bi	6"	146	146
G+1	B2	5.	122	146
G+1	B3	5	122	122
G+1	B4	6	146	146
G+1	CI T	5	122	
G+1	C2	6.	146	122
G+1	C3	6	146	146
G+1	Di	2	49	146
G+1	D2	3	73	49
P+1()	E	20	488	73
TOTAL		440	10736	488 17262

Width of all Internal roads (m): 7.5 m, 9 m & 12 m Wide Environmental Management plan Budgetary Allocation: During Construction Phase:

Sr. No.	Parameter	Total cost in Lacs
1	Water for Dust Suppression	0.7
2	Site Sanitation & Safety	15
3	Environmental Monitoring	2.4
4	Disinfection	14
5	Health Check up	15
6	Total Cost	7.5

During Operation Phase:

Sr. No.	Pollution Control Measures	Recurring Cost Per Annum	Capital Cost
		(Rs. Lakhs)	(Rs. Lakhs)
1.	Pollution Control – STP & Noise Control	10	100
	Measures	(Includes cost of power, operation & maintenance)	(Construction of STP)
2.	Environment Monitoring	5	
	-	(Monitoring charges for air, water, waste water, soil, DG stack, noise etc.)	Nîl
3.	Solid Waste Management	2	10
		(includes cost of waste collection, storage and disposal)	(Includes cost of waste collection, storage and disposal.)
4.	Solar water heater	1.5	83.63

	system		
5.	Occupational Health	2.5	4
		(includes cost of medical checkup, PPE & first aid kit)	(includes cost of PPE, first aid facility)
6.	Green Belt	6	85
	development	(includes cost of landscaping of plot area)	(includes landscaping of plot area)
7.	Rain water harvesting	0.25	22
8	Others (EHS orientation &	3	10
	training)	(Environment & safety training)	(other equipments)
	Total	30.25	314.63

- 3. The proposal has been considered by SEIAA in its 52nd & 62nd meetings and decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:
 - (i) Occupancy certificate should not be issued to the project unless adequate water supply is available to the project and sewerage line is ready in all respects to receive treated sewerage from the project.
 - (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
 - (iii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (iv) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (v) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (vi) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.

(vii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, create and First Aid Room etc.

viii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be

ensured.

(ix) The solid waste generated should be properly collected and segregated, dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material

(x) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.

(xi) Arrangement shall be made that waste water and storm water do not get mixed.

(xii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

(xiii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and

(xiv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.

(xv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

(xvi) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.

(xvii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.

(xviii) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution

Control Board.

(xix) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.

(xx) The diesel required for operating DG sets shall be stored in underground tanks and if

required, clearance from concern authority shall be taken.

(xxi) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.

(xxii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

(xxiii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km

of Thermal Power Stations).

(xxiv) Ready mixed concrete must be used in building construction.

The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.

(xxvi) Storm water control and its re-use as per CGWB and BIS standards for various

(xxvii) Water demand during construction should be reduced by use of pre-mixed concrete, applications. curing agents and other oest practices referred.

(xxviii)The ground water level and its quality should be monitored regularly in consultation

(xxix) The installation of the Sewage Treatment Plant (STP) should be certified by an with Ground Water Authority. independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.

Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.

(xxxi) Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.

(xxxii) Separation of gray and black water should be done by the use of dual plumbing line

for separation of gray and black water. (xxxiii)Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

(xxxiv)Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.

(xxxv) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement

(xxxvi)Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.

(xxxvii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be

decided with in consultation with Maharashtra Pollution Control Board.

(xxxviii) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

(xxxix)Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

Opaque wall should meet prescriptive requirement as per Energy Conservation (xl): Building Code, which is proposed to be mandatory for all air-conditioned spaces

- while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xli) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xlii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliii) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xliv) Six monthly monitoring reports should be submitted to the Department and MPCB.
- (xlv) A complete set of all the documents submitted to Department should be forwarded to the MPCB
- (xlvi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlvii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlviii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (xlix) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://doi.org/10.1007/10
- (1) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (li) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (lii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO₃ (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (liii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

- (liv) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.
- 8 In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan Bhawan, Sec- 5, R.K. Puram, New Dehli 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

(R.A. Rajeev)
Principal Secretary,
Environment department &
MS, SEIAA

Copy to:

1. Shri. P.M.A Hakeem, IAS (Retd.), Chairman, SEIAA, 'Jugnu' Kottcram Road, Calicut- 673 006 Kerla.

- 2. Dr. S. Devotta, Chairman, SEAC, T2/302 Sky City, Vanagaram Ambattur Road, Chennai 600 095
- 3. Additional Secretary, MOEF, 'Paryavaran Bhawan' CGO Complex, Lodhi Road, New Delhi 10510
- 4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- 5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 6. Regional Office, MPCB, Pune.
- 7. Collector, Pune.
- 8. Commissioner, Pune Municipal Corporation, Pune.
- 9. IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
- 10. Director (TC-1), Dy. Secretary (TC-2), Scientist-1, Environment Department.
- 11. Select file (TC-3).

COMPLIANCE REPORT

EC No.	:	SEAC-2010/CR.776/TC.2 Dated: 25 th July, 2013			
Project name	:	Palmspring" Residential Group Housing Project			
Project location	:	S No : 12/1/2,12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1,			
		2/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri,			
		Ta, Haveli, Pune, Maharashtra			
Developer name	:	M/s. Kumar Kering Properties Pvt. Ltd.			
Developers	:	1st Floor, 2413, east Street Camp, Pune 411001. Maharashtra			
address					

Sr. No			EC Conditions	Compliance Status			
1	This has reference	No comment.					
	on the above mer						
	per the EIA Notific	atio	on - 2006 by the State Level Expert Appraisal				
	Committee. Maha	aras	thtra in its 60th meetings and decided to				
	recommend the	pro	ject for prior environmental clearance to				
	SEIAA. Information	suk	omitted by you has been considered by State				
	Level Environmen	t Ir	npact Assessment Authority in its 52 nd /62 nd				
	meetings.						
2	It is noted that the	pro	posal is for grant of Environmental Clearance	Noted.			
	for Residential Gro	up	Housing Scheme at village Undri Tal. Haveli				
	District Pune. SEA	AC	considered the project under screening				
	category 8 (a) B2 a	as p	er EIA Notification 2006.				
	Brief Information of	the	Project is summarized as below:				
	Name of the						
	Project	ect					
	Project	:	M/s. Kumar Kering Properties Pvt. Ltd				
	Proponent						
	Location of the	:	S No : 12/1/2,12/1/3, 12/1/4, 12/2, 12/3A,				
	project		12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7,				
			12/8, 12/12/1, 12/12/3, 13/1/2/1, Village				
	Type of Project	Type of Project : Group Housing Project					
	Total Plot Area	:	78600.00 m ²				
	Deductions		25405.25 m ²				
	Net Plot Area	:	53194.75 m ²				

Net Permissible	7	1124.51 m ²	
FSI	F	Clarac (m²)	(04E2 E0 m2
Proposed Built		SI area (m²)	68452.50 m ²
up area (FSI &		Ion FSI (m²)	22715.66 m ²
Non FSI)		otal BUA area (m²)	91168.16 m ²
	: R	2s. 113.79 Cr. (Approx.)	
of the project			
Ground-	4	2 %	
coverage			
Percentage (%)			
No. of Buildings		Residential: Total Nos. of E	Building= 9 & 44
and its		Sungalows.	
configuration		los. of Tenements : 440	Fl
		Suildings A1 to A8: P + 12	
		BunglowsB1 (6 Nos.), B2 (6	NOS.), B3 (6
		los.),	(E Nos.) C2 (E
		84(6 Nos.), C1 (5Nos.), C2	
		los.), D1 (2Nos.) & D2 (3 N	NOS.): G+1
No. of tenant		suilding E: P + 10 otal No. of Tenants: 440 r	100
and shops	'	otal No. of Terrants. 440 f	103.
No. of expected	2	200 persons	
residents/users		200 persons	
Tenant density	5	8 Tenants per hectare	
per hectare		o renants per nectare	
Height of the	3	.6 m	
building			
Right of way	2	4 m wide RP road adjac	ent to the site
Turning radius		2 m	
for easy access			
of fire tender			
movement from			
all around the			
building			
excluding the			
width for the			
plantation			

T-4-1VV		D	$\neg \neg$	
Total Water	:	Dry seasons:		
Requirement		Source: Gram Panchayat		
		Fresh Water : 205 m³/day		
		Recycled water (Flushing) : 103 m³/day		
		Recycled water (Gardening): 94 m ³ /day		
		Total Water Requirement : 402 m³/day		
		Fire Fighting (Underground		
		water tank): 300 m³/day		
		Fire Fighting (Overhead		
		Water Tank): 10 m³		
		Excess treated water : 66 m³/day		
		Wet season:		
		Source : Gram Panchayat		
		Fresh water : 205 m³/day		
		Recycled water (flushing): 103 m³/day		
		Total Water Requirement : 308 m ³ /day		
		Fire Fighting(underground		
		Water tank) : 300 m ³ /day		
		Fire Fighting (Overhead		
		Water Tank): 10 m ³		
		Excess treated water : 161 m³/day		
Rain water		Level of the ground table : 3 m		
Harvesting		Size, no of recharge pits and Quantity:		
(RWH)		Size of recharge pits = 3 m x 3 m x 3 m		
		No. of recharge Pit Proposed = 10 Nos.		
		Budgetary allocation (Capital cost and		
		O&M cost):		
		Capital cost : 22 Lakhs		
		O&M cost: 0.25 Lakhs		
Storm Water	:	Quantity of storm water :	-	
Drainage		Size of SWD: storm water drain of .045 m		
		width & 0.2m @ slope 1:200 will be		
		provided along the road in project area.		
Sewage and		Sewage generation: 277 m³/day	1	
waste water		STP Technology: SBR		
Waste Water		Capacity of the STP: 300 m ³ /day		
		Location of the STP: Ground		
		DG sets (During emergency): 1x 125 KVA		
		2x 250 KVA		
		2X 230 KVA	لــــــــــــــــــــــــــــــــــــــ	

	21/ 222 11/12
	2X 500 KVA
	Budgetary allocation (Capital cost and
	O&M cost):
	Capital cost :Rs. 100 Lakhs
	O&M cost)per annum : Rs. 10 Lakhs
Solid waste	: Waste generation in the Pre Construction
management	& Construction phase :
	Waste generation : 38 kg/day
	Quantity of the top soil to preserved:
	Disposal of the construction way debris:
	Construction debris, Waste concrete and
	broken bricks will be utilized in low land
	leveling, secondary concrete, below
	roads some quantity of excavation soil will
	be use for backfilling and remaining will
	be hand over to authorize vendor.
	Waste generation in the operation phase:
	Dry waste : 410 kg/day
	Wet waste : 616 kg/day
	E-waste : very less amount
	Hazardous waste: spent oil or oil grease for
	DG sets paints etc.
	STP Sludge (Dry Sludge): 33 Kg/ day
	Mode of Disposal of waste:
	Dry waste: Handed over to authorized
	recycler for further handling and Disposal
	Wet Waste: will be converted to compost
	using organic waste processor [OWP]
	model no. EPL 1000
	E-waste: handed over to authorize vendor
	Hazardous waste: handed over to
	authorize vendor
	STP sludge (Dry sludge): will be used as
	manure for gardening
	Area requirement:
	1. Location(s): on Ground
	2. Total area provided for the storage &
	Treatment of the solid waste : For EPL 1000
	= 100 m ²

3. Budgetary allocation (Capital cost and
O&M cost):
Capital cost : 10 Lakhs
O&M cost : 2 Lakhs/ annum

Green Belt Development:

Total RG area:

1. RG area under greenbelt:

RG on the ground : 8690.57 m^2 RG on the podium : 7023.94 m^2

Plantation:

Trees to be planted on the Ground: 738 Nos. & Shrubs 21 Nos.

Trees to be planted on podium: 25 Nos. Shrubs to be planted on podium: 21 Nos.

Budgetary allocation (Capital cost and O&M cost):

Capital cost: 50 Lakhs

O&M cost: 5 Lakhs / annum

Energy

Power supply:

Sr. No.	Power Requirement					
1	Source of power supply : MSEB					
2	During Construction Phase a) Demand Load 63 H					
3	During Operation Phase, a) Demand load b) Connected Load	6500 KVA 11500 KVA				
4	DG set as Power Back-up during operation phase	1x 125 KVA 2x 250 KVA 2X 500 KVA				
5	Fuel load	Diesel				

Energy saving measures

 All fluorescent lights/LED with electronic ballast in place of copper chokes & tube- T5 type, in place of T8 type, to reduce the power consumption by 12 watts per lamp & increase in lumens by 14%. Further reduction by use of sensors

(Power saving 1, 63,146 KWH/year). r/l=7760x0.8x6hr/dayx365d/yrx12 watts

- Hot water requirement for low rise will be met by solar water heating system (Power saving 1256661.00 KWH/ year).
- All building/ areas will be equipped with Capacitors Banks, with heavy duty compact gas filled capacitors with harmonic filters to maintain THD's less than 10 % with auto power factor correction panels to be connected with LT panels at load end. This is to reduce the power losses caused by low power factor & harmonic distortions of power wave form.
- Electrical distribution system will be monitored regularly and energy consumption will have check meter, so that any energy loss will be detected and will be rectified immediately.
- Insulated roof to reduce heat gain.
- Common light load requirement in high rise building/street lighting will be met by use of solar if feasible. Energy will be saved 50,000 KWH/year.

Detail calculation and % of saving

Sr. No.	Energy Conservation Measures	Saving %
1	Lighting fixtures With CFL & T5 with Electronic Ballast +Power	20 % on entire lighting load
2	Lighting Control system on BMS &Sensors	10% street and common light
3	Solar water heating/lighting	20%
4	Solar	Common lighting & small power

Budgetary allocation (Capital cost and O&M cost)

Capital cost: Rs. 83.63 Lakhs

O&M Cost: Rs. 1.5Lakhs/ Annum

DG Set:

Number and capacity of DG sets to be used:

During construction Phase: 1 Nos. X 80 KVA

During operational Phase: Residential:- 1X 125 KVA

2x 250 KVA 3 x 500 KVA

Type of fuel used: Diesel

Traffic Management

папс мападетен							
Buildings	Wing	Number of tenements	Parking required 20+3+1.4 m ² /tenem ents	Parking provided m ²			
P+12	A1	47	1147				
P+12	A2	47	1147	Parking-			
P+12	A3	47	1147	4940 m ² +			
P+12	A4	47	1147	Podium			
P+12	A 5	47	1147	parking-			
P+12	A6	47	1147	10760			
P+12	A7	47	1147	m ² =15700			
P+12	A8	47	1147				
G+1	B1	6	146	146			
G+1	B2	5	122	122			
G+1	В3	5	122	122			
G+1	B4	6	146	146			
G+1	C1	5	122	122			
G+1	C2	6	146	146			
G+1	C3	6	146	146			
G+1	D1	2	49	49			
G+1	D2	3	73	73			
P+10	E	20	488	488			
Total		440	10736	17262			

Width of all internal roads(m): 7.5 m, 9m & 12 m Wide

Environmental Management Plan Budgetary allocation:

During construction Phase:

Sr. No.	Parameter	Total cost in Lakhs
1	Water and dust Suppression	0.7
2	Site Sanitation & Safety	1.5

3	Environmental Monitoring	2.4
4	Disinfection	1.4
5	Health Check up	1.5
6	Total Cost	7.5

During operation Phase:

During opera	During operation Phase :						
Sr. No.	Pollution control measures	Recurring Cost Per annum (Rs. Lakhs)	Capital Cost (Rs. Lakhs)	Corpus fund generatio n			
1	Pollution control Measures- STP & Noise Control Measures	10 (Includes cost of power, operation & maintena nce)	100 (Construct ion of STP)				
2	Environme nt Monitoring	5 (Monitorin g charges for air, water, waste water, Soil DG stack, noise etc.)	Nil	Corpus generated (in Rupees) at			
3	Solid Waste managem ent	2 (includes cost of waste collection, storage and disposal)	10 (includes cost of waste collection, storage and disposal)	the rate Rs. 0.5/sq. ft will be collected from flat owner which will be handed			
4	Solar water heater system	1.5	83.63	over to society			
5	Occupati onal Health	2.5 (includes cost of medical checkup, PPE & first aid kit)	4 (includes cost of PPE & first aid facility)				
6	Green belt developm ent	6 (includes cost of landscapi	85 (includes landscapi ng of plot				

		-		ı			
			ng of plot area)	area)			
	7	Rain water Harvesting	.25	22			
	8	Other (EHS orientation & training)	3 (Environm ent & safety training)	10 (Other equipmen ts)			
		Total	30.25	314.63			
3.	The proposal	has been c	considered b	y SEIAA in	its 52 nd & 62 nd	Noted	
	said project ur	nder the prov	risions of Envir	onment Impa	earance to the act Assessment		
	Notification. 20 and condition	-	o implement	ation of the	following terms		
	adequate wa	iter supply is	available to	the project	project unless and sewerage erage from the	Noted	
		nental clear	ance is issu	ued subject	to land use	1	
(ii)	verification lo with request	cal authority to Rules	//planning a regulation	uthority shown	uld ensure this , government		
				•	environmental consideration		
		ot mean tha	t state level		ssment (SEIAA)		
				of proposo	d construction	Noted	
	shall be in acc local body & before app commenceme	cordance wit it should ens proving lay ent certificat ning permissik	h the existing ure the same out plan te to proposolity for the p	FSI/FAR norm a along with before sed work. Ul proposed pro	d construction ns of the urban survey number e according LB should also ject as per the	Noted.	
(iv)	'Consent for I	Establishmen	t" shall be c	btained fron	n Maharashtra	Consen	t to
					d a copy shall		n: Consent
			•	artment befo	re start of any		D.: Format
	construction w	voik at the SIG	∪ .				ROHQ/PN- 3CE/CC-
						2756 da	
							014 Copy
						Attache	ed

(v)	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Complied. Proper Sanitation facility is provided & Hygiene measures are taken care as Toilets are provided at site.
(vi)	Project proponent shall ensure completion of STP, MSW disposal facility green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Par-a 2. Prior certification from appropriate authority shall be obtained,	Noted and shall be complied. Septic tank is provided in Phase I.
(vii)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, Mobile toilets. mobile STP, safe drinking water, medical health care, crèche and first aid room etc.	Complied. Proper drinking water & toilet facility is provided at site.
(viii)	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should he made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should he ensured.	Complied. Proper drinking water & toilet facility is provided at site.
(ix)	The solid waste generated should be properly collected and segregated dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Noted & shall be complied. Vermi composting method is adopted for managing the solid waste.
(x)	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And no wet garbage will be disposed outside the premises. Local authority should ensure this.	Vermi composting method is adopted for managing the Solid waste.
(xi)	Arrangement shall be made that waste water and storm water do not gel mixed.	Complied
(xii)	All the top soil excavated during construction activities should be stored for Use in horticulture / landscape development within the proje1 site.	Noted. Top soil will be used for landscaping.

(xiii)	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	Shall be complied.
(xiv)	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Noted and shall be complied.
(xv)	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safely and health aspects of people, only in approved sites with the approval of competent authority.	Complied. Adequate measures are provided.
(Xvi)	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Complied. Env. Monitoring report is attached herewith.
(xvii)	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dumpsites for such material must be secured so that they should not leach into the ground water.	Complied. Adequate measures are provided.
(xviii)	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Noted.
(xix)	The diesel generator sets to be used during construction phase should he low sulphur diesel type and should conform to Environments (Protection) Rules prescribed (or air and noise emission standards.	Complied. DG sets are having acoustic enclosure.
(XX)	The diesel required for operating DG sets shall be stored in underground tanks and it required clearance from concern authority shall be taken.	Noted.
(Xxi)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non peak hours.	Complied. Vehicles are checked for PUC certificate.
(Xxii)	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should he made to reduce ambient air ad noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Complied. Env. Monitoring report is attached herewith.

(xxiii)	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August. 2003 (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations). Ready mixed concrete must be used in building construction.	Noted and fly ash will be used as building material in the construction. Complied.
(xxv)	The approval of competent authority shall be obtained for	Noted and shall be
	structural safety of the building due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.	complied.
(xxvi)	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Noted and shall be complied.
(xxvii)	Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.	Complied.
(xxviii)	The ground water level and its quality should be monitored	Complied.
	regularly in consultation with Ground Water Authority.	Env. Monitoring
		report is attached
		herewith.
(xxix)	The installation of the Sewage Treatment Plant (STP) should be	Noted and shall be
	certified by all independent experts and a report in this regard	complied.
	should be submitted to the Ministry before the project is commissioned for operation. Treated effluent emanating From STP	
	shall he recycle/refused to the maximum extent possible. Discharge	
	of this unused treated affluent, if any should be discharge in the	
	sewer line. Treatment of 100%gray water by decentralized	
	treatment should be done. Necessary measures should be made to	
	mitigate the odour problem from STP.	
(Xxx)	Local body should ensure that no occupation certification is issued	Noted shall be
	prior to operate on of STP/MSW site etc. with due permission of	complied.
	MPCB.	
(xxxi)	Permission to draw ground Water shall be obtained from the	Noted.
(70,001)	competent Authority prior to construction/operation of the project.	
(Xxxii)	Separation of gray and black water should be done by the use of	Shall be complied.
	dual plumbing line for separation of gray and black water.	·
(Xxxiii)	Fixtures for showers, toilet flushing and drinking should be of low	Noted and shall be

	flow either by use of aerators or pressure reducing devices or sensor	complied.
	based control.	
(xxxiv)	Use of glass may be reduced up to 40% to reduce the electricity	Noted & shall be
	consumption and load on air conditioning. If necessary, use high	complied
	quality double glass with special reflective coating in windows.	
(Xxxv)	Roof should meet prescriptive requirement as per Energy	Noted & shall be
	Conservation Building Code by using appropriate thermal	complied
	insulation material to fulfill requirement.	
(Xxxvi	Energy conservation measures like installation of CFLs/TFLs for the	Complied. Energy
)	lighting the areas outside the building should be integral part of the	conservation
	project design and should be in place before project	measures
	commissioning. Use CFLs and TFLs should by properly collected and	mentioned in
	disposed off/sent for recycling as per the prevailing guidelines/rules	Annexure-I Project
	of the regulatory authority to avoid mercury contamination. Use of	details.
	solar panels maybe done to the extent possible like installing solar	
	street lights, common solar water heaters system. Project	
	proponent should install, after checking feasibility, solar plus hybrid	
	non conventional energy source as source of energy.	
xxx∨ii	Diesel power generating sets proposed as source of backup power	Noted and shall be
	for elevators and common area illumination during operation	complied.
	phase should be of enclosed type and conform to rules made	
	under the Environment (Protection) Act. 1986, The height of stack of DG sets should be equal to the height needed for the combined	
	capacity of all proposed DG sets. Use low sulphur diesel. The	
	location of the DG sets may be decided with in consultation with	
	Maharashtra Pollution Control Board.	
Xxxviii	Noise should be controlled by ensure that it does not exceed the	Noted.
	prescribed standards. During nighttime the noise levels measured	
	at the boundary of the building shall be restricted to the permissible	
	levels to comply with the prevalent regulations.	
Xxxix	Traffic congestion near the entry and exit points from the roads	Noted and shall be
	adjoining the proposed project Site must be avoided. Parking	complied.
	should be fully internalized and no public space should be utilized.	
XI	Opaque wall should meet prescriptive requirement as per energy	Noted and shall be
	Conservation Building Code, which is proposed to be mandatory	complied.
	for all air-conditioned spaces while it is aspiration for non-air-	
	conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	
	тпателано типште чинеттетт.	

XIi	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	Noted and shall be complied.
Xlii	Regular supervision of the above and other measures for monitoring should tie in place all through the construction phase, so as to avoid disturbance to the surroundings.	Complied. Site engineers supervise proper implementation of EHS safeguard at site.
Xliii	Under the provisions of Environment (Protection) Act. 1986. Legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Noted. EC letter is attached herewith.
Xliv	Six monthly monitoring reports should be submitted to the Department and MPCB.	Complied. Six monthly monitoring reports are attached herewith and submitted to respective offices.
XIV	A complete set of all the documents submitted to Department should be forwarded to the MPCB.	Complied. Six monthly monitoring reports are attached herewith and submitted to respective offices.
XIvi	In the case of any change(S) in the scope of the project. The project would require a fresh appraisal by this Department.	Noted
XIvii	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Noted. Site engineers supervise proper implementation of EHS safeguard at site.
XIviii	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall he included is part of the project cost. The funds earmarked for the environment protection measures shall	Complied. EMP along with break up attached as Annexure-I

		т
	not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.	
Xlix	The project management shall advertise at least in Two local newspapers widely, circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board anti may also be seen at Website at http://envis.maharastra.gov.in Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and	Complied. Copy of advertisement is attached as herewith. Complied.
	conditions in hard & soil copies to the MPCB & this department on 1st June & 1st December of each calendar year.	
li	A copy of the clearance letter shall be sent by proponent to rite concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations. If any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Complied.
lii	The proponent shall upload the Status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously he sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a Convenient location near the main gate of the company in the public domain.	Noted and complied. The proponent shall upload the status of compliance of the stipulated conditions.
liii	The project proponent shall also submit six monthly reports on the status of compliance Of the stipulated EC conditions including results Of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF the respective Zonal Office of CPCB and the SPCB.	Complied. Six monthly monitoring reports are attached herewith and submitted to respective offices.
liv	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board a prescribed under the Environment (Protection) Rules. 1986, as	Noted and shall be complied.

	amended subsequently shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him. If any or action initiated under EP Act.	No any violation during issue of Environment clearance.
5	In case of submission of false document and non compliance of stipulated conditions. Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act. I 986,	Noted.
6	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any ether administrative reason.	Noted
7	Validity of Environment Clearance : The environmental clearance accorded shall be valid for a period of 5 years.	Noted.
8	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Noted and shall be Complied.
9	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act. 1974, the Air (Prevention and Control of Pollution) Act. 1981. The Environment (Protection) Act. 1986 and rules there under. Hazardous Wastes (Management and Handling) Rules. 1989 and its amendments, the public liability Insurance Act, 1991 and its amendments.	Noted.
10	Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan bhawan, Sec-5 R.K Puram, New Delhi-110 022, if preferred within 30days as prescribed under section 16 of the National Green Tribunal Act 2010.	Noted.

POST ENVIRONMENT MONITORING REPORT

For the Project

"PALM SPRING"

Residential Group Housing Project
At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,
12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1,
Village Undri, Ta. Haveli, Pune, Maharashtra,

Period: July, 2016 – September, 2016

Developer

M/s. Kumar Kering Properties Pvt.Ltd.

Kumar Capital 1st Floor 2413, East Street, Camp, Pune – 41100, Maharashtra

Prepared by



GREEN CIRCLE, INC.
Vadodara

HE GREEN PEOPLE

GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers
(Recognized By Ministry of Environmental and Forests, New Delhi Under EPA 1986 and
GPCB approved Environmental Auditor – Schedule II)
No. Q – 15018/32/2007 - CPW

CERTIFICATE

This is to certify that the post environment monitoring of Residential Group Hosing Project "Palm spring" at Village Undri, Tal. Haveli, Pune, Maharashtra; for M/s. Kumar Kering Properties Pvt.Ltd. has been carried out by M/s. Green Circle, Inc., Vadodara during the period of July, 2016 – September, 2016.

The study reveals that there is no negative impact on the environment.

For: Green Circle, Inc.

Mr. Pradeep Joshi CEO & Group President

GD. OFFICE: Green Empire (Anupushpam), Beside Canara Bank, Nr. Yash Complex, Above Axis Bank, Gotri Main Road, VADODARA -390 021, (Gujarat), India

Tel.: 0265 - 2371028 / 2371269 Email: info@greencircleinc.com Website: www.greencircleinc.com

JMBAI : Flat No. 6, Ground Floor, Shakuntala Niwas, M. G. Road, Opp. G. H. School, Borivali (E), MUMBAI - 400 066, India

Tel: 022 - 28943090 Telefax: 022 - 28943060

: ALSO AT :

HYDERABAD PUNE

RAIPUR

KOLKATA

AUSTRALIA

NEW DELHI

OMAN

KUWAIT

: OVERSEAS AT :

AFRICA

VIETNAM



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/August

Date: 12.08.2016

ANALYSIS REPORT

(For the Month of August- 2016)

Client's De	etails		Sample Details		
Name	M/s. Kumar (Palm sprin	Kering Properties Pvt.Ltd. g)	Sample code	GCI/V/16/H2/AA1 & AA2	
	Residential Group Housing Project At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2,		Location	As per Table	
12/3A, 12/3B 12/6/1, 12/7,		3B, 12/4, 12/5A/1, 12/5B, 7, 12/8, 12/12/1, 12/12/3, /illage Undri, Ta. Haveli,	Date of Sampling & Instrument	05.08.2016, RDS & FPS	
Sampling [Done by	Mr. Mahavir	Sampling Method	IS 5182 :Part 5: 1975	
Analysis Start on Analysis Completion on		06.08.2016	Sample Received	04.08.2014	
		12.08.2016	Date	06.08.2016	

AMBIENT AIR QUALITY MONITORING REPORT

Sr. No.	Parameter	Units	Result			
	Sampling locations		C-4 Wing back side	Near Main Gate	NAAQS For 24 Hours	Methods Used
1.	Particulate Matter (PM10)	µg/m³	65.1	73.5	100	Gravimetric analysis
2.	Particulate Matter (PM _{2.5})	µg/m³	26.4	29.40	60	Gravimetric analysis
3.	Sulfur dioxide (SO ₂)	µg/m³	11.7	10.1	80	Improved West & Geake Method
4.	Oxides of Nitrogen (NOx)	µg/m³	18.72	16.16	80	Jacob & Hochheiser Modified Method

Remarks: As above results are within National Ambient Air Quality Standards.

Authorized

SRILANKA

UAE

Analysis is subjected to the conditions received at the laboratory

Report can not be used as evidence anywhere without prior permission

Sample will not be retained after 1 month

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com R&D

- : ALSO AT :

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

BANGLADESH

MYANMAR

: OVERSEAS :-**AUSTRALIA OMAN** KUWAIT **AFRICA** VIETNAM



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/August

Date: 12.08.2016

ANALYSIS REPORT

(For the Month of August- 2016)

Client's De	etails		Sample Details		
Name	(Palm sprin		Sample code	GCI/V/16/H2/GW1	
		Group Housing Project 2/1/2, 12/1/3, 12/1/4, 12/2,	Location	As per Table	
Address 12/3A, 12/3 12/6/1, 12/7 13/1/2/1, V		3B, 12/4, 12/5A/1, 12/5B, 7, 12/8, 12/12/1, 12/12/3, 'illage Undri, Ta. Haveli, arashtra,	Date of Sampling & Instrument	05.08.2016, Manual Sampler	
Sampling [Mr. Mahavir	Sampling Method	APHA 1060	
Analysis Start on Analysis Completion on		06.08.2016	Sample Received	04.00.0014	
		12.08.2016	Date	06.08.2016	

DRINKING WATER ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Water sample	Desirable limit as per	
31. 140.	raidifferers	Offili	Bore well Water	IS 10500-2012	
1	рН	-	7.72	6.5-8.5	
2	Temperature	°C	25.1	NS	
3	Turbidity	NTU	<2	10	
4	Conductivity	µs/cm	765	NS	
5	Total Dissolved Solids	mg/L	1150	2000	
6	Total Suspended Solids	mg/L	6	NS	
7	Total Hardness	mg/L	73	600	
8	Ca Hardness	mg/L	51	NS.	
9	Total Alkalinity	mg/L	118	600	
10	Chloride	mg/L	138	1000	
11	Sulphate	mg/L	82	400	
12	Copper	mg/L	BDL	1.5	
13	Zinc	mg/L	BDL	15	

Remark: The results are within limit as per IS-10500-2012 Note: BDL = Below Detectable Limit, N.S. = Not Specified

Authorized Signatory

UAE

- Analysis is subjected to the conditions received at the laboratory
- Report can not be used as evidence anywhere without prior permission
- Sample will not be retained after 1 month

NEWDELHI

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. R&D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

- : ALSO AT : . GOA PUNE BENGALURU

HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

- : OVERSEAS :-**AUSTRALIA** OMAN KUWAIT **AFRICA** VIETNAM BANGLADESH MYANMAR SRILANKA

U.K.



Analysis Start on

Analysis Completion on

GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/August

Date: 12.08.2016

06.08.2016

ANALYSIS REPORT

(For the Month of August- 2016) Sample Details Client's Details M/s. Kumar Kering Properties Pvt,Ltd. GCI/V/16/H2/ST1-ST2 Name Sample code Palm spring) Residential Group Housing Project As per Table Location At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 05.08.2016, Isokinetic Sampling, Address Date of Sampling & 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, IS:11255,PART-1,2,3 Instrument 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra Isokinetic Sampling, Sampling Method Mr. Mahavir Sampling Done by IS:11255, PART-1,2,3 Sample Received

STACK MONITORING ANALYSIS RESULTS

Date

Sr. No.	Parameters	Unit	Results		Reference method
			Near C-1 Building	Nr.C-3 Building	
1	Material of Stack		MS	MS	-
2	Stack Height from G.L.	m	5	5.5	-
3	Stack No.	9.	01	02	- "
4	Stack Attached To	-	DG	DG	-
5	Capacity of stack	KVA	45	125	•
6	Flue Gas Temperature	°K	395	401	-
7	Velocity	m/s	5.44	8.2	nei
8	Particulate Matter (PM)	mg/Nm³	60.7	64.6	IS 11255: Part 1

Authorized Signatory

Analysis is subjected to the conditions received at the laboratory

Report can not be used as evidence anywhere without prior permission

Sample will not be retained after 1 month

06.08.2016

12.08.2016

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com R&D

- : ALSO AT : PORT BLAIR DHARWAD MUMBAI KOLKATA U.K. **HYDERABAD** BENGALURU GOA PUNE NEWDELHI : OVERSEAS :-

AFRICA VIETNAM OMAN KUWAIT AUSTRALIA

BANGLADESH

MYANMAR

SRILANKA

UAE



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/August

Date: 12.08.2016

ANALYSIS REPORT

(For the Month of August- 2016)

Client's De	Client's Details		Sample Details	
Name	M/s. Kumar (Palm spring	Kering Properties Pvt.Ltd. g)	Sample code	GCI/V/16/H2/N1-N5
Residentia	Residential (Group Housing Project	Location	As per Table
Address	At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra,		Date of Sampling & Instrument	05.08.2016, Sound Level Meter (HTC/SL-1352)
		Mr. Mahavir	Sampling Method	APHA 1060
Analysis Start on		06.08.2016	Sample Received Date	06.08.2016
Analysis Completion on		12.08.2016		00.00.2010

NOISE MONITORING RESULTS

	923	Noise Level in dB (A) Leq. during					
Sr. No.	Sampling locations	Day Time	Day Time				
01. 110.		Measured	Limit*	Measured	Limit*		
1.	Near Main Gate	50.4	65	43.9	55		
2.	Nr. C4 Wing	51.7	65	41.5	55		
3.	C5 Wing	53.3	65	49.4	55		
4.	B2 Wing	54.1	65	50.1	55		
5.	Nr. Club House	55.1	65	46.5	55		

ANALYSIS RESULTS OF D.G SETS NOISE QUALITY

		Observed Value in dB(A)		
Sr. No.	Location Name	Results	CPCB Permissible Limit	
1	Near DG -I (25 KVA)	72.1	75	
2	DG -II (45 KVA)	66.7	N CIRC 75	

Authorized Signatory

- Analysis is subjected to the conditions received at the laboratory
- Report can not be used as evidence anywhere without prior permission
- Sample will not be retained after 1 month

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

: ALSO AT:

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

: OVERSEAS:

AUSTRALIA OMAN

KUWAIT

AFRICA

VIETNAM

BANGLADESH

MYANMAR

SRILANKA

UAE



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/August

Date: 12.08.2016

ANALYSIS REPORT

(For the Month of August- 2016)

Client's De	etails		Sample Details	
Name	M/s. Kumar (Palm sprin	Kering Properties Pvt.Ltd.	Sample code	GCI/V/16/H2/\$1-\$2
Residential Group Housing Project		Location	As per Table	
Address	ddress At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra,		Date of Sampling & Instrument	05.08.2016, Augur
Sampling Done by Mr. Mahavir		Sampling Method	IS-2720 PART-1	
Analysis Start on Analysis Completion on		06.08.2016	Sample Received	06.08.2016
		12.08.2016	Date	00.00.2010

SOIL ANALYSIS RESULTS

	Davanatara	Unit	Results		
Sr. No.	Parameters	Onli	Splinder	Labour Colony	Reference Method
1	На	-	7.62	7.73	IS 2720 : Part 26 : 1987
2	Moisture Content	%	8.8	7.62	IS 2720 : Part 09: 1992
3	Sulphate	mg/gm	0.88	0.74	IS 2720 : Part 27 : 1977
4	Organic Matter	%	3.8	4.1	IS 2720 : Part 22 : 1972
5	Chloride	%	0.78	0.83	IS 6925: 1973
6	Copper	mg/gm	BDL	BDL	APHA 3500-Cu
7	Total Kjeldhal Nitrogen	mg/gm	0.44	0.41	APHA 4500-Norg
8	Zinc	mg/gm	BDL	BDL	APHA 3500-Zn

BAROD Authorized Signatory

- Analysis is subjected to the conditions received at the laboratory
- Report can not be used as evidence anywhere without prior permission
- Sample will not be retained after 1 month

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D

Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

POST ENVIRONMENT MONITORING REPORT

For the Project

"PALMSPRING"

Residential Group Housing Project

At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,
12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1,
Village Undri, Ta. Haveli, Pune, Maharashtra

Period: October, 2016 - December, 2016

Developer

M/s. Kumar Kering Properties Pvt. Ltd.
Kumar Capital 1st Floor 2413, East Street, Camp,
Pune- 411001. Maharashtra

Prepared by



GREEN CIRCLE, INC.
Vadodara

THE GREEN PEOPLE

GREEN CIRCLE, INC.

Integrated HSEQR Consulting Engineers, Scientists & Trainers

(Recognized By Ministry of Environmental and Forests, New Delhi Under EPA 1986 and

GPCB approved Environmental Auditor – Schedule II)

No. Q – 15018/32/2007 - CPW

CERTIFICATE

This is to certify that the post environment monitoring of Group Housing Residential Project "Palmspring" at Village Undri, Tal. Haveli, Pune, Maharashtra; for M/s. Kumar Kering Properties Pvt. Ltd. has been carried out by M/s. Green Circle, Inc., Vadodara during the period of October, 2016 – December, 2016. The study reveals that there is no negative impact on the environment.

For: Green Circle, Inc.

Mr. Pradeep Joshi CEO J. Group President

GD. OFFICE: Green Empire (Anupushpam), Beside Canara Bank, Nr. Yash Complex, Above Axis Bank, Gotri Main Road, VADODARA -390 021, (Gujarat), India

Tel.: 0265 - 2371028 / 2371269 Email: info@greencircleinc.com Website: www.greencircleinc.com

JMBAI ; Flat No. 6. Ground Floor, Shakuntala Niwas, M. G. Road, Opp. G. H. School, Borivali (E), MUMBAI - 400 066, India

Tel: 022 - 28943090 Telefax: 022 - 28943060

: ALSO AT :

: OVERSEAS AT : -

NEW DELHI HYDERABAD

PUNE RAIPUR

KOLKATA

AUSTRALIA

OMAN

KUWAIT

AFRICA

VIETNAM



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/November

Date: 09.11.2016

ANALYSIS REPORT

(For the Month of November- 2016)

Client's De	tails		Sample Details	
Name	M/s. Kumar (Palm sprin	Kering Properties Pvt.Ltd. g)	Sample code	GCI/V/16/K2/AA1 & AA2
Residential Group Housing P	Group Housing Project 2/1/2, 12/1/3, 12/1/4, 12/2,	Location	As per Table	
Address At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra,		Date of Sampling & Instrument	02.11.2016, RDS & FPS	
Sampling Done by Mr. Mahavir		Mr. Mahavir	Sampling Method	IS 5182 :Part 5: 1975
Analysis Start on Analysis Completion on		03.11.2016	Sample Received	03.11.2016
		09.11.2016	Date	03.11.2010

AMBIENT AIR QUALITY MONITORING REPORT

Sr. No.	Parameter		Result			
Sampling locations			C-4 Wing back side	Near Main Gate	NAAQS For 24 Hours	Methods Used
1.	Particulate Matter (PM10)	µg/m³	71.2	77.1	100	Gravimetric analysis
2.	Particulate Matter (PM _{2.5})	µg/m³	29.0	30.84	60	Gravimetric analysis
3.	Sulfur dioxide (SO ₂)	µg/m³	12.7	14.8	80	Improved West & Geake Method
4.	Oxides of Nitrogen (NOx)	µg/m³	20.32	23.68	80	Jacob & Hochheiser Modified Method

Remarks: As above results are within National Ambient Air Quality Standards.

Authorized Signatory

- Analysis is subjected to the conditions received at the laboratory
- Report can not be used as evidence anywhere without prior permission
- Sample will not be retained after 1 month

AUOHOLA WAS A STANDING TO THE STANDING TO THE

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

: ALSO AT : ______

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM BANGLADESH MYANMAR SRILANKA UAE



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/November

Date: 09.11.2016

ANALYSIS REPORT

(For the Month of November- 2016)

Client's De	etails		Sample Details		
Name	M/s. Kumar (Palm sprin	Kering Properties Pvt. Ltd. g)	Sample code	GCI/V/16/K2/ST1-ST2	
Residential Group Housing Project At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra		나는 이 경기에 가게 되어 내가 하고 있었다고 가는 그리고 있다면 하는 것이 살아지고 싶다니다.	Location	As per Table	
		Date of Sampling & Instrument	02.11.2016, Isokinetic Sampling, IS:11255,PART-1,2,3		
Sampling Done by		Mr. Mahavir	Sampling Method	Isokinetic Sampling, IS:11255, PART-1,2,3	
Analysis Start on		03.11.2016	Sample Received	02.11.0017	
Analysis C	ompletion on	09.11.2016	Date	03.11.2016	

STACK MONITORING ANALYSIS RESULTS

Sr. No.	Parameters	Unit	F	Reference method	
			Near C-1 Building	Nr.C-3 Building	
1	Material of Stack	-	MS	MS	-
2	Stack Height from G.L.	m	5	5.5	0.00
3	Stack No.	-	01	02	-
4	Stack Attached To	-	DG	DG	E
5	Capacity of stack	KVA	45	125	-
6	Flue Gas Temperature	°K	394	373	
7	Velocity	m/s	3.2	3.6	
8	Particulate Matter (PM)	mg/Nm³	62.1	63.4	IS 11255: Part 1

Authorized Signatory

Analysis is subjected to the conditions received at the laboratory

Report can not be used as evidence anywhere without prior permission

Sample will not be retained after 1 month

CORP. OFFICE & Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

: ALSO AT : —

NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM BANGLADESH MYANMAR SRILANKA UAE



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/November

Date: 09.11.2016

ANALYSIS REPORT

(For the Month of November- 2016)

Client's De	etails		Sample Details	
Name	M/s. Kumar (Palm spring	Kering Properties Pvt. Ltd. g)	Sample code	GCI/V/16/K2/GW1
		Group Housing Project	Location	As per Table
Address	At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra		Date of Sampling & Instrument	02.11.2016, Manual Sampler
Sampling Done by Mr. Mahavir		Mr. Mahavir	Sampling Method	APHA 1060
Analysis Start on		03.11.2016	Sample Received Date	03.11.2016
Analysis Completion on		09.11.2016	-	*

DRINKING WATER ANALYSIS RESULTS

Sr.		0-9	Water sample	Desirable limit as per
No.	Parameters	Unit Bore well Wat		IS 10500-2012
1	рН	(+)	7.36	6.5-8.5
2	Temperature	°C	24.7	NS
3	Turbidity	NTU	<2	10
4	Conductivity	µs/cm	778	NS
5	Total Dissolved Solids	mg/L	1233	2000
6	Total Suspended Solids	mg/L	7	NS
7	Total Hardness	mg/L	91	600
8	Ca Hardness	mg/L	52	NS
9	Total Alkalinity	mg/L	161	600
10	Chloride	mg/L	87	1000
11	Sulphate	mg/L	82	400
12	Copper	mg/L	BDL	1.5
13	Zinc	mg/L	BDL	15

Remark: The results are within limit as per IS-10500-2012

Note: BDL = Below Detectable Limit, N.S. = Not Specified

Authorized Signatory

SRILANKA

UAE

- · Analysis is subjected to the conditions received at the laboratory
- Report can not be used as evidence anywhere without prior permission

AFRICA

Sample will not be retained after 1 month

KUWAIT

AUSTRALIA

OMAN

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

R & D

Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

BANGLADESH

MYANMAR

VIETNAM



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/November

Date: 09.11.2016

ANALYSIS REPORT

(For the Month of November- 2016)

Client's De	tails		Sample Details	
Name	M/s. Kumar I (Palm spring	Kering Properties Pvt.Ltd.	Sample code	GCI/V/16/K2/N1-N5
		Group Housing Project	Location	As per Table
Address At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra,		Date of Sampling & Instrument	02.11.2016, Sound Level Meter (HTC/SL-1352)	
Sampling Done by Mr.		Mr. Mahavir	Sampling Method	APHA 1060
Analysis Start on		03.11.2016	Sample Received	03.11.2016
	ompletion on	09.11.2016	Date	03.11.2010

NOISE MONITORING RESULTS

		Noise Level in dB (A) Leq. during				
Sr. No.	Sampling locations	Day Time		Night Time		
	Probability Committee Constitution Constitution	Measured	Limit*	Measured	Limit*	
1.	Near Main Gate	57.2	65	44.1	55	
2.	Nr. C4 Wing	54.4	65	53.4	55	
3.	C5 Wing	61.1	65	44.8	55	
4.	B2 Wing	56.7	65	46.2	55	
5.	Nr. Club House	55.7	65	53.1	55	

ANALYSIS RESULTS OF D.G SETS NOISE QUALITY

2007/200		Observed Value in dB(A)		
Sr. No.	Location Name	Results	CPCB Permissible Limit	
1	Near DG -I (25 KVA)	67.1	75	
2	DG -II (45 KVA)	63.3	75	

Authorized Signatory

- Analysis is subjected to the conditions received at the laboratory
- Report can not be used as evidence anywhere without prior permission
- Sample will not be retained after 1 month

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA. Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com R&D

- : ALSO AT : -

HYDERABAD

U.K.

- : OVERSEAS :-**AFRICA**

KUWAIT

NEWDELHI

AUSTRALIA

GOA

OMAN

PUNE

BENGALURU

BANGLADESH VIETNAM

KOLKATA

MYANMAR

DHARWAD

SRILANKA

MUMBAI

UAE

PORT BLAIR



Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment and Forests, New Delhi Under EPA 1986) (No. Q - 1508 / 32 / 2007 - CPW)

(ISO 9001-2008, 14001:2004, OHSAS 18001:2007 & NABL / ISO / IEC 17025:2005 Certified Organisation)

Report No:-GCI/V/Lab/EM/16-SP/15-16/November

Date: 09.11.2016

ANALYSIS REPORT

(For the Month of November- 2016)

Client's Details			Sample Details		
Name M/s. Kum (Palm spi		Kering Properties Pvt. Ltd. g)	Sample code	GCI/V/16/K2/S1-S2	
	Residential Group Housing Project At Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra		Location	As per Table	
Address			Date of Sampling &	02.11.2016, Augur	
Sampling Done by Mr. Mahavir		Sampling Method	IS-2720 PART-1		
Analysis Start on 03.11.2016		03.11.2016	Sample Received	03.11.2016	
Analysis Completion on 09.11.2016		09.11.2016	Date	03.11.2016	

SOIL ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results		Reference Method
31. NO.			Splinder	Labour Colony	Kelefelice Melliod
1	Н	_	7.51	7.31	IS 2720 : Part 26 : 1987
2	Moisture Content	%	11.1	8.8	IS 2720 : Part 09: 1992
3	Sulphate	mg/gm	0.91	0.55	IS 2720 : Part 27 : 1977
4	Organic Matter	%	4.1	3.3	IS 2720 : Part 22 : 1972
5	Chloride	%	0.89	0.71	IS 6925: 1973
6	Copper	mg/gm	BDL	BDL	APHA 3500-Cu
7	Total Kjeldhal Nitrogen	mg/gm	0.39	0.16	APHA 4500-Norg
8	Zinc	mg/gm	BDL	BDL	APHA 3500-Zn

Authorized Signatory

4006

Analysis is subjected to the conditions received at the laboratory.

Report can not be used as evidence anywhere without prior permission

Sample will not be retained after 1 month

CORP. OFFICE & : Green Empire (Anupushpam), Above AXIS Bank, Nr. Yash Complex, Gotri Main Road, Vadodara - 390 021 (Gujarat), INDIA.

Tel.: +91 - 265 - 2371269 Cell: +91 93285 83835 E-mail: info@greencircleinc.com Website: www.greencircleinc.com

: ALSO AT : NEWDELHI GOA PUNE BENGALURU U.K. HYDERABAD KOLKATA DHARWAD MUMBAI PORT BLAIR

AUSTRALIA OMAN KUWAIT AFRICA VIETNAM I

VIETNAM BANGLADESH

MYANMAR SRILANKA

UAE

ANNEXURE – I

1. NAME AND ADDRESS OF THE PROJECT PROPOSED:

Proposed project "Palmspring" is a construction of Residential Group Housing Project at Sr. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village Undri, Ta. Haveli, Pune, Maharashtra

2.PROJECT PROPOSAL:

Total Number of Buildings 9 & 44 Bungalows

- No. of Tenements 440
- Buildings A1 to A8: P + 12 Floors.
- Buildings A5 to A8: B + P + 12 Floors
- Bungalows B1 (6 Nos.), B2 (6 Nos.), B3 (6 Nos.), B4 (6 Nos.), C1 (5 Nos.), C2 (5 Nos.),
 C3 (5Nos.) to D1 (2 Nos.) & D2 (3 Nos.): G + 1
- Building E: P + 10


3. AREA STATEMENT:

Sr. No.	Description	Area (m²)	
1	Total Plot Area	78600.00	
2	Deductions	25405.25	
3	Net Plot Area	53194.75	
4	Net Permissible FSI	71124.51	
5	Proposed Built up area	FSI area	68452.50
		Non FSI area	22715.66
		Total BUA area	91168.16
6	Ground-coverage %	42%	_

4. PARKING STATEMENT:


Buildings	Wing	Number of tenements	Parking required 20+3+1.4 m ² /tenements	Parking provided m ²
P+12	A1	47	1147	
P+12	A2	47	1147	
P+12	A3	47	1147	
P+12	A4	47	1147	Parking-4940 m ² + Podium
P+12	A 5	47	1147	parking- 10760 m ² =15700
P+12	A6	47	1147	
P+12	A7	47	1147	
P+12	A8	47	1147	
G+1	B1	6	146	146
G+1	B2	5	122	122
G+1	В3	5	122	122
G+1	B4	6	146	146
G+1	C1	5	122	122
G+1	C2	6	146	146
G+1	C3	6	146	146
G+1	D1	2	49	49
G+1	D2	3	73	73
P+10	E	20	488	488
Total		440	10736	17262

5. WATER CONSUMPTION



6. SEWAGE TREATMENT PLANT:

The process flow diagram for sewage treatment plant is shown below:



7. SOLID WASTE GENERATION:

Pre construction & Construction Phase				
Waste generation	38 kg/day			
Operation Phase				
Dry waste	410 kg/day			
Wet waste	616 kg/day			
E - waste	Very less amount			
Hazardous waste	Spent oil or oil grease for DG sets, etc.			
STP sludge	33 kg/day			

8. DETAILS OF POWER REQUIREMENT:

Sr. No.	Power Requirement				
1	Source of power supply :MSEB	100			
2	During Construction Phase	63 KVA			
3	During Operation Phase,				
	Demand Load	6500 KVA			
	Connected Load	11500.KVA			
4	DG set as Power Back — up during operation phase	1 no. x 125 KVA 2 nos. x 250 KVA 2 nos. x 500 KVA			
.5	Fuel used	Diesel			

9. TREE PLANTATION:

RG on the ground: 8690.57 m² RG on the podium: 7023.94 m²


No. of Trees to be planted on ground	: 738
No. of Shrubs to be planted on ground	: 21
No. of Trees to be planted on podium	: 25
No. of Shrubs to be planted on podium	: 21

Trees on Ground

Name	C/C Dist	Quantity
ALISTONEA SCHOLARIS	4 m C/C	75 nos.
BAUHINIA PURPUREA	5 m C/C	26 nos.
MIMOSOPS ELENGII (BAKUL)	4 m C/C	45 nos.
ANTHOCEPHALUS KADAMBA	4 m C/C	91 nos.
NYCANTHES ARBORTRISTICS (PARIJATAK)	3.5 m C/C	158 nos.
MICHELIA CHAMPAKA	3.5 m C/C	16 nos.
LAGERSTROEMIA FLOS REGINA	5 m C/C	14 nos.
COROUPITA GUINENSIS (KAILASHPATI)	4 m C/C	18 nos.
AZARDIRACHTA INDICA (NEEM)	5 m C/C	4 nos.
PLUMERIA ALBA	3 m C/C	105 nos.
PLUMERIA RUBRA	3 m C/C	58 nos.
MAHOGANY	4 m C/C	16 nos.

Shrubs on Ground

Name	C/C Distance	Area m ²
HYMENOCALLIS LITTORALIS (SPIDER LILY)	0.3 m C/C	482.78
TABERNAEMONTANA CORONARIA (TAGAR VARIEGATED)	0.45m C/C	394.96
HEDYCHIUM CORONARIUM (SONTAKKA)	0.45 m C/C	244.51
PLUMBAGO CAPENSIS	0.45 m C/C	383.77
NERIUM OLEANDER DWARF	0.45 m C/C	326.62
CALLIANDRA RED	0.45 m C/C	24.23
IXORA RED HYBRID	0.45 m C/C	48.25
ALLAMANDA DWARF	0.3 m C/C	180.65
ARECA PALMS	0.9 m C/C	13.52
MYENA ERECTA	0.45 m C/C	42.83
CESTRUM NOCTURNUM (RAATRANI)	0.45 m C/C	180.06



LANDSCAPE LAYOUT ON GROUND

10. RAIN WATER HARVESTING

Size of the recharge pits = 3.0m x 3.0m x 3.0m No. of recharge pit proposed = 10


Rain water Harvesting and Storm water Drain:


- · The rain water harvesting could be done by no of ways. Some of the alternatives are :
- Collection of roof rain water from individual bungalow and using it for specified purpose like drinking, garden etc.
- Collection of storm water and utilizing it for recharging of ground water table through existing and new wells.
- Collection of storm water in protected under ground storage tank / open water body and utilization of the same as per requirement.
- Trenching within the plots.

We recommend the following:


- The storm water collected in the storm water conveyance system will be used for recharging of ground water table through the bore wells.
- Wherever possible, the trenches would be provided for percolation.
- Percolation of the rain water depends upon the permeability of earth strata. By Providing no. of recharge pits and recharge of bore well necessary efforts will be taken for maximum recharging of ground water.


11. ENVIRONMENTAL MANAGEMENT PLAN DURING CONSTRUCTION PHASE:





OPERATION PHASE:





EMP Cost

Annexure – II EMP Cost

Sr.	Pollution control	Capital Cost	Recurring Cost Per	Arrangement of
No.	Measures	(Rs. Lakhs)	Annum (Rs. Lakhs)	Corpus fund
1				
	Construction Phase	7	1.5	Developer & Site In
				Charge
2		Operation	al Phase	
1.	Pollution Control - STP,	10	100	Resident Society &
	Scrubber & Noise	(Includes cost of power,	(Construction of STP)	AMC with the Supplier
	Control Measures	operation & maintenance)		for first Five Years
2.	Environment	5	Nil	Resident Society (As
	Monitoring	(Monitoring charges for air,		corpus fund an
		water, waste water, soil,		amount of approx. Rs
		DG stack, noise etc.)		4/- per square foot
3.	Solid Waste	2	10	shall be charged per
	Management	(includes cost of waste	(Includes cost of waste	month)
		collection, storage and	collection, storage and	
		disposal)	OWC)	
4.	Solar water heater	1.5	83.63	
	system			
5.	Occupational Health	2.5	4	
		(includes cost of medical	(includes cost of PPE, first	
		checkup, PPE & first aid kit)	aid facility)	
6.	Green Belt	6	85	
	development	(includes cost of	(includes landscaping of	
		landscaping of plot area)	plot area)	
7.	Rain water harvesting	0.25	22	
8.	Others (EHS orientation	3	10	
	& training)	(Environment & safety	(other equipments)	
		training)		
	Total	30.25	314.63	

PROJECT STATUS REPORT

BACKGROUND

EC No.	:	SEAC-2010/CR.776/TC.2 Dated: 25 th July 2013		
Project name	:	Residential Group Housing Project		
Project	:	ir. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4,		
location		12/5A/1, 12/5B, 12/6/1, 12/7,12/8, 12/12/1, 12/12/3,		
		Village Undri, Ta. Haveli, Pune, Maharashtra.		
Developer	:	M/s. Kumar Kering Properties Pvt. Ltd.		
name				
Developers	:	Kumar Capital, 1st Floor, 2413, east Street Camp, Pune		
address		411001. Maharashtra		

PROJECT STATUS

Status u	updated on	:	December, 2016		
Activity	Phase of project	:	Phase - I Completed		
Excava	tion details		100 % Completed for Phase - I		
CONSTI	RUCTION DETAILS - Pha	se	I		
Sr. No	Building Name/ othe	er	Current status of Work		
1	Bungalows 44 Nos.		Completed		
2	2 Gardening/Landscape		Completed for Phase - I		
3	STP		Septic Tank provided for Phase - I		
4	RWH		Completed		
5	Internal Roads		Completed		
6	Lighting		Completed		
7	Plumbing		Completed		
8	Solid Was	te	Vermicomposting provided		
	Management				

In addition to Bunglows, work for RCC/BBM- RCC work for 6 Bungalows completed. No any other RCC work is started.

Developer: M/s. Kumar Kering Properties Pvt. Ltd.

Lighting

Plumbing

9

CONSTRUCTION DETAILS - Phase II

Status updated on		:	Decem	December, 2016			
Activity	Phase of project	:	Phase-I	l Not Started			
Excava	tion details	:	Not Sta	Not Started			
CONSTRUCTION DETAILS - Phase II							
Sr. No	Sr. No Building Name/ other			Current status of Work			
1	Building A1 to A8		9 + 12	Work yet not started			
	Floors)						
2	Building E (P + 10 Floors)			Work yet not started			
3	Solid Waste Management		ment	Work yet not started			
4	STP			Work yet not started			
5	Gardening/Landscape		oe	Work yet not started			
6	RWH			Work yet not started			
7	Internal Roads			Work yet not started			

Note: Phase - I Construction work Completed and Phase - II work yet not started

Work yet not started


Work yet not started

Public Notice

English News paper Public Notice



Marathi News Paper Public Notice



MAHARASHTRA POLLUTION CONTROL BOARD

Phone: - 24010437/24020781/24014701

Fax :- 24044532 / 24023516

Email :- enquiry@mpcb.gov.in

Visit At:- http://mpcb.gov.in

MAHARASHITRA

Kalpataru Point, 3rd & 4th floor, Sion-

Matunga Scheme Road No. 8, Opp.

Cine Planet Cinema, Near Sion Circle,

Sion (E), Mumbai - 400 022

Infrastructure/Orange/L.S.I

Consent order No: Format 1.0/BO/ROHQ/PN-19850-13CE/CAC - 2756

Date.21/03/2014

To,

M/s. Kumar Kering Properties Pvt. Ltd. "Palmspring"

S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1,

12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1,

Village: Undri, Tal: Haveli, Dist: Pune 411001

Subject: Consent to Establish in Orange category Residential / construction project.

Ref : Minutes of Consent Committee meeting held on 13/03/2014

Your application CE1311000495 date 18/11/2013.

For: Consent to Establish.

Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent to Establish is granted for a period upto:- Commissioning of the unit or five years, whichever is earlier.
- 2. The Proposed Capital investment of the Project is Rs 113.79 Cr. (As per CA certificate).
- 3. The Consent to Establish is valid for Residential project develop by M/s. Kumar Kering Properties Pvt. Ltd. names as "Palmspring" at S.No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A&B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village: Undri Tal: Haveli, Dist: Pune 411001. on total plot area of 78.600.0 Sq. mtrs and total construction built up area of 91,168.16 Sq. mtrs. As per construction commencement certificate issued by local body.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge	Standards to be achieved	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	277.00 CMD	As per Schedule –I	60% shall be reused & recycled and remaining shall be discharged in municipal sewer.

SRO Pune II/I/O/L/96423000

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG sets (180 KVA)	1	As per Schedule –II
2.	DG sets (125 KVA)	1	As per Schedule -II
3.	DG sets (250 KVA) 2 Nos	2	As per Schedule -II
4.	DG sets (500 KVA) 2 Nos	2	As per Schedule -II

6. Conditions under Municipal Solid Waste (Management and Handling) Rule,2000

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1.	Biodegradable Waste	616.0	Kg/Day	On site Composting	Used as manure
. 2.	Non Biodegradable Waste	410.0	Kg/Day	Segregation	By sale
3.	STP Sludge	45.0	Kg/D		Used as manure

- 7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 9. The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2010/CR-776/TC-2, dated 25th July 2013.
- 10. The applicant shall submit Board Resolution from Company Board, towards starting of construction work without obtaining consent to establish from the MPC Board thus violated the provisions of Environmental laws and in future, they will not do such violations and B.G. of Rs. 2 laks towards submission of Board Resolution by 01/04/2014.

For and on behalf of the Maharashtra Pollution Gentrol Board

(Rajecv Kumar Mital) Member Secretary

Received Consent fee of -

Sr.	Amount(Rs.)	DD. No.	Date	Drawn On	
1	2,27,680/-	001534	22/10/2013	HDFC Bank	

Conv to:

- 1. Regional Officer, MPCB, Pune. And Sub-Regional Officer, Pune-II, they are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Page Page PAHASASHIRA DE DE SELECTION DE LES CONTROL DE LES CONTRO

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) Al As per your consent application, you have proposed to provide the sewage treatment system with the design capacity of 300.0 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1	рH	Not to exceed . •	6.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 Days 27 degree C	Not to exceed	100 mg/l.
4	Detergent	Not to exceed	01 mg/l.
		<u> </u>	<u> </u>

- C! The treated domestic effluent shall be 60% recycled and reused for flushing, fire fighting and cooling of Air conditioners etc. The remaining shall be discharged into Municipal sewer/ utilized on land for gardening after conforming to above standards. The firm shall affix the separate meter for ensurance of 60% recycling of treated sewage and keep the records of the same. In no case effluent shall find its way to any water body directly /indirectly at any time.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 3) The firm shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made thereunder for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity
		(CMD)
1.	Domestic purpose	308.00

5) The firm shall provide Specific Water Pollution control system as per the conditions of EPAct, 1986 and rule made there under from time to time/ Environmental Clearance.

Arge Resident of the second of

Schedule-II

Terms & conditions for compliance of Air & Noise Pollution Control:

1. As per your application, you have proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	Height in (Above roof top)	Mtrs.	Type of Fuel	Quantity
1.	DG sets (180.0 KVA)	5.0		_	
2.	DG sets (125.0 KVA)	5.0		HSD	120Lit/Hr.
3.	DG sets (250.0 KVA) 2 Nos	5.0		1130	1201010111.
4.	DG sets (500.0 KVA) 2 Nos	5.0			<u> </u>

^{*} D.G. Set shall be operate only in case of power failure.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Darticulate metter	Not to exceed	150.00	mg/Nm³
Particulate matter	1401 to exceed	130.00	1116/14111

- 3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)
- 5. Conditions during construction phase:-

а	During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters.
b	During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved laboratory.
C	Noise generating activity shall be carried out during day time only.

Page 4 President of Mumbai

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
* 1	Establish	Rs. 5.0 lakhs	15 days	Rs. 5.0 lakhs for ensuring the compliance of consent conditions.		Five years
2	Establish	Rs. 2.0 Lakh	15 days	Rs. 2.0 Lakh towards submission of Board resolution by 31/03/2014	1/04/2014	30/08/14
	-	,				

Page 5 Ro Pollution Control of the Page 5 Ro P

SRO Pune II/I/O/L/96423000

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - -c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the __night __time. __Day time __is __reckoned between 6 -a.m. to 10 p. m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

Page of b Prishta of the sumbar of the sumba

SRO Pune II/I/O/L/96423000